

Sprint-3

TEAM ID	PNT2022TMID34531
PROJECT NAME	IoT Based Smart Crop
	Protection System for
	Agriculture

Node-Red Dashboard:





Python in IDLE:

```
python modified project code.py - C:/Users/HP/AppData/Local/Programs/Python/Python37/python modified project code.py (3.7.0)
 File Edit Format Run Options Window Help
             cv2
numpy as np
wiotp.sdk.device
playsound
random
time
datetime
import ibm boto3
from ibm_botocore.client import Config,ClientError
#Cloudant DB
#cloudant DB
from cloudant.client import Cloudant
from cloudant.error import Cloudant
from cloudant.error import Cloudant
from cloudant.result import Result, ResultByRey
from clarifai grpc.channel.clarifai_dannel import ClarifaiChann
from clarifai_grpc.grpc.api import service_pb2 grpc
stub=service_pb2 grpc.V2Stub(ClarifaiChannel.get_grpc_hannel())
from clarifai_grpc.grpc.api import service_pb2, resources_pb2
from clarifai_grpc.grpc.api.status import status_code_pb2
#This is how you authenticate
                                                                                            rt ClarifaiChannel
ffhis is how you authenticate
metadata = ("authorizatation", 'Key 3f24cd30d49f4f7ab5d79a5597356fc7"),) #clarifi service credential

COS_ENDPOINT ="https://s3.ap.cloud-object-storage.appdomain.cloud"


COS_APTE_ENDPOINT ="https://s3.ap.cloud-object-storage.appdomain.cloud"

COS_APTE_ENDPOINT ="https://iam.cloud.imm.com/identity/token"

COS_APTE_ENDPOINT ="https://iam.cloud.imm.com/identity/token"

COS_RESOURCE_CRN ="crn:v1:bluemix:public:cloud-object-storage.global:a/c3cld2d11b42464d9c706f832c28b807:380fafe0-66e6-44f2-9abb-e989ae484b63::"
clientd=cloudant("apikey-v2-17ohzcgg9s8gag385pikw8c0rvy66cm8u9rdhnbdj4pb","d2c0c50d290716c4f3a6c163754fd4d2",url= "https://apikey-v2-17ohzcgg9:
clientdb-connect()

fragete_resource
                                                                                                                                                                                                                                                                        ..
gg9s8gag385pikw8c0rvg66om8u9rdh
clientdb.connect()
fcreate resource
cos = ibm_boto3.resource("s3",
   ibm_api_key_id=COS_API_REY_ID,
   ibm_service instance id=COS_RESOURCE_CRN,
   ibm_auth_endpoint=COS_AUTH_ENDPOINT,
        config=Config(signature_version="oauth"),
endpoint_url=COS_ENDPOINT
 def multi_part_upload(bucket_name, item_name, file_path):
              :
print("Starting file transfer for {0} to bucket:{1}\n".format (item_name, bucket_name))
part size = 1024 * 1024 * 5
file threshold = 1024* 1024 * 15
transfer_config=imm_boto3.s3.transfer.TransferConfig(
multipart_threshold=file_threshold,
multipart_chunksize=part_size
               Ln: 102 Col: 55
                                                                                  python modified project code.py - C:/Users/HP/AppData/Local/Programs/Python/Python37/python modified project code.py (3.7.0)
 File Edit Format Run Options Window Help
                      multipart threshold=file threshold,
                       multipart_chunksize=part_size
               with open(file_path, "rb") as file_data:
                      cos.Object(bucket_name, item_name).upload_fileobj(
Fileobj=file_data,
Config=transfer_config
               print ("Transfer for {0} Complete!\n".format(item_name))
        except ClientError as be:
   print ("CLIENT ERROR: {0}\n".format(be))
               ept Exception as e:
print("Unable to complete multi-part upload: {0}".format(e))
       myCommandCallback(cmd):
print("Command received: %s" % cmd.data)
        command=cmd.data['command']
       command=cmd.data['command'
print(command)
if(command=='lighton'):
   print('lighton')
elif(command=='lightoff'):
   print('lightoff')
elif(command=='motoron'):
   print('motoron')
dif(command=='motoron')
       elif(command=='motoroff'):
               print('motoroff')
myConfig = {
        "identity": {
               "orgId":"kc06ni",
"typeId": "abcd",
"deviceId": "123"
                "token":"12345678"
client= wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None) client.connect()
database name="sample1"
my_database = clientdb.create_database(database_name)
if my_database.exists():
    print(f"'{database_name}' successfully created.")
      cap=cv2.VideoCapture("garden.mp4")
if(cap.isOpened()==True):
                                                                                                                                                                                                                                                                                                               Ln: 102 Col: 55
                                                                                 13-11-2022
```



Code used in the Project:

import cv2

import numpy as np

import wiotp.sdk.device

import playsound

import random

import time

import datetime

import ibm_boto3

from ibm_botocore.client import Config,ClientError

#Cloudant DB

from cloudant.client import Cloudant

from cloudant.error import CloudantException

from cloudant.result import Result, ResultByKey

from clarifai_grpc.channel.clarifai_channel import ClarifaiChannel

from clarifai_grpc.grpc.api import service_pb2_grpc

stub=service_pb2_grpc.V2Stub(ClarifaiChannel.get_grpc_channel())

from clarifai_grpc.grpc.api import service_pb2, resources_pb2

from clarifai_grpc.grpc.api.status import status_code_pb2

#This is how you authenticate

metadata = (('authorization', 'Key

3f24cd30d49f4f7ab5d79a5597356fc7'),)#clarifi service credential

 $COS_ENDPOINT = "https://s3.ap.cloud-object-storage.appdomain.cloud"$

COS_API_KEY_ID

="uK89t2Ead9kwv4PKtIvpo7UdN5TZSzF095U2_JsMGtTv"

COS_AUTH_ENDPOINT ="https://iam.cloud.ibm.com/identity/token"

COS_RESOURCE_CRN ="crn:v1:bluemix:public:cloud-object-

storage:global:a/c3c1d2d11b42464d9c706f832c28b807:380fafe0-66e6-44f2-

9abb-e989ae484b63::"

clientdb=Cloudant("apikey-v2-

17ohzcgg9s8gag385pikw8c0rvg66om8u9rdhnbdj4pb","d2c0c50d290716c4f3a6 c163754fd4d2",url= "https://apikey-v2-

17ohzcgg9s8gag385pikw8c0rvg66om8u9rdhnbdj4pb:d2c0c50d290716c4f3a6c1 63754fd4d2@fc0b7457-1856-4d19-a6d4-985e0054e85f-

bluemix.cloudantnosqldb.appdomain.cloud")

```
clientdb.connect()
#create resource
cos = ibm_boto3.resource("s3",
  ibm_api_key_id=COS_API_KEY_ID,
  ibm_service_instance_id=COS_RESOURCE_CRN,
  ibm_auth_endpoint=COS_AUTH_ENDPOINT,
  config=Config(signature_version="oauth"),
  endpoint_url=COS_ENDPOINT
)
def multi_part_upload(bucket_name, item_name, file_path):
  try:
    print("Starting file transfer for {0} to bucket:{1}\n".format (item_name,
bucket_name))
    part_size = 1024 * 1024 * 5
    file_threshold = 1024* 1024 * 15
    transfer_config=ibm_boto3.s3.transfer.TransferConfig(
       multipart_threshold=file_threshold,
       multipart_chunksize=part_size
    with open(file_path, "rb") as file_data:
       cos.Object(bucket_name, item_name).upload_fileobj(
         Fileobj=file_data,
         Config=transfer_config
       )
    print ("Transfer for {0} Complete!\n".format(item_name))
  except ClientError as be:
    print ("CLIENT ERROR: {0}\n".format(be))
  except Exception as e:
    print("Unable to complete multi-part upload: {0}".format(e))
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data)
  command=cmd.data['command']
  print(command)
  if(command=='lighton'):
```


```
print('lighton')
  elif(command=='lightoff'):
    print('lightoff')
  elif(command=='motoron'):
    print('motoron')
  elif(command=='motoroff'):
    print('motoroff')
myConfig = {
  "identity": {
    "orgId":"kc06ni",
    "typeId": "abcd",
    "deviceId": "123"
  },
  "auth": {
    "token":"12345678"
  }
client= wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
database_name="sample1"
my_database = clientdb.create_database(database_name)
if my_database.exists():
 print(f"'{database_name}' successfully created.")
 cap=cv2.VideoCapture("garden.mp4")
if(cap.isOpened()==True):
  print('File opened')
else:
  print ('File not found')
while(cap.isOpened()):
  ret, frame = cap.read()
  gray =cv2.cvtColor(frame ,cv2.COLOR_BGR2GRAY)
  imS=cv2.resize(frame,(960,540))
  cv2.imwrite('ex.jpg',imS)
```

```
with open("ex.jpg","rb") as f:
    file_bytes = f.read()
  request = service_pb2.PostModelOutputsRequest(
model id='aaa03c23b3724a16a56b629203edc62c',#"e2eb7c86020f842148cd36
bb3a11086a"
inputs=[resources_pb2.Input(data=resources_pb2.Data(image=resources_pb2.I
mage(base64=file_bytes))
    )])
  response = stub.PostModelOutputs(request ,metadata=metadata)
  if response.status.code != status_code_pb2.SUCCESS:
    raise Exception("Request failed, status code:" + str (response.status.code))
  detect=False
  for concept in response.outputs[0].data.concepts:
    if(concept.value>0.98):
       if(concept.name=="animal"):
         print("Alert! Alert! animal detected")
         playsound.playsound('alert.mp3')
         picname=datetime.datetime.now().strftime("%y-%m-%d-%H-%M")
         cv2.imrite(picname+'.jpg',frame)
         multi_part_upload('adalin' ,picname+'.jpg',picname+'.jpg')
json_document={"link":COS_ENDPOINT+'/'+'adalin'+'/'+picname+'.jpg'}
         new_document = my_database.create_document(json_document)
         if new_document.exists():
           print (f"Document successfully created.")
         time.sleep(5)
         detect =True
  moist=random.randint(0,100)
  \#temp=random.randint(0,100)
  humidity = random.randint(0,100)
  myData={'Animal': detect,'moisture':moist,'humidity':humidity}
  print(myData)
  if(humidity!=None):
```

```
client.publishEvent(eventId="status",msgFormat="json", data=myData,
qos=0, onPublish=None)
    print("Publish Ok..")
    client.commandCallback = myCommandCallback
    cv2.imshow('frame',imS)
    if cv2.waitKey(1) & 0xFF == ord('q'):
        break
client.disconnect()
cap.release()
cv2.destroyAllWindows()
```


OUTPUT FOR PYTHON:

No Animal detected:



Animal Detected:

Document s Publish Ok Alert! Ale Starting f



△ 26°C Cloudy ^ ⊕ (€ (4)) 12:11