

SPRINT-1

REGISTRATION PAGE

REGISTER.HTML

```
<html>

<head>

<meta charset="UTF-8">

<title> Register </title>

<link rel="stylesheet" href="static/still.css">

</head>

<body></br></br></br></br>

<div align="center">

<div align="center" class="border">

<div class="header">

<h1 class="word">Register</h1>

</div>

<h2 class="word">

<form action="{{ url_for('register') }}" method="post">

<div class="msg">{{ msg }}</div>

<label>Username</label>

<input id="username" name="username" type="text" placeholder="Enter Your

Username" class="textbox"/>

<label>Password</label>

<input id="password" name="password" type="password" placeholder="Enter Your

Password" class="textbox"/>

<label>Email ID</label>
```

```
<input id="email" name="email" type="text" placeholder="Enter Your Email ID"
class="textbox"/>
<input type="submit" class="btn" value="Sign Up">
</form>
</h2>
<p class="bottom">Already have an account? <a class="bottom"
href="{{url_for('login')}}"> Sign In here</a></p>
</div>
</div>
</body>
</html>
```

LOGIN.HTML

```
<html>
<head>
<meta charset="UTF-8">
<title> Login </title>
<link rel="stylesheet" href="static/still.css">
</head>
<body></br></br></br></br></br>
<div align="center">
<div align="center" class="border">
<div class="header">
<h1 class="word">Login</h1>
```

```
</div>

<h2 class="word">

<form action="{{ url_for('login') }}" method="post">

    <label>Username</label>

    <input id="username" name="username" type="text" placeholder="Enter Your
Username" class="textbox"/>

    <label>Password</label>

    <input id="password" name="password" type="password" placeholder="Enter Your
Password" class="textbox"/>

    <input type="submit" class="btn" value="Sign In">

</form>

</h2>

<p class="bottom">Don't have an account? <a class="bottom"
href="{{url_for('register')}}"> Sign Up here</a></p>

</div>

</div>

</body>

</html>
```

STLLL.CSS

```
@import url('http://fonts.googleapis.com/css2?family=Poppins&display=swap');

*{

    margin: 0;

    padding: 0;
```

```
    box-sizing: border-box;

    font-family: 'Poppins', sans-serif;

    cursor: pointer;
}

body{

    height: 100vh;

    width: 100%;

    display: flex;

    justify-content: center;

    align-items: center;

    background: linear-gradient(to right, #3f5efb, #fc466b);
}

form{

    width: 25rem;

    height: 28rem;

    display: flex;

    flex-direction: column;

    background: rgba(255, 255, 255, .06);

    box-shadow: 0 8px 32px 0 rgba(31, 38, 135, .37);

    border-radius: 30px;

    border-left: 1px solid rgba(255, 255, 255, .3);

    border-top: 1px solid rgba(255, 255, 255, .3);

}

h1
```

```
{  
    font-size: 50px;  
    text-align: center;  
    color: white;  
    text-shadow: 2px 2px 4px rgba(0, 0, 0, .2);  
    letter-spacing: 3px;  
    margin-bottom: 2%;  
    opacity: .7;  
}  
  
label{  
    font-size: 20px;  
    color: white;  
    margin-left: 3%;  
    opacity: .8;  
    text-shadow: 2px 2px 4px rgba(0, 0, 0, .2);  
}  
  
input{  
    width: 80%;  
    margin: 5% auto;  
    margin-bottom: 8%;  
    border: none;  
    outline: none;  
    background: transparent;  
    color: white;  
    border-bottom: 1px solid rgba(255, 255, 255, .6);
```

```
}
```

```
.btn
```

```
{
```

```
width: 50%;
```

```
margin: 3% auto;
```

```
color: white;
```

```
font-size: 15px;
```

```
opacity: .7;
```

```
background: rgba(255, 255, 255, .06);
```

```
padding: 10px 30px;
```

```
border: none;
```

```
outline: none;
```

```
border-radius: 20px;
```


```
text-shadow: 2px 2px 4px rgba(255, 255, 255, .6);
```


```
box-shadow: 3px 3px 5px rgba(31,38,135,.37);
```

```
border-left: 1px solid rgba(255, 255, 255, .3);
```

```
border-top: 1px solid rgba(255, 255, 255, .3);
```

```
}
```





The screenshot shows the IBM Db2 on Cloud console interface. The top navigation bar includes tabs for 'Load Data', 'Load History', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' tab is selected, displaying a table named 'PBV90190.USER'. Below the table name, there is a table with three columns: 'USERNAME', 'EMAIL', and 'PASSWORD'. The table contains three rows of data:

USERNAME	EMAIL	PASSWORD
Hamthan	hamthan@gmail.com	12345
Hamthan1	hamthan12@gmail.com	54321
sumith	asdf@gmail.com	12345

At the bottom of the console, there is an 'Export to CSV' button. The Windows taskbar is visible at the bottom of the screen, showing the search bar, task view button, and various application icons.