ASSIGNMENT-4

RETAIL STORE STOCK INVENTORY ANALYTICS


TEAM ID: PNT2022TMID38670 NAME: K.BHUVANESHWARI REG NO: 420419205302

Answer the questions or complete the tasks:


1.DOWNLOAD THE DATA SET:


https://drive.google.com/file/d/1slv-7x7CE0zAPAt0Uv-6pbO2ST2LVp5u/view


2.LOADING THE DATASET




3.PERFORM THE VISUALIZATION







4. PERFORM DESCRIPTIVE STATISTICS ON THE DATASET



5. CHECK FOR MISSING VALUES AND DEAL WITH THEM


```
6.FIND THE OUTLIERS AND REPLACE THEM OUTLIERS

data-pd.read_csv('abalone.csv')
    data.head()
    q1=data.length.quantile(0.25)
    q2=data.length.quantile(0.75)
    q1,q3


e (0.45, 0.615)

[] IQR=Q3-Q1
    IQR
    Iower_limit = Q1-1.5*IQR
    upper_limit = Q3-1.5*IQR
    lower_limit, upper_limit
    data_no_outlier = data[(data.length>lower_limit)]
    data_no_outlier = data[(data.length>lower_limit)]
```

6. FIND THE OUTLIERS AND REPLACE THEM OUTLIERS



7. CHECK FOR CATEGORICAL COLUMNS AND PERFORM ENCODING



8.SPLIT THE DATA INTO DEPENDENT AND INDEPENDENT VARIABLES

```
8.SPLIT THE DATA INTO DEPENDENT AND INDEPENDENT VARIABLES
x=data.drop(columns= ['Rings'])
     y=data['Rings']
x
            Sex Length Diameter Height Whole weight Shucked weight Viscera weight Shell weight

        0
        1
        0.455
        0.365
        0.095
        0.5140
        0.2245
        0.1010
        0.1500

        1
        1
        0.350
        0.265
        0.090
        0.2255
        0.0995
        0.0485
        0.0700

     2 0 0.530 0.420 0.135 0.6770 0.2565 0.1415 0.2100

        3
        1
        0.440
        0.365
        0.125
        0.5160
        0.2155
        0.1140
        0.1550

        4
        2
        0.330
        0.255
        0.080
        0.2050
        0.0895
        0.0395
        0.0395
        0.0550

     4172 0 0.565 0.450 0.165 0.8870 0.3700 0.2390 0.2490
      4173 1 0.590
                                                   0.9660
                                                                    0.4390
                            0.440 0.135
                                                                                       0.2145
                                                                                                       0.2605
                                                   1.1760 0.5255 0.2875
     4174 1 0.600 0.475 0.205
                                                                                                      0.3080
                                                   1.0945
     4175 0 0.625 0.485 0.150
                                                                   0.5310
                                                                                      0.2610
                                                                                                       0.2960
     4176 1 0.710 0.555 0.195 1.9485 0.9455 0.3765 0.4950
     4177 rows × 8 columns
```

```
0 15
1 7
2 9
3 10
4 7
...
4172 11
4173 10
4174 9
4175 10
4176 12
Name: Rings, Length: 4177, dtype: int64
```

9. SCALE THE INDEPENDENT VARIABLES

10. SPLIT THE DATA INTO TRAINING AND TESTING

```
10.SPLIT THE DATA INTO TRAINING AND TESTING

[ ] from sklearn.model_selection import train_test_split
    x_train, x_test, y_train, y_test = train_test_split(x,y, test_size = 0.2)
    print(x_train.shape, x_test.shape)

(3341, 8) (836, 8)
```

11.BUILD THE MODEL

```
11.BUILD THE MODEL

[ ] from sklearn.linear_model import LinearRegression
MLR=LinearRegression()
```

12. TRAIN THE MODEL

```
12.TRAIN THE MODEL

[ ] MLR.fit(x_train,y_train)

LinearRegression()
```

13. TEST THE MODEL