


Assignment-4

Teamid	PNT2022TMID49595
PROJECTNAME	SMART FASHION RECOMMENDER APPLICATION
NAME	SRIVATHSAVA M
ROLLNO	950019104046

1.Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

web.html:

```
<html>
```

```
<head>
```

```
<title>
```

Images

```
</title>
```

```
<link rel="stylesheet" href="https://balabm7.s3.jp-tok.cloud-object-storage.appdomain.cloud/STYLE.CSS">
```

```
</head>
```

```
<body>
```

```
<div class="box">
```

```
<div class="img1">
```

```
<h1 class="word">CLOTH</h1>
```

```

```

```
</div>
```

```
<div class="img2">
```

```
<h1 class="word">DRESS</h1>
```

```

```

```
</div>
```

```
<div class="img3">
```

```
<h1 class="word"> MEN</h1>
```

```

```

```
</div>
```

```
<div class="img4">
```

```
<h1 class="word"> SHIRT </h1>
```

```

```

```
</div>
```

```
<div class="img5">
```

```
<h1 class="word"> WOMEN</h1>
```

```

```


```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:



3.Upload a css page to the object storage and use the same page in your HTML code.

```
@import url('https://fonts.googleapis.com/css2?family=Alkalami&display=swap');
```

```
body{
```

```
    top: 0;
```

```
    left: 0;
```

```
    width: 100vw;
```

```
    height: 100vh;
```

```
    margin: 0;
```

```
    padding: 0;
```

```
    font-size: 1vmin;
```

```
    font-family: 'Alkalami', serif;
```

```
    color: white;
```

```
    background: linear-gradient(90deg, #fc466aad 0%, #3f5efbb6 100%);
```

```
}
```

```
.word{
```

```
    text-align: center;
```



```
    text-transform: uppercase;
    color: rgb(231, 226, 225);
}
img{
    border-radius: 3px;
    position: relative;
    top: 34%;
    left: 50%;
    transform: translate(-50%, -50%);
    width: 99%;
    height: 70%;
}
.box{
    border-radius: 3px;
    height: 500px;
    width: 700px;
    background: linear-gradient(90deg, #FC466B 0%, #3F5EFB 100%);
    display: flex;
    flex-wrap: wrap;
    flex-direction: row;
    position: relative;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);

}

.img1 ,.img2 ,.img3, .img4, .img5{
    border-radius: 10px;
    height: 220px;
```


```
width: 150px;
margin: 15px;
border: 1px solid rgb(224, 23, 23);
background: linear-gradient(90deg, #4b6cb7 0%, #182848 100%);
}
.img1{
margin-left: 60px;
}
.img2{
margin-left: 50px;
}
.img3{
margin-left: 50px;
}
.img4{
margin-left: 170px;
}
.img5{
margin-left: 50px;
}
```

Output:



4.Design a chatbot using IBM Watson assistant for Fashion Recommender.
Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

<https://ausyd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F4515744665224751885dda16d3ec36d5%3A8f916315-3ac2-46df-998d-480576cafcc5%3A%3A/assistants/291fd3ab-e3e1-493a-ae0e-c7c0b9caaf6b/preview>



5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html:

<html>

<head>

<title>

Images

</title>

<link rel="stylesheet" href="https://balabm7.s3.jp-tok.cloud-object-storage.appdomain.cloud/STYLE.CSS">

</head>

<body>

<script>

window.watsonAssistantChatOptions = {

integrationID: "585bdaa1-50e5-4c36-89d7-3d0399847a5e", // The ID of this integration.

```

    region: "au-syd", // The region your integration is hosted in.

    serviceInstanceID: "8f916315-3ac2-46df-998d-480576cafcc5", // The ID of your service
instance.

    onLoad: function(instance) { instance.render(); }

};

setTimeout(function(){

    const t=document.createElement('script');

    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";

    document.head.appendChild(t);

});
</script>

<div class="box">

<div class="img1">

<h1 class="word">CLOTH</h1>



</div>

<div class="img2">

<h1 class="word">DRESS</h1>



</div>

<div class="img3">

<h1 class="word"> MEN</h1>



</div>

<div class="img4">

<h1 class="word"> SHIRT </h1>



</div>

<div class="img5">

```



```

<h1 class="word"> WOMEN</h1>

</div>
</div>
</body>
</html>

```

Output:

