

ASSIGNMENT - 4


Name	Libia Pojathsiyu C
Team Id	PNT2022TMID45001
Roll number	811219205008

1: pull an image from docker hub and run it on docker playground.

Solution 1:


docker pull uifd/ui-for-docker

docker run -d -p 9000:9000 --privileged -v
/var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker



```
cdi0ji60_cdi0jpe0qau0008f9u8g
IP: 192.168.0.13 OPEN PORT: 9000
Memory: 1.59% (63.77MiB / 3.906GiB) CPU: 0.45%
SSH: ssh ip172-18-0-40-cdi0ji60qau0008f9u80@direct.labs.play-v
DELETE EDITOR


# This is a sandbox environment. Using personal credentials
# is HIGHLY discouraged. Any consequences of doing so are
# completely the user's responsibilities.
#
# The FWD team.
#####
[models] (local) root@192.168.0.13 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
[models] (local) root@192.168.0.13 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
c2557355d58010b2607d19372fd954a94b3f2c922d1c5377d8458ff941cb2cab
[models] (local) root@192.168.0.13 ~
$
```



2: Create a docker file for the job portal app or hello world app and deploy it in docker desktop app. Solution 2:

Docker file


```
Dockerfile - Notepad
File Edit Format View Help
FROM python:3.8
WORKDIR /app
ADD . /app
COPY requirements.txt /app
RUN python3 -m pip install -r requirements.txt
EXPOSE 5000
CMD ["python", "app.py"]
```



3:Create an IBM container registry and deploy helloworld app or job portal app.

Solution 3:

My image link: au.icr.io/hello-world-app/hello-world



4: Create a kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

Solution 4: apiVersion: v1

kind:

Service metadata: name: helloworld-

deployment spec: ports:

- port:

5000 targetPort:

5000 selector: app:

hello-world ---

apiVersion: apps/v1

kind: Deployment

metadata: name:

hello-world-

deployment spec:

replic as: 1 select or:

matchLabels: app: helloworld

template: meta da ta

: la be ls : app:

hello- world

spec: containers:

- name: hello-world image:

au.icr.io/helloworldapp/helloworld

imagePullPolicy: Always ports:

- containerPort: 5000

Clusters / mycluster-free Normal Expires in 29 days [Add tags](#) [Help](#) [Kubernetes dashboard](#) [Actions...](#)

Overview

Worker nodes
Worker pools
DevOps new

Expires in 29 days:
Be sure to back up your data, your cluster will be deleted in 29 days. To access the full capabilities of the service, try out a [standard cluster](#).

Node status

1 of 1

Normal

[Details](#)

Add-on status

0 of 0

Normal

[Details](#)

Master status

Normal

Docs

Ingress status

Unknown

Docs

Details

Cluster ID	Version	Infrastructure	Zones
cd11j33f0a6mchav5kig	1.24.7_1542	Classic	Milan 01
Created	Resource group	Image security enforcement	
04/11/2022, 01:12	Default	<input type="button" value="Enable"/>	

kubernetes default [+](#) [🔔](#) [👤](#)

[Workloads](#) > [Pods](#) > hello-world-deployment-6c75b9c898-p4ntv > **Logs**

Workloads 🔍

Cron Jobs
Daemon Sets
Deployments
Jobs
Pods
Replica Sets
Replication Controllers
Stateful Sets

Service

Ingresses 🔍
Ingress Classes
Services 🔍

Config and Storage

Logs from hello-world in hello-world-dep... [📄](#)

```
* Serving Flask app 'app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://172.30.82.142:5000
Press CTRL+C to quit
```

Logs from Nov 4, 2022 to Nov 4, 2022 UTC [🔍](#) [⏪](#) [⏩](#)

eu-de.containers.cloud.ibm.com/kubeproxy/clusters/cd11j33f0a6mchav5kig/_ser...