## ASSIGNMENT I

Student Name	JEEVITHA M
Student Roll Number	811219205005
Team ID	PNT2022TMID45001

1. Createregistration page in html with username, email and phone number and by using POST method displayitinn exthtml page.

```
Register.html
    <html>
    <head>
              <title> Registration Page</title>
              <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    </head>
    <body>
              <h1>Registration Page</h1>
              <form action="Register.php" method="POST">
              <label for="User Name">User Name:</label>
              <input type="text" name="User Name"> <br/>
        <br/>
              <label for="Email">Email:</label>
              <input type="Email" name="Email"> <br/>>
    <br/>
              <a href="mailto:</a> <a href="label"><a href="
              <input type="Phone Number" name="Phone Number"> <br/>
    <br/>
```

```
<input type="submit" value="Register!">
   </form>
 </body>
 </html>
Register.php Register.php
 <?php
 echo "You have submitted, User Name: " . $_POST['User Name'] . ", Email: ".
 $_POST['Email']. " andPhone Number: ".
 $_POST['Phone Number'];
 ?>
2. Develop a flask program which should contain at least 5 packages used from pypi.org.
 2. Developaflask program which should contain at least 5 packages used from pypi.org.
 import os import
 shutil
 import pytest from flask import render_template,
 render_template_string, request from jinja2.exceptions import
 TemplateNotFound from jinja2.sandbox import SecurityError from
 werkzeug.test import Client
 from CTFd.config import TestingConfig
 from CTFd.utils import get_config, set_config
 from tests.helpers import create_ctfd, destroy_ctfd, gen_user, login_as_user def
 test_themes_run_in_sandbox():
   app = create_ctfd() with
   app.app_context():
     try:
        app.jinja_env.from_string(
                       "{{ ().__class__.bases__[0].__subclasses__()[40]('./test_utils.py').read() }}"
```

```
).render()
    except SecurityError: pass
    except Exception as e: raise e
  destroy_ctfd(app)
def test_themes_cant_access_configpy_attribut es(): app =
  create_ctfd()
  with app.app_context():
                assert app.config["SECRET_KEY"] == "AAAAAAAAAAAAAAAAAA"
    assert (
      app.jinja_env.from_string("{{ get_config('SECRET_KEY')}
}}").render()## ... source file abbreviated to get to Flask examples ...
      r = client.get("/challenges") assert
      r.status_code ==
      200 assert "Challenges" in r.get_data(as_text=True)r =
      client.get("/scoreboard")
      assert r.status_code == 200
      assert "Scoreboard" in r.get_data(as_text=True) destroy_ctfd(app)
def test_that_request_path_hijacking_works_properly(): app
  = create_ctfd(setup=False, application_root="/ctf")assert
  app.request_class.
  name ==
  "CTFdRequest"with
  app.app_context():
                with app.test_request_context("/challenges"):assert
      request.path == "/ctf/challenges" destroy ctfd(app)
```

```
app = create_ctfd()
     assert app.request_class.__name == "CTFdRequest"
  with app.app_context():
    with app.test_request_context("/challenges"):assert
    request.path == "/challenges" from flask import Flask test_app =
    Flask("test")
    assert test_app.request_class.__name____ == "Request"
    with test_app.test_request_context("/challenges"):
      assert request.path == "/challenges"
  destroy_ctfd(app)
def test_theme_fallback_config():
  class ThemeFallbackConfig(TestingConfig):
    THEME FALLBACK = False
  app = create_ctfd(config=ThemeFallbackConfig)try: os.mkdir(os.path.join(app.root_path,
    "themes",
    "foo fallback")) except OSError:
    pass with app.app_context():
    app.config["THEME_FALLBACK"]
    = False set_config("ctf_theme",
    "foo_fallback")
    assert app.config["THEME_FALLBACK"] == Falsewith
    app.test_client() as client:
      try:
r = client.get("/")
```