


Assignment -3

Assignment Date	15 September 2022
Student Name	SUPRAJA C
Student Roll Number	211419205163
Maximum Marks	2 Marks

- Create a Bucket in IBM object storage.



- Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

IBM Cloud Object Storage interface showing the 'fast-alexa' bucket. The interface includes a sidebar with navigation options like Storage Instances, Buckets, Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area displays a warning: "Warning: All objects in this bucket have public view access." Below the warning, there is a table of objects with columns for Object name, Archived, Size, and Last modified. The table lists five objects: 1.png, 2.png, 3.png, 4.png, and 5.png. An 'Upload' button is visible in the top right corner of the object list.


Object name	Archived	Size	Last modified
1.png		9.7 KB	2022-11-03 9:28 AM
2.png		7.1 KB	2022-11-03 9:29 AM
3.png		8.9 KB	2022-11-03 9:29 AM
4.png		7.2 KB	2022-11-03 9:29 AM
5.png		11.1 KB	2022-11-03 9:30 AM

IBM Cloud Object Storage interface showing the 'fast-alexa' bucket. The interface includes a sidebar with navigation options like Storage Instances, Buckets, Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area displays a table of objects with columns for Object name, Archived, Size, and Last modified. The table lists seven objects: 1.png, 2.png, 3.png, 4.png, 5.png, buc.html, st...css, and st...html. A 'Drag and drop files (objects) here or click to upload' instruction is visible at the bottom of the object list.

Object name	Archived	Size	Last modified
1.png		9.7 KB	2022-11-03 9:28 AM
2.png		7.1 KB	2022-11-03 9:29 AM
3.png		8.9 KB	2022-11-03 9:29 AM
4.png		7.2 KB	2022-11-03 9:29 AM
5.png		11.1 KB	2022-11-03 9:30 AM
buc.html		1.1 KB	2022-11-08 7:50 PM
st...css		185 bytes	2022-11-08 8:01 PM
st...html		1,006 bytes	2022-11-08 8:02 PM

Html code:

- Upload a css page to the object storage and use the same page in your HTML code.



Html code:

```
style - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Inventory Management System </title>
<link rel="stylesheet" href="https://fast-alexa.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">
</head>
<body>
<h1>Welcome To Inventory Management System</h1>
<div>






|



</div>
</body>
</html>
```


Output:



- Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.


<https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F0016a6490ba443a1a99013f779bf3812%3A5a854331-e7ba-439b-9ea8-32beb646e3ab%3A%3A/assistants/b6c4d7bc-c98a-4677-8c08-670147d4bd4a/actions/actions/custom>

https://au-syd.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aau-syd%3Aa%2F0016a6490ba443a1a99013f779bf3812%3A5a854331-e7ba-439b-9ea8-32beb646e3ab%3A%3A/assistants/b6c4d7bc-c98a-4677-8c08-670147d4bd4a/actions/actions/custom/edit/action_3978



- Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Html page:



```
chat - Notepad
File Edit Format View Help
<html>
<head>
<script>
window.watsonAssistantChatOptions = {
  integrationID: "21379671-c49e-4be6-a4aa-a4bffa73452c", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "5a854331-e7ba-439b-9ea8-32beb646e3ab", // The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
</head>
</html>
```

Output:

