


Assignment-3

Team id	PNT2022TMID49561
PROJECT NAME	NUTRITION ASSISTANT APPLICATION
NAME	SRIRAM K
ROLL NO	950019104045

1.Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

web.html:

```
<html>

<head>

<title>

Images

</title>
```

```
<link rel="stylesheet" href="https://sriram1207.s3.us-south.cloud-object-storage.appdomain.cloud/sriram1207.css">
```

```
</head>
```

```
<body>
```

```
<div class="box">
```

```
<div class="img1">
```

```
<h1 class="word">Bike</h1>
```

```

```

```
</div>
```

```
<div class="img2">
```

```
<h1 class="word">Car</h1>
```

```

```

```
</div>
```

```
<div class="img3">
```

```
<h1 class="word">Hill</h1>
```

```

```

```
</div>
```

```
<div class="img4">
```

```
<h1 class="word">Lion</h1>
```

```

```

```
</div>
```

```
<div class="img5">
```

```
<h1 class="word">Tree</h1>
```

```

```


```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:



3.Upload a css page to the object storage and use the same page in your HTML code.

```
@import url('https://fonts.googleapis.com/css2?family=Alkalami&display=swap');
```

```
body{
```

```
    top: 0;
```

```
    left: 0;
```

```
    width: 100vw;
```

```
    height: 100vh;
```

```
    margin: 0;
```

```
    padding: 0;
```

```
    font-size: 1vmin;
```

```
    font-family: 'Alkalami', serif;
```

```
    color: white;
```

```
    background: linear-gradient(90deg, #fc466aad 0%, #3f5efbb6 100%);
```

```
}
```

```
.word{
```

```
    text-align: center;
```



```
    text-transform: uppercase;
    color: rgb(231, 226, 225);
}
img{
    border-radius: 3px;
    position: relative;
    top: 34%;
    left: 50%;
    transform: translate(-50%, -50%);
    width: 99%;
    height: 70%;
}
.box{
    border-radius: 3px;
    height: 500px;
    width: 700px;
    background: linear-gradient(90deg, #FC466B 0%, #3F5EFB 100%);
    display: flex;
    flex-wrap: wrap;
    flex-direction: row;
    position: relative;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);

}

.img1 ,.img2 ,.img3, .img4, .img5{
    border-radius: 10px;
    height: 220px;
    width: 150px;
```

```
margin: 15px;
border: 1px solid rgb(224, 23, 23);
background: linear-gradient(90deg, #4b6cb7 0%, #182848 100%);
}
.img1{
margin-left: 60px;
}
.img2{
margin-left: 50px;
}
.img3{
margin-left: 50px;
}
.img4{
margin-left: 170px;
}
.img5{
margin-left: 50px;
}
```

Output:



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fjp-tok.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-da03c551-e12a-4972-a2bb-a1f3bd79a629%3A%3Ad5a3b79f-8081-45e5-bcef-a90c199b27b9&integrationID=c88b2e95-f020-4504-8e2a-ab5a9cfbca3a®ion=jp-tok&serviceInstanceID=da03c551-e12a-4972-a2bb-a1f3bd79a629>

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html:

```
<html>

    <head>

        <script>
window.watsonAssistantChatOptions = {
  integrationID: "c88b2e95-f020-4504-8e2a-ab5a9cfbca3a", // The ID of this
integration.
  region: "jp-tok", // The region your integration is hosted in.
  serviceInstanceID: "da03c551-e12a-4972-a2bb-a1f3bd79a629", // The ID of your
service instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>

    <meta charset="UTF-8">

    <title> Index </title>

    <link rel="stylesheet" href="style.css">

  </head>

  <body></br></br></br></br></br>

    <img src="" alt="">

    <div align="center">

      <div align="center" class="border">

        <div class="header">
```

<h1 class="word">Index</h1>

</div></br></br></br>

<h1 class="bottom">

Hi I am Sriram</br></br> Welcome to Our page...

</h1></br></br></br>

Logout



</div>

</div>

</body>

</html>

Output:



Index

Hi I am Sriram
Welcome to Our page...

[Logout](#)

