
Assignment-3

Team id	PNT2022TMID49561
PROJECTNAME	NUTRITION ASSISTANT APPLICATION
NAME	GANESAN A
ROLLNO	950019104012

1.Create a Bucket in IBM object storage.




2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

web.html:
<html></html>
<head></head>
<title></td></tr><tr><td>Images</td></tr><tr><td></title>

```
k rel="stylesheet" href="https://ganesan.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css">
</head>
<body>
<div class="box">
<div class="img1">
<h1 class="word">image1</h1>
<img src="https://ganesan.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%203.jpg"</pre>
alt="Sun" width="200" height="200">
</div>
<div class="img2">
<h1 class="word">image2</h1>
<img src="https://ganesan.s3.jp-tok.cloud-object-storage.appdomain.cloud/image%204.png"</pre>
alt="Taj Mahal" width="200" height="200">
</div>
<div class="img3">
<h1 class="word"> image3</h1>
<img src="https://ganesan.s3.jp-tok.cloud-object-storage.appdomain.cloud/image1.jpg"</pre>
alt="Flower" width="200" height="200">
</div>
<div class="img4">
<h1 class="word">image4 </h1>
<img src="https://ganesan.s3.jp-tok.cloud-object-storage.appdomain.cloud/image2.png"</pre>
alt="Bike" width="200" height="200">
</div>
<div class="img5">
<h1 class="word"> image5</h1>
<img src="https://ganesan.s3.jp-tok.cloud-object-storage.appdomain.cloud/image5.jpg"</pre>
alt="logos" width="200" height="200">
</div>
</div>
</body>
```

</html>

Output:




3.Upload a css page to the object storage and use the same page in your HTML code.

```
@import url('https://fonts.googleapis.com/css2?family=Alkalami&display=swap');
body{
   top: 0;
   left: 0;
   width: 100vw;
   height: 100vh;
   margin: 0;
   padding: 0;
   font-size: 1vmin;
   font-family: 'Alkalami', serif;
   color: white;
   background: linear-gradient(90deg, #fc466aad 0%, #3f5efbb6 100%);
```

```
}
.word{}
  text-align: center;
  text-transform: uppercase;
  color: rgb(231, 226, 225);
}
img{
  border-radius: 3px;
  position: relative;
  top: 34%;
  left: 50%;
  transform: translate(-50%, -50%);
  width: 99%;
  height: 70%;
}
.box{
  border-radius: 3px;
  height: 500px;
  width: 700px;
  background: linear-gradient(90deg, #FC466B 0%, #3F5EFB 100%);
  display: flex;
  flex-wrap: wrap;
  flex-direction: row;
  position: relative;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
}
```

```
.img1 ,.img2 ,.img3, .img4, .img5{
  border-radius: 10px;
  height: 220px;
  width: 150px;
  margin: 15px;
  border: 1px solid rgb(224, 23, 23);
  background: linear-gradient(90deg, #4b6cb7 0%, #182848 100%);
}
.img1{
  margin-left: 60px;
}
.img2{}
  margin-left: 50px;
}
.img3{
  margin-left: 50px;
}
.img4{
  margin-left: 170px;
}
.img5{
  margin-left: 50px;
}
```

Output:



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-

chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F% 2Fjp-tok.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-eed55bb4-966a-4b6b-9196-7f10b9824027%3A%3Abec7ccac-6657-4bc4-8fde-ca4d074714e1&integrationID=83e2a34d-1001-4de6-9b90-68b710cbb783®ion=jp-tok&serviceInstanceID=eed55bb4-966a-4b6b-9196-7f10b9824027

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html:

```
<html>
       <head>
              <script>
 window.watsonAssistantChatOptions = {
  integrationID: "83e2a34d-1001-4de6-9b90-68b710cbb783", // The ID of this integration.
  region: "jp-tok", // The region your integration is hosted in.
  serviceInstanceID: "eed55bb4-966a-4b6b-9196-7f10b9824027", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
<meta charset="UTF-8">
              <title> Index </title>
              <link rel="stylesheet" href="style.css">
       </head>
```

Output:

