Student's Name	Suraiga A
Registration Number	960519104088
Assignment Number	04

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from keras.models import Model
from keras.layers import LSTM, Activation, Dense, Dropout, Input, Embedding
from keras.optimizers import RMSprop
from keras.preprocessing.text import Tokenizer
from keras.preprocessing import sequence
from keras.utils import pad_sequences
from keras.utils import to_categorical
from keras.callbacks import EarlyStopping
```

▼ READ DATASET AND PRE PROCESSING

```
df = pd.read_csv('/content/spam.csv',delimiter=',',encoding='latin-1')
df.head()
```

```
Unnamed:
                                                                Unnamed:
           v1
                                                v2
                                                            2
                                                                        3
                Go until jurong point, crazy.. Available only
         ham
                                                          NaN
                                                                      NaN
                                                                                 NaN
                             Ok lar... Joking wif u oni...
                                                                      NaN
         ham
                                                          NaN
                                                                                 NaN
                Free entry in 2 a wkly comp to win FA Cup
     2 spam
                                                          NaN
                                                                      NaN
                                                                                 NaN
                 U dun sav so early hor... U c already then
                                                          .. ..
                                                                     . . . .
                                                                                 .. ..
df.drop(['Unnamed: 2', 'Unnamed: 3', 'Unnamed: 4'],axis=1,inplace=True)
df.info()
     <class 'pandas.core.frame.DataFrame'>
     RangeIndex: 5572 entries, 0 to 5571
     Data columns (total 2 columns):
     # Column Non-Null Count Dtype
     ___
         -----
     0 v1
                   5572 non-null object
         v2
                   5572 non-null
                                   object
     dtypes: object(2)
     memory usage: 87.2+ KB
X = df.v2
Y = df.v1
le = LabelEncoder()
Y = le.fit transform(Y)
Y = Y.reshape(-1,1)
```

```
X_train,X_test,Y_train,Y_test = train_test_split(X,Y,test_size=0.15)
max_words = 1000
max_len = 150
tok = Tokenizer(num_words=max_words)
tok.fit_on_texts(X_train)
sequences = tok.texts_to_sequences(X_train)
sequences_matrix = pad_sequences(sequences,maxlen=max_len)
```

Create Model and Add Layers (LSTM, Dense-(Hidden Layers), Output)

```
inputs = Input(name='inputs',shape=[max_len])
layer = Embedding(max_words,50,input_length=max_len)(inputs)
layer = LSTM(64)(layer)
layer = Dense(256,name='FC1')(layer)
layer = Activation('relu')(layer)
layer = Dropout(0.5)(layer)
layer = Dense(1,name='out_layer')(layer)
layer = Activation('sigmoid')(layer)
model = Model(inputs=inputs,outputs=layer)
model.summary()
```

Model: "model"

Layer (type)	Output Shape	Param #
inputs (InputLayer)	[(None, 150)]	0
embedding (Embedding)	(None, 150, 50)	50000
lstm (LSTM)	(None, 64)	29440
FC1 (Dense)	(None, 256)	16640
activation (Activation)	(None, 256)	0
dropout (Dropout)	(None, 256)	0
out_layer (Dense)	(None, 1)	257
activation_1 (Activation)	(None, 1)	0

▼ Compile the Model

Train and Fit the Model

```
Epoch 1/10
30/30 [=============] - 12s 286ms/step - loss: 0.3377 - accu:
Epoch 2/10
30/30 [===========] - 9s 301ms/step - loss: 0.0934 - accur-
Epoch 3/10
30/30 [============ ] - 10s 327ms/step - loss: 0.0395 - accu:
Epoch 4/10
30/30 [============ ] - 9s 317ms/step - loss: 0.0311 - accur-
Epoch 5/10
30/30 [============] - 9s 294ms/step - loss: 0.0213 - accur-
Epoch 6/10
30/30 [============] - 9s 305ms/step - loss: 0.0167 - accur-
Epoch 7/10
30/30 [============== ] - 9s 316ms/step - loss: 0.0115 - accur-
Epoch 8/10
30/30 [============ ] - 9s 286ms/step - loss: 0.0081 - accur-
Epoch 9/10
30/30 [===========] - 9s 310ms/step - loss: 0.0065 - accur-
Epoch 10/10
30/30 [=============] - 10s 346ms/step - loss: 0.0064 - accu:
<keras.callbacks.History at 0x7f03f70fe810>
```

Save The Model

```
model.save('sms_classifier.h5')
```

Preprocessing the Test Dataset

```
test_sequences = tok.texts_to_sequences(X_test)
test_sequences_matrix = pad_sequences(test_sequences,maxlen=max_len)
```

Testing the Model

```
print('Test set\n Loss: {:0.3f}\n Accuracy: {:0.3f}'.format(accr[0],accr[1]))
```

Test set Loss: 0.135 Accuracy: 0.982