MODEL BUILDING-TEST THE MODEL

Team ID	PNT2022TMID25098
Project Name	Crude Oil Price Prediction

```
In [ ]:
    import pandas as pd
    import numpy as np
    import matplotlib.pyplot as plt
 In [ ]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
 In [ ]: data.isnull().any()
 Out[]: Date
            Closing Value
            dtype: bool
 In [ ]: data.isnull().sum()
 Out[]: Date
            Closing Value
            dtype: int64
 In [ ]: data.dropna(axis=0,inplace=True)
 In [ ]: data.isnull().sum()
 Out[]: Date
            Closing Value
                                 0
 25.56
26.00
26.53
25.85
 Out[]: 0
          4
                    25.87
                    73.89
          8211
          8212
8213
8214
                   74.19
73.05
73.78
73.93
          8215
          Name: Closing Value, Length: 8216, dtype: float64
In [ ]:
           from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
In [ ]: data_oil
[0.46497853],
[0.47038353],
[0.47149415]])
            plt.plot(data_oil)
 Out[ ]: []
           10
            0.8
           0.4
           0.2
                                        4000
 In []:
    training_size=int(len(data_oil)*0.65)
    test_size=len(data_oil)-training_size
    train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
```

```
In [ ]: training_size,test_size
Out[]: (5340, 2876)
In [ ]: train_data.shape
Out[]: (5340, 1)
             def create_dataset(dataset,time_step=1):
    dataX,dataY=[],[]
    for i in range(len(dataset)-time_step-1):
        a=dataset[i:(i+time_step),0]
        dataX.append(a)
        dataY.append(dataset[i+time_step,0])
    return np.array(dataX),np.array(dataY)
In [ ]:
In []: time_step=10
              time_step=10
x_train,y_train=create_dataset(train_data,time_step)
x_test,y_test=create_dataset(test_data,time_step)
In [ ]: print(x_train.shape),print(y_train.shape)
             (5329, 10)
(5329,)
Out[]: (None, None)
In [ ]:
              print(x_test.shape),print(y_test.shape)
             (2865, 10)
(2865,)
Out[]: (None, None)
            x_train
...,
[0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
                       [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796, 0.37042796], [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796, 0.37879461], [0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461, 0.37916482]])
 In [ ]:
              In []:
    from tensorflow.keras.models import Sequential
    from tensorflow.keras.layers import Dense
    from tensorflow.keras.layers import LSTM
```

```
In [ ]: model=Sequential()
In [ ]:
                   \label{local_model} $$ \bmod 1.add(LSTM(50,return\_sequences=True,input\_shape=(10,1))) $$ \bmod 1.add(LSTM(50,return\_sequences=True)) $$
                    model.add(LSTM(50))
In [ ]:
                   model.add(Dense(1))
In [ ]: model.summary()
                  Model: "sequential"
                   Layer (type)
                                                                                Output Shape
                                                                                                                                       Param #
                    1stm (LSTM)
                                                                                (None, 10, 50)
                                                                                                                                       10400
                   1stm 1 (LSTM)
                                                                                (None, 10, 50)
                                                                                                                                       20200
                   1stm_2 (LSTM)
                                                                                (None, 50)
                                                                                                                                       20200
                   dense (Dense)
                                                                                (None, 1)
                                                                                                                                       51
                  Total params: 50,851
Trainable params: 50,851
                  Non-trainable params: 0
In [ ]: model.compile(loss='mean_squared_error',optimizer='adam')
In [ ]: model.fit(x_train,y_train,validation_data=(x_test,y_test),epochs=3,batch_size=64,verbose=1)
               Epoch 3/3
84/84 [======
                                              ##Transformback to original form
train_predict=scaler.inverse_transform(train_data)
test_predict=scaler.inverse_transform(test_data)
### Calculate RMSE performance metrics
                 import math
                 from sklearn.metrics import mean_squared_error
math.sqrt(mean_squared_error(train_data,train_predict))
 Out[]: 29.347830443269938
 In [ ]: from tensorflow.keras.models import load_model
 In [ ]: model.save("crude_oil.hs")
               MARNING:absl:Found untraced functions such as lstm_cell_layer_call_fn, lstm_cell_layer_call_and_return_conditional_losses, lstm_cell_1_layer_call_fn, lstm_cell_layer_call_and_return_conditional_losses, lstm_cell_2_layer_call_fn while saving (showing 5 of 6). These functions will not be directly call able after loading.

MARNING:absl: has the same name 'LSTMCell' as a built-in Keras object. Consider renaming to avoid naming conflicts when loading with `tf.keras.models. load_model'. If renaming is not possible, pass the object in the `custom_objects' parameter of the load function.

MARNING:absl: has the same name 'LSTMCell' as a built-in Keras object. Consider renaming to avoid naming conflicts when loading with `tf.keras.models. load_model'. If renaming is not possible, pass the object in the `custom_objects' parameter of the load function.

MARNING:absl: has the same name 'LSTMCell' as a built-in Keras object. Consider renaming to avoid naming conflicts when loading with `tf.keras.models. load_model'. If renaming is not possible, pass the object in the `custom_objects' parameter of the load function.
```

```
In []: ### PLotting
look_back=10
                            look_back=10
trainpredictPlot = np.empty_like(data_oil)
trainpredictPlot[:, :]= np.nan
trainpredictPlot[look_back:len(train_predict)+look_back, :] = train_predict
# shift test predictions for plotting
testPredictplot = np.empty_like(data_oil)
testPredictplot = np.empty_like(data_oil)
testPredictplot[look_back:len(test_predict)+look_back, :] = test_predict
# plot baseline and predictions
plt.plot(scaler.inverse_transform(data_oil))
plt.show()
                            140
                           120
                            100
                             80
                              60
                              40
                              20
                                                             2000
       In [ ]: len(test_data)
       Out[ ]: 2876
                            x_input=test_data[2866:].reshape(1,-1)
x_input.shape
   Out[ ]: (1, 10)
                          temp_input=list(x_input)
temp_input=temp_input[0].tolist()
                          temp_input
   Out[]: [0.44172960165852215, 0.48111950244335855,
                          0.49726047682511476,
0.4679401747371539,
0.4729749740855915,
                          0.47119798608026064,
0.47341922108692425,
0.4649785280616022,
                          0.4703835332444839
                          0.47149415074781587]
i=i+1
else:
    x_input = x_input.reshape((1, n_steps,1))
    yhat = model.predict(x_input, verbose=0)
    print(yhat[0])
    temp_input.extend(yhat[0].tolist())
    print(len(temp_input))
    lst_output.extend(yhat.tolist())
    i=i+1
```

```
[0.47442466]
         11 day input [0.4811195 0.49726048 0.46794017 0.47297497 0.47119799 0.47341922 0.46497853 0.47038353 0.47149415 0.47442466]
         1 day output [[0.47781762]]
2 day input [0.49726048 0.46794017 0.47297497 0.47119799 0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762]
         2 day output [[0.47653615]]
3 day input [0.46794017 0.47297497 0.47119799 0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615]
       0.47149415 0.4742466 0.47781762 0.47653615]
3 day output [[0.47364426]]
4 day input [0.47297497 0.47119799 0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426]
4 day input [0.4742248]]
5 day input [0.47419799 0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248]
5 day output [[0.47467044]]
6 day input [0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248 0.47467044]
6 day output [0.47341922 0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248 0.47467044]
7 day input [0.46497853 0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.4736426 0.47467044 0.47518066]
8 day input [0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248 0.47467044 0.47518066]
8 day input [0.47038353 0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248 0.47467044 0.47518066]
8 day output [[0.4767432]]
         8 day output [[0.4767432]]
9 day input [0.47149415 0.47442466 0.47781762 0.47653615 0.47364426 0.47442248 0.47467044 0.47518066 0.47546706 0.47674319]
         9 day output [[0.47736228]]
          day_new=np.arange(1,11)
day_pred=np.arange(11,21)
len(data_oil)
           plt.plot(day_new, scaler.inverse_transform(data_oil[8206:]))
plt.plot(day_pred, scaler.inverse_transform(lst_output))
Out[]: []
                         76
                         75
                         74
                         73
                         72
                         71
                         70
                                                                                                       12.5
                                                                                                                    15.0 17.5
In [ ]:
    df3=data_oil.tolist()
    df3.extend(lst_output)
    plt.plot(df3[8100:])
Out[ ]: []
                         0.50
                         0.48
                         0.46
                         0.44
                         0.42
                         0.40
                         0.38
                         0.36
                                                                                                                                                     120
   In [ ]: df3=scaler.inverse_transform(df3).tolist()
                          plt.plot(scaler.inverse_transform(data_oil))
   Out[ ]: []
                          140
                          120
                          100
                            80
                            60
                            40
                            20
```