

IMPORTING LIBRARIES

In []:

```
import os
import cv2
import numpy as np
import matplotlib.pyplot as plt
from keras.preprocessing.image import ImageDataGenerator
```

Define DATA FILES

In []:

```
def rename_imgs(file_name):
    folder_path = r'test_dataset/'+file_name

    num = 0
    for file in os.listdir(folder_path):
        # if num%10 == 0:
        #     print(f'Renamed {num} files...')
        # os.rename(folder_path+'\\'+file,
        folder_path+'\\'+file_name+'_'+str(num)+'.jpeg')
        num += 1
```

In []:

```
fn = 'Space'
rename_imgs(fn)
```

In []:

```
file_names = '0123456789'+'ABCDEFGHIJKLMNOPQRSTUVWXYZ'
for fn in file_names:
    rename_imgs(fn)
```

SAMPLE IMAGES FROM DATASET

In []:

```
train_data_path = 'train_dataset/'
test_data_path = 'test_dataset/'
```

In []:

```
def display(img, sign=None):


    img = cv2.cvtColor(img, cv2.COLOR_BGR2RGB)
    fig = plt.figure(figsize=(7, 7))
    ax = fig.add_subplot(111)
    plt.title(sign)
    ax.imshow(img)
```

Training Data Set

In []:


```
sign_img = cv2.imread(train_data_path+'A/A_204.jpeg')
```

```
display(sign_img, 'A')
```




In []:

```
sign_img = cv2.imread(train_data_path+'3/3_340.jpeg')  
display(sign_img, '3')
```



In []:


```
sign_img = cv2.imread(train_data_path+'S/S_10.jpeg')  
display(sign_img, 'Space')
```



Test Data Set

In []:

```
sign_img = cv2.imread(test_data_path+'S/S_15.jpeg')  
display(sign_img, 'S')
```



In []:

```
sign_img = cv2.imread(test_data_path+'Z/Z_1.jpeg')  
display(sign_img, 'Z')
```




Image Data Generator

In []:


```
image_gen = ImageDataGenerator(rotation_range=30,  
                                width_shift_range=0.1,  
                                height_shift_range=0.1,  
                                shear_range=0.2,  
                                zoom_range=0.2,  
                                rescale=1/255,  
                                horizontal_flip=True,  
                                fill_mode='nearest',  
                                validation_split=0.25)
```

Original Image

In []:

```
sign_img = cv2.imread(train_data_path+'3/3_100.jpeg')
```


```
display(sign_img, '3')
```



Augmented Images

In []:

```
display(image_gen.random_transform(sign_img))
```



Split into Test & Validation dataset

Train Data Generator

In []:

[illegible]

```
Found 41625 images belonging to 37 classes.
```

Validation Data Generator

In []:

[illegible]


```
batch_size=16,  
shuffle=True,  
class_mode='binary',  
subset='validation')
```

Found 13875 images belonging to 37 classes.

Test Data Generator

In []:

```
test_data_gen = image_gen.flow_from_directory(test_data_path,  
                                              target_size=(250,250),  
                                              batch_size=8,  
                                              shuffle=True,  
                                              class_mode='categorical',  
                                              )
```

Found 2586 images belonging to 37 classes.

In []:

```
train_data_gen.class_indices
```

Out[]:

```
{'0': 0,  
'1': 1,  
'2': 2,  
'3': 3,  
'4': 4,  
'5': 5,  
'6': 6,  
'7': 7,  
'8': 8,  
'9': 9,  
'A': 10,  
'B': 11,  
'C': 12,  
'D': 13,  
'E': 14,  
'F': 15,  
'G': 16,  
'H': 17,  
'I': 18,  
'J': 19,  
'K': 20,  
'L': 21,  
'M': 22,  
'N': 23,  
'O': 24,  
'P': 25,  
'Q': 26,  
'R': 27,  
'S': 28,  
'Space': 29,  
'T': 30,
```

```
'U': 31,  
'V': 32,  
'W': 33,  
'X': 34,  
'Y': 35,  
'Z': 36}
```

In []:

```
test_data_gen.classes
```

Out[]:

```
array([ 0,  0,  0, ..., 36, 36, 36])
```

In []:

```
len(train_data_gen.classes)
```

Out[]:

```
41625
```