


Assignment -3

Student Name	Mohammed Ashfaqudeen
Student Roll Number	721919104033
Maximum Marks	2 Marks

Questions:

1.Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

3.Upload a css page to the object storage and use the same page in your HTML code.

Html File for displaying images from Cloud Storage:

```
<html>
<head>
<link rel="stylesheet" href="https://s3.jp-tok.cloud-
objectstorage.appdomain.cloud/prieass1/styles.css">
<title>Object Storage to HTML - Assignment 3</title>
</head>
<body>
<main>
<section id="img1" class="full-section">
```

Image-1

```
<div class="img-container">
```

```
 </div>
```

```
</section>
```

```
<section id="img2" class="full-section">
```

Image-2

```
<div class="img-container">
```

```
 </div>
```

```
</section>
```

```
<section id="img3" class="full-section">
```

Image-3

```
<div class="img-container">
```

```
 </div>
```

```
</section>
```

```
<section id="img4" class="full-section">
```

Image-4

```
<div class="img-container">
```

```
 </div>
```

```
</section>
```

```
<section id="img5" class="full-section">
```

Image-5

```
<div class="img-container">
```

```

```

```
</div>
```

```
</section>
```

```
</main> </body>
```

```
</html>
```

CSS File:

```
* { border: 0; padding: 0;
margin: 0; box-sizing: border-box;
font-family: "Brandon Text, Arial";
}
main { margin-top:
60px; padding: 30px;
display: flex; justify-
content: center;
}
.container { width: 70%;
padding: 20px;
background-color: #eef;
}
.container-heading { padding-block-
end: 5px; border-bottom: 5px solid
black; margin-bottom: 10px;
}
.container-text { margin-
block: 5px;
}
```

Output:






Image-3



Image-4



Image-5




4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-009a5aaa-148c-4708-8fa2ce7e287f5bc9%3A%3A786b3e8c-3dba-4a84-b4ae-31bca3e85710&integrationID=eb2259f3-2f074f26-9490-245b15cec951®ion=us-south&serviceInstanceID=009a5aaa-148c-4708-8fa2ce7e287f5bc9>

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Output:



Html File for displaying IBM Watson Chatbot:

```
<script> window.watsonAssistantChatOptions = { integrationID: "eb2259f3-2f07-4f26-
9490-245b15cec951", // The ID of this integration.
    region: "us-south", // The region your integration is hosted in. serviceInstanceID: "009a5aaa-
148c-4708-8fa2-ce7e287f5bc9", // The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){ const
t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
});
</script>
```