## Assignment 1

Name	T.Ajees
Register number	963519106005

```
CODE:
int sensorValue = 0;
int greenled = 6;
int redled = 8;
int buzzer_pin = 11;
int sen1Value = 0;
int A;
long readUltrasonicDistance(int triggerPin, int echoPin)
{
 pinMode(triggerPin, OUTPUT);
 digitalWrite(triggerPin, LOW);
 delayMicroseconds(2);
 digitalWrite(triggerPin, HIGH);
 delayMicroseconds(10);
 digitalWrite(triggerPin, LOW);
 pinMode(echoPin,INPUT);
 return pulseIn(echoPin,HIGH);
}
void setup()
{
 Serial.begin (9600);
 pinMode(11, OUTPUT);
 pinMode(6, OUTPUT);
 pinMode(8, OUTPUT);
```

```
pinMode(4, INPUT);
 pinMode(12, OUTPUT);
 pinMode(13, OUTPUT);
 pinMode(A1, INPUT);
}
void loop()
{
//----Gas Sensor----//
int sensorValue = analogRead(A0);
Serial.println(sensorValue);
if(sensorValue > 100)
 digitalWrite (buzzer_pin, HIGH);
 digitalWrite (redled, HIGH);
}
else
{
 digitalWrite (buzzer_pin, LOW);
 digitalWrite (redled, LOW);
}
delay(1000);
//-----UltrasonicDistance-----//
//-----
sen1Value = 0.01723*readUltrasonicDistance(3,2);
if(sen1Value<10)
```

```
Serial.print(" ||Door Open!; Distance = ");
  Serial.print(sen1Value);
  digitalWrite (buzzer_pin, HIGH);
  digitalWrite (greenled, HIGH);
}
else
 {
 Serial.print(" | | Door Closed! ; Distance = ");
  Serial.print(sen1Value);
  digitalWrite (buzzer_pin, LOW);
  digitalWrite (greenled, LOW);
 }
 delay(1000);
 //-----PIR sensor-----// //-----
if (digitalRead(4)==1)
  digitalWrite(12,HIGH);
  delay(1000);
}
else
  digitalWrite(12,LOW);
  delay(100);
}
}
```

