ASSIGNMENT IV Ultrasonic Sensor

TEAM ID: PNT2022TMID50380

NAME: G.MAHALAKSHMI

REG NO: 952319106015


CODE:

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient;
#define ORG "nhpwjc"
#define DEVICE_TYPE "NodeMCU"
#define DEVICE_ID "USE YOUR ID"
#define TOKEN "USE YOUR TOKEN"
#define speed 0.034
 char server[] =
".messaging.internetofthings.ibmcloud.com"; char
publishTopic[] = "iot-2/evt/Data/fmt/json"; char topic[] =
"iot-2/cmd/home/fmt/String"; char authMethod[] = "usetoken-
auth"; char token[] = TOKEN; char clientId[] = "d:" ORG ":"
DEVICE_TYPE ":" DEVICE_ID; PubSubClient client(server,
1883, wifiClient); void publishData(); const int
trigpin=5;
const int echopin=18;
String command;
String data="";
long
duration;
float dist;
void setup()
  Serial.begin(115200); pinMode(trigpin,
  OUTPUT);
```

```
INPUT); wifiConnect(); mqttConnect();
 pinMode(echopin,
          loop()
 publishData(); delay(500);
 if (!client.loop()) {
mqttConnect(); } }
void wifiConnect() {
 Serial.print("Connecting to "); Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6); while (WiFi.status() !=
 WL_CONNECTED) { delay(500);
 Serial.print("."); }
 Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mgttConnect() { if
  (!client.connected()) {
    Serial.print("Reconnecting MQTT client to "); Serial.println(server); while
    (!client.connect(clientId, authMethod,
                                              token)) { Serial.print(".");
    delay(500);
    } initManagedDevice();
 Serial.println(); } }
void initManagedDevice() { if
  (client.subscribe(topic)) {
    // Serial.println(client.subscribe(topic)); Serial.println("subscribe to cmd
   OK");
 } else {
   Serial.println("subscribe to cmd FAILED"); } }
void publishData()
{ digitalWrite(trigpin,LOW);
 digitalWrite(trigpin,HIGH);
```

```
delayMicroseconds(10); digitalWrite(trigpin,LOW);
  duration=pulseIn(echopin,HIGH); dist=duration*speed/2; if(dist<100){    String
    payload = "{\"Alert distance\":"; payload += dist; payload +=
    "}";
    Serial.print("\n");
    Serial.print("Sending payload: "); Serial.println(payload); if
    (client.publish(publishTopic, (char*) payload.c_str()))
    Serial.println("Publish OK");
    } else {
        Serial.println("Publish FAILED"); }
}</pre>
```

CONNECTIONS:



OUTPUT:

