Assignment -2


DATA VISUALISATION AND PRE-PROCESSING

ASSIGNMENT DATE	28 September 2022
STUDENT NAME	Priya V
STUDENT ROLLNUMBER	612419104017
MAXIMUM MARKS	2 Marks

Question-1:

Download the Dataset

SOLUTION:



Question-2:

Loading dataset

```
import pandas as pd
import seaborn as sns
```

```
import numpy as np
                  from matplotlib import pyplot as plt
                 matplotlib inline
            df = pd.read csv("Churn Modelling.csv")
            df
[] import pandas as pd
import seaborn as sns
import numpy as np
from matplotlib import pyplot as plt
%matplotlib inline
 1.Loading dataset
 df = pd.read_csv("Churn_Modelling.csv")
              RowNumber CustomerId Surname CreditScore Geography Gender Age Tenure Balance NumOfProducts HasCrCard IsActiveMember EstimatedSalary Exited
          0 1 15634602 Hargrave 619 France Female 42 2 0.00 1
                       2 15847311 Hill
                                                                   608 Spain Female 41 1 83807.86
        2 3 15019304 Onio 502 France Female 42 8 159080.80 3 1 0 113931.57 1
3 4 15701354 Boni 699 France Female 39 1 0.00 2 0 0 93826.83 0
4 5 15737888 Mitchell 850 Spain Female 43 2 125510.82 1 1 1 79084.10 0

        9995
        9996
        15606229
        Obijiaku
        771
        France
        Male
        39
        5
        0.00
        2
        1
        0
        98270.64
        0

        9996
        9997
        15569892
        Johnstone
        516
        France
        Male
        35
        10
        67369.61
        1
        1
        1
        1
        101699.77
        0

        9996
        9997
        15569892
        Johnstone
        516
        France
        Male
        35
        10
        57369.61
        1
        1
        1
        1
        101699.77
        0

        9997
        9998
        15584532
        Liu
        70
        France
        Female
        36
        7
        0.00
        1
        0
        1
        42085.58
        1

        9998
        9999
        15682355
        Sabbatini
        772
        Germany
        Male
        42
        3
        75075.31
        2
        1
        0
        92888.52
        1

       999 10000 15628319 Walker 792 France Female 28 4 130142.79 1 1 0 38190.78 0
       10000 rows × 14 columns
```

Question-3:

Visualizations

a) Univariate Analysis

```
sns.displot(df.Gender)
```


a) Univariate Analysis

b) Bi-Variate Analysis

SOLUTION:


df.plot.line()

b)Bi-Variate Analysis



c) Multi - Variate Analysis

```
sns.lmplot("Tenure", "NumOfProducts", df, hue="NumOfProducts", fit_reg=Fa
lse);
```



Question-4:

Perform descriptive statistics on the dataset.

SOLUTION:

```
df.describe()
```

	ribe()										
	RowNumber	CustomerId	CreditScore	Age	Tenure	Balance	NumOfProducts	HasCrCard	IsActiveMember	EstimatedSalary	Exite
count	10000.00000	1.000000e+04	10000.000000	10000.000000	10000.000000	10000.000000	10000.000000	10000.00000	10000.000000	10000.000000	10000.00000
mean	5000.50000	1.569094e+07	650.528800	38.921800	5.012800	76485.889288	1.530200	0.70550	0.515100	100090.239881	0.20370
std	2886.89568	7.193619e+04	96.653299	10.487806	2.892174	62397.405202	0.581654	0.45584	0.499797	57510.492818	0.40276
min	1.00000	1.556570e+07	350.000000	18.000000	0.000000	0.000000	1.000000	0.00000	0.000000	11.580000	0.00000
25%	2500.75000	1.562853e+07	584.000000	32.000000	3.000000	0.000000	1.000000	0.00000	0.000000	51002.110000	0.00000
50%	5000.50000	1.569074e+07	652.000000	37.000000	5.000000	97198.540000	1.000000	1.00000	1.000000	100193.915000	0.00000
75%	7500.25000	1.575323e+07	718.000000	44.000000	7.000000	127644.240000	2.000000	1.00000	1.000000	149388.247500	0.00000
max	10000.00000	1.581569e+07	850.000000	92.000000	10.000000	250898.090000	4.000000	1.00000	1.000000	199992.480000	1.00000

Question-5:

Handle the Missing values.

```
data = pd.read_csv("Churn_Modelling.csv")
pd.isnull(data["Gender"])
```

1. Handle the Missing values.

```
[ ] data = pd.read_csv("Churn_Modelling.csv")
    pd.isnull(data["Gender"])
    0
            False
    1
            False
    2
            False
    3
            False
    4
            False
    9995
            False
            False
    9996
           False
    9997
    9998
           False
    9999
           False
    Name: Gender, Length: 10000, dtype: bool
```

Question-6:

Find the outliers and replace the outliers.

```
1.Find the outliers and replace the outliers.

sns.boxplot(df['Age'])

// usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only val: FutureWarning watalotlib.axes_subplots.AxesSubplot at ex7fbbab64d510>
```

SOLUTION:

```
df['Age']=np.where(df['Age']>50,40,df['Age'])
df['Age']
```

```
[ ] df['Age']=np.where(df['Age']>50,40,df['Age'])
    df['Age']
    0
           42
           41
    1
           42
           39
    3
    9995
    9996
           35
    9997
           36
    9998
          42
    Name: Age, Length: 10000, dtype: int64
```

Question-7:

Check for Categorical columns and perform encoding.

```
pd.get_dummies(df, columns=["Gender", "Age"], prefix=["Age", "Gen
der"]).hea
```

Question-8:

- . Split the data into dependent and independent variables.
 - (a) Split the data into Independent variables.

SOLUTION:

```
X = df.iloc[:, :-1].values
print(X)
```

- 1.Split the data into dependent and independent variables.
- a)Split the data into Independent variables.

```
X = df.iloc[:, :-1].values
print(X)

[[1 15634602 'Hargrave' ... 1 1 101348.88]
  [2 15647311 'Hill' ... 0 1 112542.58]
  [3 15619304 'Onio' ... 1 0 113931.57]
  ...
  [9998 15584532 'Liu' ... 0 1 42085.58]
  [9999 15682355 'Sabbatini' ... 1 0 92888.52]
  [10000 15628319 'Walker' ... 1 0 38190.78]]
```

(b) Split the data into Dependent variables

```
Y = df.iloc[:, -1].values
print(Y)
```

b)Split the data into Dependent variables.

```
[ ] Y = df.iloc[:, -1].values
    print(Y)
[1 0 1 ... 1 1 0]
```

Question-9:

Scale the independent variables

```
import pandas as pd
from sklearn.preprocessing import MinMaxScaler
scaler = MinMaxScaler()
df[["CustomerId"]] = scaler.fit_transform(df[["CustomerId"]])
print(df)
```

1.Scale the independent variables

Question-10:

Split the data into training and testing

```
from sklearn.model_selection import train_test_split
train_size=0.8
X = df.drop(columns = ['Tenure']).copy()
y = df['Tenure']
```

```
X_train, X_rem, y_train, y_rem = train_test_split(X,y, train_size
=0.8)

test_size = 0.5

X_valid, X_test, y_valid, y_test = train_test_split(X_rem,y_rem,
    test_size=0.5)

print(X_train.shape), print(y_train.shape)

print(X_valid.shape), print(y_valid.shape)

print(X_test.shape), print(y_test.shape)
```

1. Split the data into training and testing

```
[ ] from sklearn.model_selection import train_test_split
    train_size=0.8
    X = df.drop(columns = ['Tenure']).copy()
    y = df['Tenure']
    X_train, X_rem, y_train, y_rem = train_test_split(X,y, train_size=0.8)
    test_size = 0.5
    X_valid, X_test, y_valid, y_test = train_test_split(X_rem,y_rem, test_size=0.5)
    print(X_train.shape), print(y_train.shape)
    print(X_valid.shape), print(y_valid.shape)
    print(X_test.shape), print(y_test.shape)
    (8000, 13)
    (8000,)
     (1000, 13)
     (1000,)
     (1000, 13)
     (1000,)
     (None, None)
```