

## ASSIGNMENT -4

### IOT BASED SAFETY GADGET FOR CHILD SAFETY MONITORING AND NOTIFICATION

TEAM ID : PNT2022TMID47300

ROLL NO : 822719106001

NAME : Abdulribash.S

#### QUESTION:

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events. Upload document with wokwi share link and images of ibm cloud.

#### CODE:

```
#include <WiFi.h> #include
<PubSubClient.h>#include
<ArduinoJson.h>
WiFiClient wifiClient;
#define ORG "zv613n"
#define DEVICE_TYPE "NODEMC
U"
#define DEVICE_ID "47300"
#define TOKEN
"LFnPudA0&q1&AGZN3"
#define speed 0.034
char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; char
publishTopic[] = "iot-2/evt/abcd_1/fmt/json"; char topic[]
= "iot-2/cmd/home/fmt/String"; char authMethod[] = "use-token- auth";
char token[] = TOKEN; char clientId[] = "d:" ORG ":" DEVICE_TYPE
":" DEVICE_ID; PubSubClient client(server, 1883, wifiClient); void
publishData();
const int trigpin=5;
const int echopin=18;
String command; String
data="";
String lat="14.167589";
String lon="80.248510";
```

```

    String name="point2";
    String icon="";
    long duration
    void setup()
    {
        Serial.begin(115200);
        pinMode(trigpin,
        OUTPUT);
        pinMode(echopin, INPUT);
        wifiConnect(); mqttConnect();
    }
    void loop()
    {
        publishData();
        delay(500);
        if (!client.loop()) {
            mqttConnect();
        }
    }
    void wifiConnect()
    {
        Serial.print("Connecting to "); Serial.print("Wifi");
        WiFi.begin("Wokwi-GUEST", "",6); while
        (WiFi.status() != WL_CONNECTED) {
            delay(500);
            Serial.print(".");
        }
        Serial.print("WiFi connected, IP address: ");
        Serial.println(WiFi.localIP());
    }
    void mqttConnect() {
        if (!client.connected()) {
            Serial.print("Reconnecting MQTT client to "); Serial.println(server); while
            (!client.connect(clientId, authMethod,token)) { Serial.print("."); delay(1000);
            }
            initManagedDevice();
            Serial.println();
        }
    }

```


```

}
void initManagedDevice()
{

    if (client.subscribe(topic)) { Serial.println(client.subscribe(topic));
        Serial.println("subscribe to cmd OK");
    } else {
        Serial.println("subscribe to cmd FAILED");
    } }
void publishData()
{ digitalWrite(trigpin,LOW);
    digitalWrite(trigpin,HIGH);delayMicroseconds(10);

digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);dist=duration*speed/2;
if(dist<100){
    dist=100-dist; icon="fa-
    trash";
} else { dist=0;
    icon="fa-trash-o";
}
DynamicJsonDocument
doc(1024);String payload;
doc["Name"]=name;
doc["Latitude"]=lat;
doc["Longitude"]=lon;
doc["Icon"]=icon;
doc["FillPercent"]=dist;
serializeJson(doc, payload);
delay(3000); Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish OK");
} else {
    Serial.println("Publish FAILED");
}
}

```



## OUTPUT:

WOKWI SAVE SHARE Docs

sketch.ino diagram.json libraries.txt Library Manager

```

1 #include <uFi.h>
2 #include <PubSubClient.h>
3 #include <ArduinoJson.h>
4
5 WiFiClient wificlient;
6
7 #define ORG "fvdupc"
8 #define DEVICE_TYPE "abcd"
9 #define DEVICE_ID "rasp"
10 #define TOKEN "12345678"
11 #define speed 0.034
12
13 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
14 char publishTopic[] = "iot-2/evt/abcd_3/fmt/json";
15 char topic[] = "iot-2/cmd/home/fmt/string";
16 char authMethod[] = "use-token-auth";
17 char token[] = TOKEN;
18 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
19 PubSubClient client(server, 1883, wificlient);
20 void publishData();
21
22 const int trigPin=5;
23 const int echoPin=18;
24 String command;
25 String data="";
26 String lat="14.167589";
27 String lon="80.248510";
28 String name="point2";
29 String icon="";
30
31 long duration;
32 int dist;
33
34 void setup()
35 {

```

Simulation 00:06.799

Restart the simulation

subscribe to cmd OK

Sending payload:  
 {"Name":"point2","Latitude":"14.167589","Longitude":"80.248510","Icon":"fa-trash-o","FillPercent":0}

Publish OK