

In [1]:

```
import keras
from keras.preprocessing.image import ImageDataGenerator
```

In [2]:

```
#Define the parameters/arguments for ImageDataGenerator class
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rotation_range=180,zoom_range=0.2,horizontal_flip=True)

test_datagen=ImageDataGenerator(rescale=1./255)
```

In [4]:

```
#Applying ImageDataGenerator functionality to trainset
x_train=train_datagen.flow_from_directory('/content/drive/MyDrive/Dataset/Dataset/train_set',target_size=(128,128),batch_size=32,class_mode='binary')
```

Found 436 images belonging to 2 classes.

In [5]:

```
#Applying ImageDataGenerator functionality to testset
x_test=test_datagen.flow_from_directory('/content/drive/MyDrive/Dataset/Dataset/test_set',target_size=(128,128),batch_size=32,class_mode='binary')
```

Found 121 images belonging to 2 classes.

In [6]:

```
#import model building libraries

#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore')
```

In [7]:

```
#initializing the model
model=Sequential()
```

In [8]:

```
#add convolutional layer
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
#add maxpooling layer
model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer
model.add(Flatten())
```

In [10]:

```
#add hidden layer
model.add(Dense(150,activation='relu'))
#add output layer
model.add(Dense(1,activation='sigmoid'))
```

In [11]:

```
In [11]:
```

```
#configure the learning process
```

```
model.compile(loss='binary_crossentropy', optimizer="adam", metrics=["accuracy"])
```

```
In [12]:
```

```
#Training the model
```

```
model.fit_generator(x_train, steps_per_epoch=14, epochs=10, validation_data=x_test, validation_steps=4)
```

```
Epoch 1/10
```

```
14/14 [=====] - 153s 11s/step - loss: 0.6812 - accuracy: 0.6399  
- val_loss: 0.6765 - val_accuracy: 0.5950
```

```
Epoch 2/10
```

```
14/14 [=====] - 26s 2s/step - loss: 0.6577 - accuracy: 0.6445 -  
val_loss: 0.6765 - val_accuracy: 0.5950
```

```
Epoch 3/10
```

```
14/14 [=====] - 25s 2s/step - loss: 0.6532 - accuracy: 0.6445 -  
val_loss: 0.6820 - val_accuracy: 0.5950
```

```
Epoch 4/10
```

```
14/14 [=====] - 26s 2s/step - loss: 0.6512 - accuracy: 0.6445 -  
val_loss: 0.6794 - val_accuracy: 0.5950
```

```
Epoch 5/10
```

```
14/14 [=====] - 25s 2s/step - loss: 0.6510 - accuracy: 0.6445 -  
val_loss: 0.6793 - val_accuracy: 0.5950
```

```
Epoch 6/10
```

```
14/14 [=====] - 25s 2s/step - loss: 0.6509 - accuracy: 0.6445 -  
val_loss: 0.6806 - val_accuracy: 0.5950
```

```
Epoch 7/10
```

```
14/14 [=====] - 26s 2s/step - loss: 0.6509 - accuracy: 0.6445 -  
val_loss: 0.6807 - val_accuracy: 0.5950
```

```
Epoch 8/10
```

```
14/14 [=====] - 25s 2s/step - loss: 0.6513 - accuracy: 0.6445 -  
val_loss: 0.6815 - val_accuracy: 0.5950
```

```
Epoch 9/10
```

```
14/14 [=====] - 25s 2s/step - loss: 0.6511 - accuracy: 0.6445 -  
val_loss: 0.6797 - val_accuracy: 0.5950
```

```
Epoch 10/10
```

```
14/14 [=====] - 26s 2s/step - loss: 0.6514 - accuracy: 0.6445 -  
val_loss: 0.6809 - val_accuracy: 0.5950
```

```
Out[12]:
```

```
<keras.callbacks.History at 0x7efcd64ba3d0>
```