Sprint 02

Signs with Smart Connectivity for Better Road Safety Team ID - PNT2022TMID0734

```
Sprint Goals:
              Push data from local code to cloud
Program Code:
> weather.py
This file is a utility function that fetches the weather from OpenWeatherMap.
Itreturns only certain required parameters of the API response.
# Python code
import requests as reqs
def get(myLocation,APIKEY):
  apiURL =
f"https://api.openweathermap.org/data/2.5/weather?q={myLocation}&appid={API
KEY}"
  responseJSON = (reqs.get(apiURL)).json()
  returnObject = {
     "temperature": responseJSON['main']['temp'] - 273.15,
     "weather": [responseJSON['weather'][_]['main'].lower() for _ in
range(len(responseJSON['weather']))],
     "visibility": responseJSON['visibility']/100, # visibility in percentage where
10km is 100% and 0km is 0%
  if("rain" in responseJSON):
    returnObject["rain"] = [responseJSON["rain"][key] for key in
responseJSON["rain"]]
  return(returnObject)
> publishData.py
This code pushes data to the cloud and logs data. IBM Cloud is configured such
that the data is displayed in the following website: CLICK TO OPEN NODE RED
DASHBOARD
```

Python code

IMPORT SECTION STARTS import wiotp.sdk.device # python -m pip install wiotp import time # IMPORT SECTION ENDS # # API CONFIG SECTION STARTS myConfig = { "identity": { "orgId": "epmoec", "typeId": "testDevice", "deviceId": "device0" **}**, "auth" : { "token": "?-KDXUPMvDo_TK2&b1" } # API CONFIG SECTION ENDS # FUNCTIONS SECTION STARTS def myCommandCallback(cmd): print("recieved cmd : ",cmd) def logData2Cloud(location,temperature,visibility): client = wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None) client.connect() $client.publishEvent(eventId="status",msgFormat="json",data=\{a_{ij},a_{$ "temperature": temperature, "visibility": visibility, "location": location },qos=0,onPublish=None) client.commandCallback = myCommandCallback client.disconnect() time.sleep(1)# FUNCTIONS SECTION ENDS > brain.py This file is a utility function that returns only essential information to be displayed

at the hardware side and abstracts all the unnecessary details. This is where the code

flow logic is implemented. from datetime import datetime as dt from publishData import logData2Cloud as log2cloud # IMPORT SECTION ENDS # # UTILITY LOGIC SECTION STARTS def processConditions(myLocation,APIKEY,localityInfo): weatherData = weather.get(myLocation,APIKEY) log2cloud(myLocation, weatherData["temperature"], weatherData["visibility"]) finalSpeed = localityInfo["usualSpeedLimit"] if "rain" not in weatherData else localityInfo["usualSpeedLimit"]/2 finalSpeed = finalSpeed if weatherData["visibility"]>35 else finalSpeed/2 if(localityInfo["hospitalsNearby"]): # hospital zone doNotHonk = True else: if(localityInfo["schools"]["schoolZone"]==False): # neither school nor hospital zone doNotHonk = Falseelse: # school zone now = [dt.now().hour,dt.now().minute] activeTime = [list(map(int,_.split(":"))) for _ in localityInfo["schools"]["activeTime"]] doNotHonk = activeTime[0][0]<=now[0]<=activeTime[1][0] and activeTime[0][1]<=now[1]<=activeTime[1][1] return({ "speed": finalSpeed, "doNotHonk" : doNotHonk }) # UTILITY LOGIC SECTION ENDS > main.py The code that runs in a forever loop in the micro-controller. This calls all the util

functions from other python files and based on the return value transduces changes

Python code

in the output hardware display.

```
# IMPORT SECTION STARTS
import brain
# IMPORT SECTION ENDS
#
# USER INPUT SECTION STARTS
myLocation = "Chennai,IN"
APIKEY = "92eedd4b0b4cd6c543c365f562a59ab3"
localityInfo = {
  "schools": {
    "schoolZone": True,
    "activeTime" : ["7:00","17:30"] # schools active from 7 AM till 5:30 PM
    },
  "hospitalsNearby": False,
  "usualSpeedLimit": 40 # in km/hr
# USER INPUT SECTION ENDS
# MICRO-CONTROLLER CODE STARTS
while True:
  print(brain.processConditions(myLocation,APIKEY,localityInfo))
MICRO CONTROLLER CODE WILL BE ADDED IN SPRINT 3 AS PER OUR
PLANNED SPRINT SCHEDULE
# MICRO-CONTROLLER CODE ENDS
Output:
LINK TO NODE RED DASHBOARD
# Code Output
2022-11-06 21:38:33,452 wiotp.sdk.device.client.DeviceClient INFO
Connected successfully: d:epmoec:testDevice:device0
2022-11-06 21:38:33,452 wiotp.sdk.device.client.DeviceClient INFO
Disconnected from the IBM Watson IoT Platform
2022-11-06 21:38:33,452 wiotp.sdk.device.client.DeviceClient INFO
                                                               Closed
connection to the IBM Watson IoT Platform
```

{'speed': 40, 'doNotHonk': False}


```
2022-11-06 21:38:35,631 wiotp.sdk.device.client.DeviceClient INFO Connected successfully: d:epmoec:testDevice:device0 2022-11-06 21:38:35,631 wiotp.sdk.device.client.DeviceClient INFO Disconnected from the IBM Watson IoT Platform 2022-11-06 21:38:35,631 wiotp.sdk.device.client.DeviceClient INFO Closed connection to the IBM Watson IoT Platform {'speed': 40, 'doNotHonk': False}
```

.

... repeats every 1 sec

Images:

OutputImage2



OutputImage

