Push the Image to the IBM Cloud Registry

Team ID	PNT2022TMID22144
Project Name	Skill Based Job Recommender Application

- 1. From your account dashboard, go to **IBM Cloud Kubernetes Service**.
- 2. From the left navigation menu, select **Private Repositories**.



- 3. Install the Container Registry plug-in.
- 4. ibmcloud plugin install container-registry -r "IBM Cloud".
- 5. Log in to your IBM Cloud account.
- 6. ibmcloud login a <cloud_foundary_end point_ for the region>.
- 7. Name and create your namespace. Use this namespace for the rest of the Quick Start.
- 8. ibmcloud cr namespace- add <name space>.
- 9. Log your local Docker daemon into the IBM Cloud Container Registry
- 10. ibmcloud cr login.
- 11. Choose a repository and tag by which you can identify the image.
- 12. docker tag <image_name> <region_url>/<namespace>/<image_name>:<tag>.
- 13. Push the image.
- 14. docker push <region_url>/<namespace>/<image_name>:<tag>.

```
kunals-mbj:web kunalmalhotra$ docker push registry.ng.bluemix.net/flask-node/app:latest
The push refers to repository [registry.ng.bluemix.net/flask-node/app]
a9054108276.1: Pushed
437e8db4c324: Pushed
b2084c450644: Pushed
b2084c450644: Pushed
b2084c450644: Pushed
b2084c450644: Pushed
b2084c450644: Pushed
b2084c450644: Pushed
b2084c4506644: Pushed
b2084c4506644: Pushed
b2084c4506644: Pushed
b2084c45066644: Pushed
b2084c45066644: Layer already exists
1172bc41177f: Layer already exists
1608778cb779: Layer already exists
1608778cb779: Layer already exists
ce64c6f43b11: Layer already exists
ce64c6f43b11: Layer already exists
b20855: Layer already exists
b20856c; Layer already exists
```

- 15. Verify that your image is in your private registry.
- 16. ibmcloud cr image-list.

```
| Kunnits-relpo:web kunolmolhotroś immcloud cr tnoge-list
| Listing longes...
| TAG | DIGEST | NUMESPACE | CREATED | SIZE | SECURITY STATUS
| registry.ng.bluemix.net/flosk-mode/app | latest | b721dd768fe0 | flosk-mode | 1 day ago | 366 MB | 3 Issues
| OK | kunolis-mbp:web kunolmolhotroś |
```