# Assignment -1

Assignment Date	19 September 2022	
Student Name	Dharani.S	
Student Roll Number	211519205040	
Maximum Marks	2 Marks	

### Question-1:

Create form of type input text, email, password, radio button, text area, drop down and navigate to successor page and display files of form in table (CSS, HTML)

### **Solution:**

```
<html>
<head>
<title>Form</title>
<script type="text/javascript">
function displayDetails()
var name = document.getElementById("name").value;
var email = document.getElementById("email").value;
var gender = document.getElementById("gender").value;
var year = document.getElementById("year").value;
var pl = document.getElementById("pl").value;
document.writeIn("<html><body>");
document.writeln("");
document.writeln("NameEmailGenderProgram
mingLanguageYear");
document.writeln("");
document.writeln(""+name+""+email+""+gender+"</t
d>"+pl+""+year+"");
document.writeln("");
document.writeln("</body></html>");
}
</script>
</head>
<body>
<form method="post" onsubmit="displayDetails()">
<label for="name">Name:</label>
 <input type="text" id="name" name="name" placeholder="Enter
name"/><br/>
 <label for="email">Email:</label>
 <input type="email" id="email" name="email" placeholder="Enter
email"/><br/>
```

```
<label for="pwd">Password:</label>
  <input type="password" id="pwd" name="pwd" placeholder="Enter
password"/><br/>
 <label for="address">Address:</label>
  <textarea id="address" name="address" rows="4"
cols="50"></textarea><br/>
 <label for="gender">Gender: </label>
  <input type="radio" id="gender" name="gender" value="male">Male</input>
  <input type="radio" id="gender" name="gender"
value="female">Female</input><br/>
 <label for="pl">Programming languages: </label>
  <input type="checkbox" id="pl" name="pl" value="java">Java</input>
        <input type="checkbox" id="pl" name="pl" value="c">C</input>
        <input type="checkbox" id="pl" name="pl"</pre>
value="python">Python</input>
        <input type="checkbox" id="pl" name="pl"
value="c++">C++</input><br/>
 <label for="year">Year:</label>
  <select name="year" id="year">
         <option value="first">I</option>
         <option value="first">II</option>
         <option value="first">III</option>
         <option value="first">IV</option>
        </select><br/>
 <label for="submit">Submit:</label>
  <input type="submit" value="submit"/><br/></form></body>
</html>
OUTPUT:
Name: Enter name
Email: Enter email
Password: Enter password
Address:
Gender: O Male O Female
```

Programming languages: ☐ Java ☐ C ☐ Python ☐ C++

Year: I 🗸

Submit: submit

### Question-2:

For the CSS create external style sheet for above task (separate css file and link that in html)

### **Solution:**

```
<html>
<head>
<title>Form</title>
<script type="text/javascript">
function displayDetails()
{
var name = document.getElementById("name").value;
var email = document.getElementById("email").value;
var gender = document.getElementById("gender").value;
var year = document.getElementById("year").value;
var pl = document.getElementById("pl").value;
document.writeln("<html><body>");
document.writeln("");
document.writeln("NameEmailGenderProgrammingL
anguageYear");
document.writeln("");
d>"+pl+""+year+"");
document.writeIn("");
document.writeln("</body></html>"); }
</script>
<link rel="stylesheet" href="style.css" type="text/css" /></head>
<form method="post" onsubmit="displayDetails()">
<label for="name">Name:</label>
 <input type="text" id="name" name="name" placeholder="Enter name"/><br/>><br/>>
<label for="email">Email:</label>
 <input type="email" id="email" name="email" placeholder="Enter
email"/><br/>
<label for="pwd">Password:</label>
 <input type="password" id="pwd" name="pwd" placeholder="Enter
password"/><br/>
<label for="address">Address:</label>
  <textarea id="address" name="address" rows="4" cols="50"></textarea><br/>><br/>
```

```
<label for="gender">Gender: </label>
  <input type="radio" id="gender" name="gender" value="male">Male</input>
  <input type="radio" id="gender" name="gender"
value="female">Female</input><br/>
 <label for="pl">Programming languages: </label>
  <input type="checkbox" id="pl" name="pl" value="java">Java</input>
        <input type="checkbox" id="pl" name="pl" value="c">C</input>
        <input type="checkbox" id="pl" name="pl" value="python">Python</input>
        <input type="checkbox" id="pl" name="pl"
value="c++">C++</input><br/>
 <label for="year">Year:</label>
  <select name="year" id="year">
         <option value="first">I</option>
         <option value="first">II</option>
         <option value="first">III</option>
         <option value="first">IV</option></select><br/>><br/>>
 <label for="submit">Submit:</label>
  <input type="submit" value="submit"/><br/></form></body></html>
style.css
body {
background-color:pink;
border-style: solid;}
table, th, td {
border:1px solid;
}
OUTPUT:
```

# Question-3:

Create sample program for Flask HTTP methods (list or map and perform operations of PUT, GET, DELETE and POST)

## **Solution:**

```
from flask import Flask, request, ison
app=Flask(__name__)
cars={"1":"Lamborghini", "2":"Ferrari", "3":"Porsche", "4":"Landrover", "5":"Bugatti",
"6":"Mercedes","7":"Rolls-Royce", "8":"BMW"}
@app.route('/data' ,methods=['GET','POST'])
def api():
 if request.method=='GET':
    return cars
 if request.method=='POST':
    data=request.json
    cars.update(data)
    return 'data got inserted'
@app.route("/data/<id>",methods=['PUT'])
def update(id):
  data=request.form['items']
  cars[str(id)]=data
  return 'data updated'
@app.route("/data/<id>",methods=["DELETE"])
def deleteoperation(id):
  cars.pop(str(id))
  return 'data deleted'
if name ==' main ':
 app.run(debug=True)
```

# **Output:**

from flask import Flask, request, json app=Flask(\_name\_\_) cars=["1"."Lamborghini", "2"."Ferrari", "3"."Porsche", "4"."Landrover", "5"."Bugati", "6"."Mercedes", "7"."Rolls-Royce", "5"."BMW"} (@app.route("data'\_methods=[GET: return cars if request.method==POST: data=request.form[items'] cars[stri(d)]=data return 'data updated' (@app.route("data'\_methods=[PUT]) def update(id): data=request.form[items'] cars[stri(d)]=data return 'data updated' (@app.route("data"\_methods=[PUT]) def updated' (@app.route("data"\_methods=[PUT])