

# TEAM I'd – PNT2022TMID43259

## FINAL CODE

### PYTHON CODE:

```
import wiotp.sdk.device
import time import json
myConfig = {
    "identity": {
        "orgId": "crmwpw",
        "typeId": "childdevice",
        "deviceId": "CHILD"
    },
    "auth": {
        "token": "1234567890"
    }
}
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect() while True:
    name="smartbridge" #in
    area location
    latitude=11.651145
    longitude=78.156674
    #out area location
    #latitude=11.651165
    #longitude=78.158672
    myData={'name':name, 'lat':latitude, 'lon':longitude}
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0,
    onPublish=None)
    print("Published data Successfully: %s", myData) time.sleep(5)
client.disconnect()
```

### ADDING GEOFENCE:

```
package com.example.geofence; import
android.app.PendingIntent; import android.content.Context;
import android.content.ContextWrapper; import
android.content.Intent; import android.widget.Toast; import
com.google.android.gms.common.api.ApiException; import
com.google.android.gms.location.Geofence; import
com.google.android.gms.location.GeofenceStatusCodes; import
com.google.android.gms.location.GeofencingRequest; import
com.google.android.gms.maps.model.LatLng; public class
GeofenceHelper extends ContextWrapper
{
private static final String TAG = "GeofenceHelper";
PendingIntent pendingIntent; public
GeofenceHelper(Context base)
{ super(base);
}
public GeofencingRequest getGeofencingRequest(Geofence geofence)
{
return new GeofencingRequest.Builder()
.addGeofence(geofence)
.setInitialTrigger(GeofencingRequest.INITIAL_TRIGGER_ENTER)
.build(); }
public Geofence getGeofence(String ID, LatLng latLng, float radius, int
transitionTypes)
{
return new Geofence.Builder()
.setCircularRegion(latLng.latitude, latLng.longitude, radius)
.setRequestId(ID)
.setTransitionTypes(transitionTypes)
.setLoiteringDelay(5000)
.setExpirationDuration(Geofence.NEVER_EXPIRE)
.build();
}
public PendingIntent getPendingIntent()
{
if (pendingIntent != null)
{
return pendingIntent;
}
}
```

```

Intent intent = new Intent(this, GeofenceBroadcastReceiver.class);
pendingIntent = PendingIntent.getBroadcast(this, 2607, intent,
PendingIntent.FLAG_IMMUTABLE);
return pendingIntent;
}
public String getErrorString(Exception e)
{
if (e instanceof ApiException)
{
ApiException apiException = (ApiException) e; switch
(apiException.getStatusCode())
{ case
GeofenceStatusCodes
.GEOFENCE_NOT_AVAILABLE:
return "GEOFENCE_NOT_AVAILABLE"; case
GeofenceStatusCodes
.GEOFENCE_TOO_MANY_GEOFENCES:
return "GEOFENCE_TOO_MANY_GEOFENCES";
case GeofenceStatusCodes
.GEOFENCE_TOO_MANY_PENDING_INTENTS:
return "GEOFENCE_TOO_MANY_PENDING_INTENTS";
} }
return e.getLocalizedMessage();

```

## **ALERT NOTIFICATION:**

```

package com.example.geofence; import
android.content.BroadcastReceiver; import
android.content.Context; import
android.content.Intent; import
android.location.Location; import
android.os.CountDownTimer;

```

```

import android.util.Log; import android.widget.Toast;
import com.google.android.gms.location.Geofence;
import
com.google.android.gms.location.GeofencingEvent import
java.util.List; import android.os.Handler;
public class GeofenceBroadcastReceiver extends BroadcastReceiver
{
private static final String TAG = "GeofenceBroadcastReceiv"; @Override
public void onReceive(Context context, Intent intent)
{
// TODO: This method is called when the BroadcastReceiver is receiving //
an Intent broadcast
//. /*
Toast.makeText(context, "GEOFENCE_ENTERED", Toast.LENGTH_SHORT).show();
final Toast mToastToShow; int toastDurationInMilliseconds = 1200000; mToastToShow
= Toast.makeText(context, "GEOFENCE_EXITED",
Toast.LENGTH_LONG);
// Set the countdown to display the toast CountdownTimer toastCountDown;
toastCountDown = new CountdownTimer(toastDurationInMilliseconds, 100000)
{
public void onTick(long millisUntilFinished)
{
mToastToShow.show();
}
public void onFinish()
{
mToastToShow.cancel();
}
}; // Show the toast and starts the countdown mToastToShow.show();
toastCountDown.start();*/
NotificationHelper notificationHelper = new NotificationHelper(context);
notificationHelper.sendHighPriorityNotification("GEOFENCE_TRANSITION_ENT ER",
"",
MapsActivity.class);
GeofencingEvent geofencingEvent = GeofencingEvent.fromIntent(intent); if
(geofencingEvent.hasError())
Log.d(TAG, "onReceive: Error receiving geofence event...");
return;
}
List geofenceList = geofencingEvent.getTriggeringGeofences (); for
(Geofence geofence: geofenceList)
{
Log.d(TAG, "onReceive: " + geofence.getRequestId());
}
}

```

```
// Location location = geofencingEvent.getTriggeringLocation(); int
transitionType = geofencingEvent.getGeofenceTransition(); switch
(transitionType)
{
case Geofence.GEOFENCE_TRANSITION_ENTER:
notificationHelper.sendHighPriorityNotification("Entered the Location", "",
MapsActivity.class); break; case
Geofence.GEOFENCE_TRANSITION_EXIT:
notificationHelper.sendHighPriorityNotification("Exited the Location ", "",
MapsActivity.class);
break; } }
}
```