


Team ID	PNT2022TMID20463
Project Name	Smart Fashion Recommender Application

Docker CLI Installation



```
C:\Windows\system32\cmd.exe
Microsoft Windows [Version 10.0.19044.2130]
(c) Microsoft Corporation. All rights reserved.

C:\Users\ELCOT>docker

Usage: docker [OPTIONS] COMMAND

A self-sufficient runtime for containers

Options:
  --config string      Location of client config files (default
                        "C:\Users\ELCOT\.docker")
  -c, --context string  Name of the context to use to connect to the
                        daemon (overrides DOCKER_HOST env var and
                        default context set with "docker context use")
  -D, --debug           Enable debug mode
  -H, --host list       Daemon socket(s) to connect to
  -l, --log-level string Set the logging level
                        ("debug"|"info"|"warn"|"error"|"fatal")
                        (default "info")
  --tls                Use TLS; implied by --tlsverify
  --tlscacert string    Trust certs signed only by this CA (default
                        "C:\Users\ELCOT\.docker\ca.pem")
  --tlscert string      Path to TLS certificate file (default
                        "C:\Users\ELCOT\.docker\cert.pem")
  --tlskey string       Path to TLS key file (default
                        "C:\Users\ELCOT\.docker\key.pem")
  --tlsverify           Use TLS and verify the remote
  -v, --version         Print version information and quit

Management Commands:
  builder              Manage builds
  buildx*              Docker Buildx (Docker Inc., v0.9.1)
  compose*             Docker Compose (Docker Inc., v2.12.0)
  config              Manage Docker configs
  container            Manage containers
  context              Manage contexts
  dev*                Docker Dev Environments (Docker Inc., v0.0.3)
  extension*           Manages Docker extensions (Docker Inc., v0.2.13)
  image                Manage images
  manifest             Manage Docker image manifests and manifest lists
  network              Manage networks
  node                 Manage Swarm nodes
  plugin               Manage plugins

Type here to search
```

```
C:\Windows\system32\cmd.exe
Commands:
  attach              Attach local standard input, output, and error streams to a running container
  build               Build an image from a Dockerfile
  commit              Create a new image from a container's changes
  cp                  Copy files/folders between a container and the local filesystem
  create              Create a new container
  diff                Inspect changes to files or directories on a container's filesystem
  events              Get real time events from the server
  exec                Run a command in a running container
  export              Export a container's filesystem as a tar archive
  history             Show the history of an image
  images              List images
  import              Import the contents from a tarball to create a filesystem image
  info                Display system-wide information
  inspect             Return low-level information on Docker objects
  kill                Kill one or more running containers
  load                Load an image from a tar archive or STDIN
  login               Log in to a Docker registry
  logout              Log out from a Docker registry
  logs                Fetch the logs of a container
  pause               Pause all processes within one or more containers
  port                List port mappings or a specific mapping for the container
  ps                  List containers
  pull                Pull an image or a repository from a registry
  push                Push an image or a repository to a registry
  rename              Rename a container
  restart             Restart one or more containers
  rm                  Remove one or more containers
  rmi                 Remove one or more images
  run                 Run a command in a new container
  save                Save one or more images to a tar archive (streamed to STDOUT by default)
  search              Search the Docker Hub for images
  start               Start one or more stopped containers
  stats               Display a live stream of container(s) resource usage statistics
  stop                Stop one or more running containers
  tag                 Create a tag TARGET_IMAGE that refers to SOURCE_IMAGE
  top                 Display the running processes of a container
  unpause             Unpause all processes within one or more containers
  update              Update configuration of one or more containers
  version             Show the Docker version information
  wait                Block until one or more containers stop, then print their exit codes

Run 'docker COMMAND --help' for more information on a command.
```