# Assignment -3


IBM CLOUD

Assignment Date	03 October 2022
Student Name	MOHAMMAD AZEER
Student Roll Number	727819TUCS127
Maximum Marks	2 Marks

## Question-1:

Create a Bucket in IBM object storage.

# **Solution:**



## Question-2:

Upload 5 images to IBM object storage and make it public. write html code to displaying all the

## **Solution:**

5 Images.




### Question-3:

Upload a css page to the object storage and use the same page in your HTML code.write html code to displaying all the 5 images.

### **Solution:**

```
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width,</pre>
        initial-scale=1,shrink-to-fit=no">
        <link rel="stylesheet"</pre>
        href="https://maxcdn.bootstrapcdn.com/fontawesome/4.7.0/
        css/font-awesome.min.css">
        <link rel="stylesheet"</pre>
        href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/
        css/bootstrap.min.css">
        <link rel="stylesheet"</pre>
        href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/
        2.2.3/particles.min.js">
        <link rel="stylesheet" href="https://s3.au-syd.cloud-</pre>
        objectstorage.appdomain.cloud/mybucket24/
        style.cssxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
</head>
```

```
<div class="signup">
        <form action="\result" method="post">
        <h2>LOGIN</h2>
        <div class="form-group">
            <div class="input-group">
                <span class="input-group-addon">
                <i class="fafaenvelope"></i></span>
                <input type="email" name="email"</pre>
                class="formcontrol"placeholder="Email" required>
            </div>
        </div>
        <div class="form-group">
            <div class="input-group">
                <span class="input-group-addon">
                <i class="fafalock"></i></span>
                <input type="password" name="password"</pre>
                class="formcontrol"placeholder="password" required>
            </div>
        </div>
        <div class="form-group">
            <button type="submit" class="btn btn-primary</pre>
            btn-lgbtnblock">Login</button>
        </div>
  </form>
 </div>
     </body>
 </html>
```



### Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

### **Solution:**

https://webchat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https://s3A%2F% 2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f8e994d6-a0d7-422f-a9f3852a308d5f26%3A%3A9313e8ba-e53d-470d-8fb1-7db9327ba407&integrationID=4eb80521-2d5d-4e2b-ac4b-5124347d8655&region=au-syd&serviceInstanceID=f8e994d6-a0d7-422f-a9f3852a308d5f26

# Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

#### **Solution:**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
       ta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body> <script> window.watsonAssistantChatOptions = {
integrationID: "d5aae4c6-7146-488c-8235-4a7abe46526d", // The ID of this
                  region: "au-syd", // The region your integration is hosted
      serviceInstanceID: "f8e994d6-a0d7-422f-a9f3-852a308d5f26", // The ID of
your service instance.
     onLoad: function(instance) { instance.render(); }
          setTimeout(function(){
t=document.createElement('script');
t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
    });
  </script>
</body>
</html>
```

