

Team ID: PNT2022TMID10962:

```
#include
<time.h>

#include <WiFi.h>
#include <PubSubClient.h>

#define ORG "wt19pm"
#define DEVICE_TYPE "NodeMCU"
#define DEVICE_ID "12345"
#define TOKEN "12345678"

char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/data/fmt/json";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;

WiFiClient wifiClient;
PubSubClient client(server, 1883, wifiClient);

float temperature = 0;
int gas = 0;
int flame = 0;

String flame_status = "";
String Gas_status = "";
String exhaust_fan_status = "";
String sprinkler_status = "";

void setup() {
  Serial.begin(999000);
  wifiConnect();
  mqttConnect();
}

void loop() {
```

```

srand(time(0));

//initial variables and random generated data

temperature = random(-20,125);
gas = random(0,1000);
int flamereading = random(200,1024);
flame = map(flamereading,200,1024,0,2);

//set a flame status

switch (flame) {
case 0:
    flame_status = "No Fire";
    break;
case 1:
    flame_status = "Fire is Detected";
    break;
}

//send the sprinkler status

if(flame==1){
    sprinkler_status = "Working";
}
else{
    sprinkler_status = "Not Working";
}

//toggle the fan according to gas reading

if(gas > 100){
    Gas_status = "Gas Leakage is Detected";
    exhaust_fan_status = "Working";
}

```

```

    }
    else{
        Gas_status = "No Gas Leakage is Detected";
        exhaust_fan_status = "Not Working";
    }

    //json format for IBM Watson

    String payload = "{";
    payload+="\"gas\":";
    payload+=gas;
    payload+=",";
    payload+="\"temperature\":";
    payload+=(int)temperature;
    payload+=",";
    payload+="\"flame\":";
    payload+=flamereading;
    payload+=",";
    payload+="\"fire_status\":"+"\""+flame_status+"\"",";
    payload+="\"sprinkler_status\":"+"\""+sprinkler_status+"\"",";
    payload+="\"Gas_status\":"+"\""+Gas_status+"\"",";
    payload+="\"exhaust_fan_status\":"+"\""+exhaust_fan_status+"\""}";

    if(client.publish(publishTopic, (char*) payload.c_str()))
    {
        Serial.println("Publish OK");
    }
    else{
        Serial.println("Publish failed");
    }
    delay(1000);

    if (!client.loop())
    {
        mqttConnect();
    }
}

```

```
void wifiConnect()
{
  Serial.print("Connecting to ");
  Serial.print("Wifi");
  WiFi.begin("Wokwi-GUEST", "", 6);
  while (WiFi.status() != WL_CONNECTED)
  {
    delay(500);
    Serial.print(".");
  }
  Serial.print("WiFi connected, IP address: ");
  Serial.println(WiFi.localIP());
}
```

```
void mqttConnect()
{
  if (!client.connected())
  {
    Serial.print("Reconnecting MQTT client to ");
    Serial.println(server);
    while (!client.connect(clientId, authMethod, token))
    {
      Serial.print(".");
      delay(500);
    }

    Serial.println();
  }
}
```