

Assignment -4

Assignment Date	3 November 2022
Student Name	BARATH RAJ G
Role	Team Member
Student Roll Number	311619205002
Maximum Marks	2 Marks
Team ID	PNT2022TMID37370

Question-1:

Pull an Image from docker hub and run it in docker playground.

Solution:

- Pull an image *uifd/ui-for-docker* from the docker hub
- This image is used for viewing and managing the docker engine
- Use docker pull image_name and docker run -it image_name commands to
- run the above image in the Docker Playground

The screenshot shows the Docker Playground interface. On the left sidebar, there's a clock showing 03:57:32, a 'CLOSE SESSION' button, and a list of instances. The main area displays details for an instance named 'cddvksm0_cddvkv0qau000a07j5g'. It shows the IP address 192.168.0.8, memory usage at 1.24% (49.52MiB / 3.906GiB), and CPU usage at 0.31%. Below this, there's an SSH terminal window. The terminal output shows a warning message: 'WARNING!!!! This is a sandbox environment. Using personal credentials is HIGHLY! discouraged. Any consequences of doing so are completely the user's responsibilities. The PWD team.' followed by the execution of 'docker pull hello-world' and 'docker run hello-world' commands. The terminal also shows the default tag 'latest' and the pull progress.

Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

Solution:

- Create a docker file for build and deploy flask app.
- Use docker build -t image_name . in the current directory to start building the
- docker image and deploy in our local docker
- Use docker run -p 5000:5000 image_name to run in local system

CODE

FROM ubuntu/apache2

FROM python

COPY ./requirements.txt /flaskApp/requirements.txt


WORKDIR /flaskApp

RUN pip install -r requirements.txt

COPY . /flaskApp

ENTRYPOINT ["python"]

CMD ["app.py"]




Question-3:


Create a IBM container registry and deploy helloworld app or jobportalapp.

Solution:

- Log into IBM cloud
- Create a container registry
- Using IBM Cloud CLI, install the container registry plugin in our system
- Push our docker image into the created container registry using docker push
- So, our job portal app is deployed in the IBM container registry



OUTPUT:
“HELLO WORLD”



Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.


Solution:

- Log into IBM cloud
- Create a kubernetes
- Using IBM Cloud CLI, install the ks plugin in our system
- Create a cluster in the kubernetes
- Now, go to the kubernetes dashboard where we need to create a service based on a
- yaml file (given below)
- In that file, we have to mention *which image we are going to use* and the *app name*
- Take the public IP address and Nodeport since we exposed the *flask app in nodeport*
- Finally, we got the url address where our flask app is hosted

CODE:

```
apiVersion: v1
kind: Service
metadata:
  name: job-portal-app
spec:
  selector:
    app: job-portal-app
  ports:
    - port: 5000
  type: NodePort
---
apiVersion: apps/v1
kind: Deployment
```

metadata:
name: job-portal-app
labels:
app: job-portal-app
spec:
selector:
matchLabels:
app: job-portal-app
replicas: 1
template:
metadata:
labels:
app: job-portal-app
spec:
containers:
- name: job-portal-app
image: image_name
ports:
- containerPort: 5000
env:
- name: DISABLE_WEB_APP
value: "false"



Kubernetes clusters						
Resource group: Filter... <div></div>		Location: Filter... <div></div>		Search <div></div>		Create cluster +
Name	State	Location	Worker count	Created	Version	Infrastructure
jaga-cluster	<div></div> Normal	Amsterdam 03	1	Expires in 30 days	1.23.12_1546	Classic
Items per page: 25 <div></div>		1-1 of 1 item			1 <div></div> 1 of 1 page	<div></div> <div></div>