


# Project Development – Delivery plan sprint-3

## IoT Based Safety Gadget for Child Safety Monitoring & Notification


TEAM ID:PNT2022TMID27063

### Creating Node-Red service and connecting with IBM cloud

### Creating Node-Red service:



### Codes in each Node:



Node-RED interface showing a flow with an IBM IoT node connected to a function node. The function node code is:

```
1 var name = msg.payload.name
2 var lat = msg.payload.lat
3 var lon = msg.payload.lon
4 global.set('latitude',lat)
5 global.set('longitude',lon)
6 global.set('name',name)
7 return msg;
```

The debug console shows the following log entries:

```
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:36 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:54 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:59 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:20:04 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
```

Node-RED interface showing a flow with an IBM IoT node connected to a function node. The function node code is:

```
1 msg.payload = {
2   "name": global.get('name'),
3   "lat": global.get('latitude'),
4   "lon": global.get('longitude')
5 }
6 return msg;
```

The debug console shows the following log entries:

```
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:36 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:54 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:59 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:20:04 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
```


Node-RED interface showing a flow with an IBM IoT node connected to a function node. The function node code is:

```
1 msg.payload = {
2   "name": global.get('name'),
3   "lat": global.get('latitude'),
4   "lon": global.get('longitude')
5 }
6 return msg;
```


The debug console shows the following log entries:

```
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:36 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:54 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:19:59 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 00:20:04 node: c0c7c03a56206099
id: 2/type: MyDeviceType/id: 12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
```

Node-RED interface showing a flow with an IBM IoT node connected to a function node. The "Edit worldmap node" panel is open, displaying properties for a map visualization. The map is titled "[Child Tracker] Map" and shows a location with latitude 17.4226372 and longitude 78.5456505. The map is set to ESRI Satellite base map and includes 7 selected overlays. The debug console shows a series of messages from the "Smartbridge" node, including coordinates and status updates.



Node-RED interface showing a flow with an IBM IoT node connected to a function node. The "Edit geofence node" panel is open, displaying a map with a geofence area defined around a location. The map shows a city area with various landmarks and roads. The debug console shows a series of messages from the "Smartbridge" node, including coordinates and status updates.



Node-RED interface showing a flow with an IBM IoT node connected to a function node. The function node is being edited, showing the following code:

```
1 msg.payload=msg.location.inarea
2 return msg;
```

The debug console shows the following log entries:

```
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:14:07 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:14:12 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:14:17 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:14:22 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
```

Node-RED interface showing a flow with an IBM IoT node connected to a function node. The function node is being edited, showing the following code:

```
1 msg.payload=msg.location.inarea
2 return msg;
```

The debug console shows the following log entries:

```
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:14:58 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:15:03 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:15:08 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
16/11/2022, 17:15:13 node: c0c7c03a562d6099
iot-2/hype/MyDeviceType/id/12345/ev/status/fmt/json :
msg.payload : Object
{ name: "Smartbridge", lat: 17.4219272, lon: 78.5488783 }
```



Node-RED interface showing a flow with an IBM IoT node connected to a function node. The 'Edit http request node' dialog is open, showing properties: Method (GET), URL (https://www.fast2sms.com/dev/bulkV2?authorizati), Payload (Ignore), and Return (a UTF-8 string). The debug console shows messages from the 'Smartbridge' node.

Node-RED interface showing the same flow. The 'Edit notification node' dialog is open, showing properties: Layout (OK / Cancel Dialog), Send to all browser sessions (checked), Default action label (OK), and Class ([msg.className]). The debug console shows messages from the 'Smartbridge' node.

Node-RED interface showing the same flow. The 'Edit cloudant out node' dialog is open, showing properties: Service (External cloudant or couchdb service), Server (https://6fa49715-1aad-4426-aa9a-6857), Database (sample), Operation (insert), and Name (Child). The debug console shows messages from the 'Smartbridge' node.

# Connecting with IBM Cloud: Using IBM IOT node through the API key

The screenshot displays the IBM Watson IoT Platform dashboard. The top navigation bar includes the IBM logo and the text "IBM Watson IoT Platform". The user's profile is shown as "julianthomaspeniel16@gmail.com" with ID "jgry6x". A "Generate API Key" button is visible in the top right corner.

The main content area is titled "Browse IBM Cloud Apps". It shows a table with one result:

Key	Description	Role	Expires
a-jgry6x-vocdjs6jzm	-	Standard Application	-


Below the table, there is a section titled "API Key Information" with a sub-section "Access Control/Permissions". This section contains the following details:

Key	a-jgry6x-vocdjs6jzm	Last Edited By	julianthomaspeniel16@gmail.com
Description	-	Expires	Never
Date Added	15 Nov 2022 23:40		
Last Update	15 Nov 2022 23:40		

The bottom of the image shows the Windows taskbar with various application icons and the system clock indicating 01:02 AM on 16-11-2022.



## Transferring values from Python Code:



## Node-Red:

