

UNDERSTAND THE DATA

```
from google.colab import drive
drive.mount('/content/drive')
```

```
!unzip '/content/MNIST-dataset.zip'
```

```
Archive:  /content/MNIST-dataset.zip
inflating:          mnist_test.csv
inflating: mnist_train.csv
```

Import the required libraries

```
import numpy
import tensorflow
from tensorflow.keras.datasets import mnist
from tensorflow.keras.models import Sequential
from tensorflow.keras import layers
from tensorflow.keras.layers import Dense ,Flatten
from tensorflow.keras.layers import Conv2D from
keras.optimizers import Adam from keras.utils
import np_utils
```

Loading the data

```
(x_train,y_train),(x_test,y_test)=mnist.load_data()
```

```
Downloading data from
https://storage.googleapis.com/tensorflow/tfkeras-datasets/mnist.npz
11490434/11490434 [=====] - 0s 0us/step
```

```
print(x_train.shape)
print(x_test.shape)
```

```
(60000, 28, 28)
(10000, 28, 28)
```


Analyzing the data

```
x_train[0]
```

```
array([[ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
0,
        0,  0],
 [ 0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
0,
        0,  0,  0,  0,  0,  0,  0,  0,  0,  0,  0,
0,
        0,  0],
```

[illegible]

[illegible]



Reshaping the dataset

```
x_train=x_train.reshape(60000, 28, 28, 1).astype('float32')
x_test=x_test.reshape(10000, 28, 28, 1).astype('float32')
```

One hot Encoding

```
number_of_classes=10
y_train=np_utils.to_categorical(y_train, number_of_classes)
y_test=np_utils.to_categorical(y_test, number_of_classes)
y_train[0]
array([0., 0., 0., 0., 0., 1., 0., 0., 0., 0.], dtype=float32)
```

MODEL BUILDING

Add CNN Layers

```
model = Sequential()
model.add(Conv2D(64, (3, 3), input_shape=(28,28,1),activation='relu'))
model.add(Conv2D(32, (3,3),activation='relu')) model.add(Flatten())
model.add(Dense(number_of_classes,activation='softmax'))
```

Compiling the model

```
model.compile(loss='categorical_crossentropy',optimizer="Adam",metrics
=['accuracy'])
```

Train the model

```
model.fit(x_train,y_train,
```

```
validation_data=(x_test,y_test),epochs=5,batch_size=32)

Epoch 1/5
1875/1875 [=====] - 206s 110ms/step - loss:
0.2227 - accuracy: 0.9514 - val_loss: 0.0926 - val_accuracy: 0.9724
Epoch 2/5
1875/1875 [=====] - 204s 109ms/step - loss:
0.0673 - accuracy: 0.9797 - val_loss: 0.0760 - val_accuracy: 0.9785
Epoch 3/5
1875/1875 [=====] - 205s 110ms/step - loss:
0.0498 - accuracy: 0.9845 - val_loss: 0.0762 - val_accuracy: 0.9782
Epoch 4/5
1875/1875 [=====] - 205s 109ms/step - loss:
0.0382 - accuracy: 0.9876 - val_loss: 0.0862 - val_accuracy: 0.9768
Epoch 5/5
1875/1875 [=====] - 204s 109ms/step - loss:
0.0283 - accuracy: 0.9907 - val_loss: 0.1046 - val_accuracy: 0.9736

<keras.callbacks.History at 0x7f1f12388c50>
```

Observing the metics

```
metrics=model.evaluate(x_test,y_test,verbose=0)
print("Metrics(Test loss & Test Accuracy): ")
print(metrics)
```

```
Metrics(Test loss & Test Accuracy):
[0.10460703074932098, 0.9735999703407288]
```

Test the model

```
prediction=model.predict(x_test[:4])
print(prediction)

1/1 [=====] - 0s 91ms/step
[[3.6472027e-11 1.8582895e-13 7.9937044e-09 2.3997129e-07 3.9091824e-
12
 9.8365305e-13 4.0152365e-19 9.9999976e-01 5.9545853e-09 8.3152724e-
10]
 [3.1028864e-09 5.5525727e-12 9.9999976e-01 1.7234969e-11 1.0659495e-
14
 5.0801370e-17 1.8960891e-07 3.2174923e-14 3.2996175e-09 1.8095494e-
16]
 [7.9788151e-08 9.9954069e-01 1.4380501e-04 1.4463420e-08 1.5428855e-
05
 1.7991129e-06 2.8585680e-04 2.7907413e-06 9.5048990e-06 2.0894759e-
09]
 [9.9999964e-01 1.0304377e-14 1.9850519e-09 1.1107865e-14 4.1492143e-
13
 1.5067174e-10 2.2719024e-07 2.5433347e-13 7.0791955e-08 8.9261853e-
08]]
```

```
import numpy as np
print(np.argmax(prediction,axis=1))
print(y_test[:4])
```

```
[7 2 1 0]
[[0. 0. 0. 0. 0. 0. 0. 1. 0. 0.]
 [0. 0. 1. 0. 0. 0. 0. 0. 0. 0.]
 [0. 1. 0. 0. 0. 0. 0. 0. 0. 0.]
 [1. 0. 0. 0. 0. 0. 0. 0. 0. 0.]]
```

Observing the metics

```
metrics=model.evaluate(x_test,y_test,verbose=0)
print("Metrics(Test loss & Test Accuracy): ")
print(metrics)
```

```
Metrics(Test loss & Test Accuracy):
[0.10460703074932098, 0.9735999703407288]
```

Test the model

```
prediction=model.predict(x_test[:4])
print(prediction)
```

```
1/1 [=====] - 0s 20ms/step
[[3.6472027e-11 1.8582895e-13 7.9937044e-09 2.3997129e-07 3.9091824e-
12
 9.8365305e-13 4.0152365e-19 9.9999976e-01 5.9545853e-09 8.3152724e-
10]
 [3.1028864e-09 5.5525727e-12 9.9999976e-01 1.7234969e-11 1.0659495e-
14
 5.0801370e-17 1.8960891e-07 3.2174923e-14 3.2996175e-09 1.8095494e-
16]
 [7.9788151e-08 9.9954069e-01 1.4380501e-04 1.4463420e-08 1.5428855e-
05
 1.7991129e-06 2.8585680e-04 2.7907413e-06 9.5048990e-06 2.0894759e-
09]
 [9.9999964e-01 1.0304377e-14 1.9850519e-09 1.1107865e-14 4.1492143e-
13
 1.5067174e-10 2.2719024e-07 2.5433347e-13 7.0791955e-08
 8.9261853e08]]
```

```
import numpy as np
print(np.argmax(prediction,axis=1))
print(y_test[:4])
```

```
[7 2 1 0]
[[0. 0. 0. 0. 0. 0. 0. 1. 0. 0.]
 [0. 0. 1. 0. 0. 0. 0. 0. 0. 0.]
 [0. 1. 0. 0. 0. 0. 0. 0. 0. 0.]
 [1. 0. 0. 0. 0. 0. 0. 0. 0. 0.]]
```

Save the model

```
model.save('models/mnistCNN.h5') !tar
-zcvf Digit-Model.tgz mnistCNN.h5
mnistCNN.h5
```

IBM DEPLOYMENT

```
!pip install watson-machine-learning-client

Looking in indexes: https://pypi.org/simple,
https://uspython.pkg.dev/colab-wheels/public/simple/
Collecting watson-machine-learning-client
  Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl
(538 kB)
Requirement already satisfied: certifi in
/usr/local/lib/python3.7/distpackages (from watson-machine-learning-
client) (2022.9.24)
Requirement already satisfied: requests in
/usr/local/lib/python3.7/dist-packages (from watson-machine-
learningclient) (2.23.0)
Requirement already satisfied: pandas in
/usr/local/lib/python3.7/dist-packages (from watson-machine-
learningclient) (1.3.5)
Requirement already satisfied: urllib3 in
/usr/local/lib/python3.7/dist-packages (from watson-machine-
learningclient) (1.24.3)
Requirement already satisfied: tabulate in
/usr/local/lib/python3.7/dist-packages (from watson-machine-
learningclient) (0.8.10)
Requirement already satisfied: tqdm in
/usr/local/lib/python3.7/distpackages (from watson-machine-learning-
client) (4.64.1)
Collecting boto3
  Downloading boto3-1.26.7-py3-none-any.whl (132 kB)
and
  Downloading lomond-0.3.3-py2.py3-none-any.whl (35 kB)
Collecting ibm-cos-sdk
  Downloading ibm-cos-sdk-2.12.0.tar.gz (55 kB)
espath<2.0.0,>=0.7.1
  Downloading jmespath-1.0.1-py3-none-any.whl (20 kB)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in
/usr/local/lib/python3.7/dist-packages (from botocore<1.30.0,>=1.29.7-
>boto3->watson-machine-learning-client) (2.8.2)
Collecting urllib3
  Downloading urllib3-1.26.12-py2.py3-none-any.whl (140 kB)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.7/distpackages
(from python-dateutil<3.0.0,>=2.1->botocore<1.30.0,>=1.29.7-
```



```

>boto3->watson-machine-learning-client) (1.15.0)
Collecting ibm-cos-sdk-core==2.12.0
  Downloading ibm-cos-sdk-core-2.12.0.tar.gz (956 kB) -cos-sdk-
s3transfer==2.12.0
  Downloading ibm-cos-sdk-s3transfer-2.12.0.tar.gz (135 kB)
espath<2.0.0,>=0.7.1
  Downloading jmespath-0.10.0-py2.py3-none-any.whl (24 kB)
Collecting requests
  Downloading requests-2.28.1-py3-none-any.whl (62 kB)
ent already satisfied: charset-normalizer<3,>=2 in
/usr/local/lib/python3.7/dist-packages (from requests->watson-
machinelearning-client) (2.1.1)
Requirement already satisfied: idna<4,>=2.5 in
/usr/local/lib/python3.7/dist-packages (from requests->watson-
machinelearning-client) (2.10)
Requirement already satisfied: pytz>=2017.3 in
/usr/local/lib/python3.7/dist-packages (from pandas->watson-
machinelearning-client) (2022.6)
Requirement already satisfied: numpy>=1.17.3 in
/usr/local/lib/python3.7/dist-packages (from pandas->watson-
machinelearning-client) (1.21.6)
Building wheels for collected packages: ibm-cos-sdk, ibm-cos-sdk-core,
ibm-cos-sdk-s3transfer
  Building wheel for ibm-cos-sdk (setup.py) ... -cos-sdk:
filename=ibm_cos_sdk-2.12.0-py3-none-any.whl size=73931
sha256=3c1e1853c51f05f29850f038c9879d9c48a399f50859c48457497e4a8f28909
f
  Stored in directory:
/root/.cache/pip/wheels/ec/94/29/2b57327cf00664b6614304f7958abd29d77ea
0e5bbece2ea57
  Building wheel for ibm-cos-sdk-core (setup.py) ... -cos-sdk-core:
filename=ibm_cos_sdk_core-2.12.0-py3-none-any.whl size=562962
sha256=8116a866228dbbcc99a7e659f48bb0c4d5eab0ae28835475b46b2bfd1adcc62
7
  Stored in directory:
/root/.cache/pip/wheels/64/56/fb/5cd6f4f40406c828a5289b95b2752a4d142a9
afb359244ed8d
  Building wheel for ibm-cos-sdk-s3transfer (setup.py) ... -cos-
sdks3transfer: filename=ibm_cos_sdk_s3transfer-2.12.0-py3-none-
any.whl size=89778
sha256=32d066a60d2aa32a01b138bbe4f6e582f05970a7b0b5d7d03208b869edfd85f
a
  Stored in directory:
/root/.cache/pip/wheels/57/79/6a/ffe3370ed7ebc00604f9f76766e1e0348dcdc
ad2b2e32df9e1
Successfully built ibm-cos-sdk ibm-cos-sdk-core ibm-cos-sdk-s3transfer
Installing collected packages: urllib3, requests, jmespath, ibm-
cos-sdk-core, botocore, s3transfer, ibm-cos-sdk-s3transfer, lomond,
ibm-

```

```
cos-sdk, boto3, watson-machine-learning-client
  Attempting uninstall: urllib3
    Found existing installation: urllib3 1.24.3
    Uninstalling urllib3-1.24.3:
      Successfully uninstalled urllib3-1.24.3
  Attempting uninstall: requests
    Found existing installation: requests 2.23.0
    Uninstalling requests-2.23.0:
      Successfully uninstalled requests-2.23.0
Successfully installed boto3-1.26.7 botocore-1.29.7 ibm-cos-sdk-2.12.0
ibm-cos-sdk-core-2.12.0 ibm-cos-sdk-s3transfer-2.12.0 jmespath-0.10.0
lomond-0.3.3 requests-2.28.1 s3transfer-0.6.0 urllib3-1.26.12
watsonmachine-learning-client-1.0.391
```

```
{"pip_warning":{"packages":["requests","urllib3"]}}
```

```
!pip install ibm_watson_machine_learning
```

```
Looking in indexes: https://pypi.org/simple,
https://uspython.pkg.dev/colab-wheels/public/simple/
Collecting ibm_watson_machine_learning
  Downloading ibm_watson_machine_learning-1.0.257-py3-none-any.whl
(1.8 MB)
Requirement already satisfied: pandas<1.5.0,>=0.24.2 in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (1.3.5)
Requirement already satisfied: importlib-metadata in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (4.13.0) Requirement
already satisfied: requests in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (2.28.1) Requirement
already satisfied: certifi in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (2022.9.24) Requirement
already satisfied: tabulate in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (0.8.10)
Collecting ibm-cos-sdk==2.7.*
  Downloading ibm-cos-sdk-2.7.0.tar.gz (51 kB)
Requirement already satisfied: urllib3 in /usr/local/lib/python3.7/dist-
packages (from ibm_watson_machine_learning) (1.26.12)
Requirement already satisfied: packaging in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (21.3)
Requirement already satisfied: lomond in
/usr/local/lib/python3.7/dist-packages (from
ibm_watson_machine_learning) (0.3.3)
Collecting ibm-cos-sdk-core==2.7.0
```

```

    Downloading ibm-cos-sdk-core-2.7.0.tar.gz (824 kB)
-cos-sdk-s3transfer==2.7.0
    Downloading ibm-cos-sdk-s3transfer-2.7.0.tar.gz (133 kB)
ent already satisfied: jmespath<1.0.0,>=0.7.1 in
/usr/local/lib/python3.7/dist-packages (from ibm-cos-sdk==2.7.*-
>ibm_watson_machine_learning) (0.10.0)
Collecting docutils<0.16,>=0.10
    Downloading docutils-0.15.2-py3-none-any.whl (547 kB)
ent already satisfied: python-dateutil<3.0.0,>=2.1 in
/usr/local/lib/python3.7/dist-packages (from ibm-cos-sdk-core==2.7.0-
>ibm-cos-sdk==2.7.*->ibm_watson_machine_learning) (2.8.2)
Requirement already satisfied: numpy>=1.17.3 in
/usr/local/lib/python3.7/dist-packages (from pandas<1.5.0,>=0.24.2-
>ibm_watson_machine_learning) (1.21.6)
Requirement already satisfied: pytz>=2017.3 in
/usr/local/lib/python3.7/dist-packages (from pandas<1.5.0,>=0.24.2-
>ibm_watson_machine_learning) (2022.6)
Requirement already satisfied: six>=1.5 in
/usr/local/lib/python3.7/dist-packages (from python-
dateutil<3.0.0,>=2.1->ibm-cos-sdk-core==2.7.0->ibm-cos-sdk==2.7.*-
>ibm_watson_machine_learning) (1.15.0)
Requirement already satisfied: idna<4,>=2.5 in
/usr/local/lib/python3.7/dist-packages (from requests-
>ibm_watson_machine_learning) (2.10)
Requirement already satisfied: charset-normalizer<3,>=2 in
/usr/local/lib/python3.7/dist-packages (from requests-
>ibm_watson_machine_learning) (2.1.1)
Requirement already satisfied: typing-extensions>=3.6.4 in
/usr/local/lib/python3.7/dist-packages (from importlib-metadata-
>ibm_watson_machine_learning) (4.1.1)
Requirement already satisfied: zipp>=0.5 in
/usr/local/lib/python3.7/dist-packages (from importlib-metadata-
>ibm_watson_machine_learning) (3.10.0)
Requirement already satisfied: pyparsing!=3.0.5,>=2.0.2 in
/usr/local/lib/python3.7/dist-packages (from packaging-
>ibm_watson_machine_learning) (3.0.9)
Building wheels for collected packages: ibm-cos-sdk, ibm-cos-sdk-core,
ibm-cos-sdk-s3transfer
    Building wheel for ibm-cos-sdk (setup.py) ... -cos-sdk:
filename=ibm_cos_sdk-2.7.0-py2.py3-none-any.whl size=72563
sha256=3ebe2a9d09b12b8064775dedf9a38065f8e4381582d089b8c90a5b900959d9a
8
    Stored in directory:
/root/.cache/pip/wheels/47/22/bf/e1154ff0f5de93cc477acd0ca69abfbb8b799
c5b28a66b44c2
    Building wheel for ibm-cos-sdk-core (setup.py) ... -cos-sdk-core:
filename=ibm_cos_sdk_core-2.7.0-py2.py3-none-any.whl size=501013
sha256=802d2cc970bc4cd21cc2fb09e0090a13bd007e6015cb73be3287a6ec3a38ba0

```

8

```
    Stored in directory:
/root/.cache/pip/wheels/6c/a2/e4/c16d02f809a3ea998e17cfd02c13369281f3d
232aaf5902c19
```

```
    Building wheel for ibm-cos-sdk-s3transfer (setup.py) ... -cos-
s3transfer:      filename=ibm_cos_sdk_s3transfer-2.7.0-py2.py3-none-
any.whl size=88622
sha256=c6d8e63250659b8136cf5d444b659ff39cd7ffc14609f6afa434559cfd4b164
2
```

```
    Stored in directory:
/root/.cache/pip/wheels/5f/b7/14/fbe02bc1ef1af890650c7e51743d1c8389085
2e598d164b9da
```

```
Successfully built ibm-cos-sdk ibm-cos-sdk-core ibm-cos-sdk-s3transfer
Installing collected packages: docutils, ibm-cos-sdk-core, ibm-cos-sdk-
s3transfer, ibm-cos-sdk, ibm-watson-machine-learning
```

```
    Attempting uninstall: docutils
```

```
        Found existing installation: docutils 0.17.1
```

```
    Uninstalling docutils-0.17.1:
```

```
        Successfully uninstalled docutils-0.17.1
```

```
    Attempting uninstall: ibm-cos-sdk-core
```

```
        Found existing installation: ibm-cos-sdk-core 2.12.0
```

```
    Uninstalling ibm-cos-sdk-core-2.12.0:
```

```
        Successfully uninstalled ibm-cos-sdk-core-2.12.0
```

```
    Attempting uninstall: ibm-cos-sdk-s3transfer
```

```
        Found existing installation: ibm-cos-sdk-s3transfer 2.12.0
```

```
    Uninstalling ibm-cos-sdk-s3transfer-2.12.0:
```

```
        Successfully uninstalled ibm-cos-sdk-s3transfer-2.12.0
```

```
    Attempting uninstall: ibm-cos-sdk
```

```
        Found existing installation: ibm-cos-sdk 2.12.0
```

```
    Uninstalling ibm-cos-sdk-2.12.0:
```

```
        Successfully uninstalled ibm-cos-sdk-2.12.0
```

```
Successfully installed docutils-0.15.2 ibm-cos-sdk-2.7.0 ibm-cos-
sdkcore-2.7.0 ibm-cos-sdk-s3transfer-2.7.0 ibm-watson-machine-
learning-
1.0.257
```

```
from ibm_watson_machine_learning import APIClient
wml_credentials = {
    "url": "https://eu-gb.ml.cloud.ibm.com",
    "apikey": "jvy5eD0w7y5bbEqwjgb3hPV1qs6Um37N7J2ROWZBiPXY"
}
```

```
client=APIClient(wml_credentials)
client
```

Python 3.7 and 3.8 frameworks are deprecated and will be removed in a future release. Use Python 3.9 framework instead.

```
<ibm_watson_machine_learning.client.APIClient at 0x7f1e98449610>

client.spaces.get_details()

{'resources': [{'entity': {'compute': [{'crn':
'crn:v1:bluemix:public:pm-20:eu-gb:a/2a8885b5d5d04a1f8fe11f33c481e032:
2c932db9-734f-487f-9ba1-27cc4f865682::',
    'guid': '2c932db9-734f-487f-9ba1-27cc4f865682',
    'name': 'Watson Machine Learning-ek',
    'type': 'machine_learning'}]},
    'description': '',
    'name': 'Novel Method',
    'scope': {'bss_account_id': '2a8885b5d5d04a1f8fe11f33c481e032'},
    'stage': {'production': False},
    'status': {'state': 'active'},
    'storage': {'properties': {'bucket_name': 'aa2c867a-281f-4f64-
8ca5-1388462f3e8d',
    'bucket_region': 'eu-gb-standard',
    'credentials': {'admin': {'access_key_id':
'69c872b8ebca43daa74910466b0163a0',
    'api_key': 'jkKm0DaWpvTGWMfuKlBNRkktWcHaHMiCgmB8nPqbdgi3',
    'secret_access_key':
'4ef677aeaf64f2ac440a043ea60d79ac76dcd5d8e010ffaa',
    'service_id': 'ServiceId-84b77ca1-d301-4871-af77-
870dc7eec585'},
    'editor': {'access_key_id': '4a1ac6f50f2f44ac8682bf6fcb609f7f',
    'api_key': 'hlilnp91zWNhJsFkTM5emlCvdKkMs2kx9RTXqIA5PQHd',
    'resource_key_crn': 'crn:v1:bluemix:public:cloud-
objectstorage:global:a/2a8885b5d5d04a1f8fe11f33c481e032:b10f964a-d050-
4f34-
8abe-e6491fa7c274::',
    'secret_access_key':
'47d0eeb49fefb40191540058934e1be2fcb2c4a92aebb163',
    'service_id': 'ServiceId-52a4accd-6a2e-475c-a2fba4998077d07c'},
    'viewer': {'access_key_id': 'adac0672d47a49ad9e24078b1186ce7d',
    'api_key': '_IkYjB8JSa3Fny8uy7upC89pxmLvGYGskNQwf8LloC-o',
    'resource_key_crn': 'crn:v1:bluemix:public:cloud-
objectstorage:global:a/2a8885b5d5d04a1f8fe11f33c481e032:b10f964a-d050-
4f34-
8abe-e6491fa7c274::',
    'secret_access_key':
'c3547d671aaf42c1fd118d19617a7ce7cc361ad201f1296a',
    'service_id': 'ServiceId-0bb060ab-b6e0-4d1a-900eb68e0e8c81eb'}}],
    'endpoint_url': 'https://s3.eu-gb.cloud-
objectstorage.appdomain.cloud',
    'guid': 'b10f964a-d050-4f34-8abe-e6491fa7c274',
    'resource_crn': 'crn:v1:bluemix:public:cloud-object-
storage:global:a/2a8885b5d5d04a1f8fe11f33c481e032:b10f964a-d050-4f34-
8abe-e6491fa7c274::'}
```

```

    'type': 'bmcoss_object_storage'}}},
'metadata': {'created_at': '2022-11-11T12:06:17.400Z',
'creator_id': 'IBMid-665002L1U6',
'id': 'c042954f-ef7e-44d4-ac6b-904b3f29ed31',
'updated_at': '2022-11-11T12:06:31.638Z',
'url': '/v2/spaces/c042954f-ef7e-44d4-ac6b-904b3f29ed31'}}}]}
```

```
client.spaces.list()
```

Note: 'limit' is not provided. Only first 50 records will be displayed if the number of records exceed 50

```

-----
-----
ID                                NAME                                CREATED c042954f-
ef7e-44d4-ac6b-904b3f29ed31    Novel Method    2022-1111T12:06:17.400Z
-----
-----
```

```
space_uid ="c042954f-ef7e-44d4-ac6b-904b3f29ed31"
```

```
space_uid {"type":"string"}
```

```
client.set.default_space(space_uid)
```

```
{"type":"string"}
```

```
client.software_specifications.list()
```

```

-----
-----
NAME                                ASSET_ID
TYPE
default_py3.6                      0062b8c9-8b7d-44a0-a9b9-46c416adcbd9
base
kernel-spark3.2-scala2.12          020d69ce-7ac1-5e68-ac1a-31189867356a
base
pytorch-onnx_1.3-py3.7-edt         069ea134-3346-5748-b513-49120e15d288
base
scikit-learn_0.20-py3.6            09c5a1d0-9c1e-4473-a344-eb7b665ff687
base
spark-mllib_3.0-scala_2.12         09f4cff0-90a7-5899-b9ed-1ef348aebdee
base
pytorch-onnx_rt22.1-py3.9          0b848dd4-e681-5599-be41-b5f6fccc6471
base
ai-function_0.1-py3.6              0cdb0f1e-5376-4f4d-92dd-da3b69aa9bda
base
shiny-r3.6                         0e6e79df-875e-4f24-8ae9-62dcc2148306
base
tensorflow_2.4-py3.7-horovod      1092590a-307d-563d-9b62-4eb7d64b3f22
base
```

pytorch_1.1-py3.6	10ac12d6-6b30-4ccd-8392-3e922c096a92
base	
tensorflow_1.15-py3.6-ddl	111e41b3-de2d-5422-a4d6-bf776828c4b7
base	
autoai-kb_rt22.2-py3.10	125b6d9a-5b1f-5e8d-972a-b251688ccf40
base	
runtime-22.1-py3.9	12b83a17-24d8-5082-900f-0ab31fbfd3cb
base	
scikit-learn_0.22-py3.6	154010fa-5b3b-4ac1-82af-4d5ee5abbc85
base	
default_r3.6	1b70aec3-ab34-4b87-8aa0-a4a3c8296a36
base	
pytorch-onnx_1.3-py3.6	1bc6029a-cc97-56da-b8e0-39c3880dbbe7
base	
kernel-spark3.3-r3.6	1c9e5454-f216-59dd-a20e-474a5cdf5988
base	
pytorch-onnx_rt22.1-py3.9-edt	1d362186-7ad5-5b59-8b6c-9d0880bde37f
base	
tensorflow_2.1-py3.6	1eb25b84-d6ed-5dde-b6a5-3fbdf1665666
base	
spark-mllib_3.2	20047f72-0a98-58c7-9ff5-a77b012eb8f5
base	
tensorflow_2.4-py3.8-horovod	217c16f6-178f-56bf-824a-b19f20564c49
base	
runtime-22.1-py3.9-cuda	26215f05-08c3-5a41-a1b0-da66306ce658
base	
do_py3.8	295addb5-9ef9-547e-9bf4-92ae3563e720
base	
autoai-ts_3.8-py3.8	2aa0c932-798f-5ae9-abd6-15e0c2402fb5
base	
tensorflow_1.15-py3.6	2b73a275-7cbf-420b-a912-eae7f436e0bc
base	
kernel-spark3.3-py3.9	2b7961e2-e3b1-5a8c-a491-482c8368839a
base	
pytorch_1.2-py3.6	2c8ef57d-2687-4b7d-acce-01f94976dac1
base	
spark-mllib_2.3	2e51f700-bca0-4b0d-88dc-5c6791338875
base	
pytorch-onnx_1.1-py3.6-edt	32983cea-3f32-4400-8965-dde874a8d67e
base	
spark-mllib_3.0-py37	36507ebe-8770-55ba-ab2a-eafe787600e9
base	
spark-mllib_2.4	390d21f8-e58b-4fac-9c55-d7ceda621326
base	
autoai-ts_rt22.2-py3.10	396b2e83-0953-5b86-9a55-7ce1628a406f
base	
xgboost_0.82-py3.6	39e31acd-5f30-41dc-ae44-60233c80306e
base	

pytorch-onnx_1.2-py3.6-edt	40589d0e-7019-4e28-8daa-fb03b6f4fe12
base	
pytorch-onnx_rt22.2-py3.10	40e73f55-783a-5535-b3fa-0c8b94291431
base	
default_r36py38	41c247d3-45f8-5a71-b065-8580229facf0
base	
autoai-ts_rt22.1-py3.9	4269d26e-07ba-5d40-8f66-2d495b0c71f7
base	
autoai-obm_3.0	42b92e18-d9ab-567f-988a-4240ba1ed5f7
base	
pmml-3.0_4.3	493bcb95-16f1-5bc5-bee8-81b8af80e9c7
base	
spark-mllib_2.4-r_3.6	49403dff-92e9-4c87-a3d7-a42d0021c095
base	
xgboost_0.90-py3.6	4ff8d6c2-1343-4c18-85e1-689c965304d3
base	
pytorch-onnx_1.1-py3.6	50f95b2a-bc16-43bb-bc94-b0bed208c60b
base	
autoai-ts_3.9-py3.8	52c57136-80fa-572e-8728-a5e7cbb42cde
base	
spark-mllib_2.4-scala_2.11	55a70f99-7320-4be5-9fb9-9edb5a443af5
base	
spark-mllib_3.0	5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9
base	
autoai-obm_2.0	5c2e37fa-80b8-5e77-840f-d912469614ee
base	
spss-modeler_18.1	5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b
base	
cuda-py3.8	5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e
base	
autoai-kb_3.1-py3.7	632d4b22-10aa-5180-88f0-f52dfb6444d7
base	
pytorch-onnx_1.7-py3.8	634d3cdc-b562-5bf9-a2d4-ea90a478456b
base	

Note: Only first 50 records were displayed. To display more use 'limit' parameter.

```
software_space_id =
client.software_specifications.get_uid_by_name('tensorflow_rt22.1p
y3.9') software_space_id {"type":"string"}
```

```
from ibm_watson_machine_learning.repository import ModelMetaNames
model_details = client.repository.store_model(model
='/content/DigitModel.tgz', meta_props={
    client.repository.ModelMetaNames.NAME:"HandWritten Digit",
client.repository.ModelMetaNames.TYPE:'tensorflow_2.7',
```



```
client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_space_id
})
```

```
model_details
```

```
{'entity': {'hybrid_pipeline_software_specs': [],
  'software_spec': {'id': 'acd9c798-6974-5d2f-a657-ce06e986df4d',
    'name': 'tensorflow_rt22.1-py3.9'},
  'type': 'tensorflow_2.7'},
'metadata': {'created_at': '2022-11-11T13:54:04.498Z',
  'id': '777041f1-532a-4e18-8173-82fa26f7bf4a',
  'modified_at': '2022-11-11T13:54:08.231Z',
  'name': 'HandWritten Digit',
  'owner': 'IBMid-665002L1U6',
  'resource_key': '483b2fee-2e4b-4c99-a7a9-dda728de2850',
  'space_id': 'c042954f-ef7e-44d4-ac6b-904b3f29ed31'},
'system': {'warnings': []}}
```

```
model_id = client.repository.get_model_id(model_details)
```

```
model_id {"type":"string"}
```

```
client.repository.download(model_id, 'RECOGNITION_SYSTEM.tar.gb')
```

```
Successfully saved model content to file: 'RECOGNITION_SYSTEM.tar.gb'
```

```
{"type":"string"}
```

DEPLOYMENT

A NOVEL METHOD FOR HANDWRITTEN DIGIT RECOGNITION SYSTEM

TEAM ID:PNT2022TMID27135

