

Assignment - 3

Assignment Date	15 October 2022
Student Name	Carline Imakulate V
Student Roll Number	811519104019
Maximum Marks	2 Marks

```
[1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

```
[2]: d=pd.read_csv("abalone.csv")
d.head()
```

```
[2]: Sex Length Diameter Height Whole weight Shucked weight Viscera weight \
```

```
0 M 0.455 0.365 0.095 0.5140 0.2245 0.1010
1 M 0.350 0.265 0.090 0.2255 0.0995 0.0485
2 F 0.530 0.420 0.135 0.6770 0.2565 0.1415
3 M 0.440 0.365 0.125 0.5160 0.2155 0.1140
4 I 0.330 0.255 0.080 0.2050 0.0895 0.0395
```

```
Shell weight Rings
0 0.150 15
1 0.070 7
2 0.210 9
3 0.155 10
4 0.055 7
```

```
[3]: d.info()
```

```
<class
'pandas.core.frame.DataFrame'>
RangeIndex: 4177 entries, 0 to
4176 Data columns (total 9
columns):
# Column Non-Null Count Dtype
---
0 Sex 4177 non-null object
1 Length 4177 non-null float64
2 Diameter 4177 non-null float64
3 Height 4177 non-null float64
4 Whole weight 4177 non-null float64
```

```

5  Shucked weight 4177 non-    float64
   null
6  Viscera weight 4177 non-    float64
   null
7  Shell weight 4177 non-null float64
8  Rings          4177 non-null int64
dtypes: float64(7), int64(1), object(1)
memory usage: 293.8+ KB

```

```

[7]: for i in d.columns:
      print(d[i].value_counts())

```

```

M    1528
I    1342
F    1307
Name: Sex, dtype: int64
0.625  94
0.550  94
0.575  93
0.580  92
0.600   87
..
0.075  1 0.815
1 0.110   1
0.150  1
0.800   1
Name: Length, Length: 134, dtype: int64
0.450  139
0.475  120
0.400  111
0.500  110
0.470   100
...
0.610  1 0.650
1 0.620   1
0.095  1
0.615   1
Name: Diameter, Length: 111, dtype: int64
0.150  267
0.140  220
0.155  217
0.175  211
0.160  205
0.125  202
0.165  193
0.135  189
0.145  182
0.130  169
0.120  169

```

```

0.170 160
0.100 145
0.110 135
0.115 133
0.180 131
0.090 124
0.105 114
0.185 103
0.190 103
0.095 91 0.195
78 0.080 76
0.085 74 0.200
68 0.075 61
0.070 47 0.205
45 0.065 39
0.215 31 0.060
26 0.055 25
0.210 23 0.050
18 0.220 17
0.040 13 0.225
13 0.045 11
0.230 10
0.030 6 0.035
6 0.235 6
0.025 5 0.240
4 0.250 3
0.020 2 0.015
2 0.000 2
0.010 1 0.515
1
1.130 1
Name: Height, dtype: int64
0.2225 8
1.1345 7
0.9700 7
0.4775 7
0.1960 7
..
0.0475 1
1.8930 1
1.8725 1
2.1055 1

```

```

1.9485    1
Name: Whole weight, Length: 2429, dtype: int64
0.1750    11
0.2505    10
0.0970     9
0.0960     9
0.4190     9
..
0.4175     1
0.1935     1
0.1790     1
0.1275     1
0.9455     1
Name: Shucked weight, Length: 1515, dtype: int64
0.1715    15
0.1960    14
0.0575    13
0.0610    13
0.0370    13
..
0.4270     1
0.4075     1
0.4920     1
0.4650     1
0.5260     1
Name: Viscera weight, Length: 880, dtype: int64
0.2750    43
0.2500    42
0.2650    40
0.3150    40
0.1850    40
..
0.0060     1

```

```
0.6460    1
0.5010    1
0.3295    1
0.0920    1
```

```
Name: Shell weight, Length: 926, dtype: int64
```

```
9      689
10     634
8      568
11     487
7      391
12     267
6      259
13     203
14     126
5      115
15     103
16      67
17      58
4       57
18      42
19      32
20      26
3       15
21      14
23       9
22       6
27       2
24       2
1        1
26       1
29       1
2        1
25       1
```

```
Name: Rings, dtype: int64
```

```
[8]: d.isnull().sum()
```

```
[8]: Sex          0
     Length       0
     Diameter     0
     Height       0
     Whole weight  0
     Shucked weight 0
```

```
Viscera weight    0
Shell weight      0
Rings             0
dtype: int64
```


```
[9]: d.duplicated().value_counts()
```

```
[9]: False4177
     dtype: int64
```

1 Data visualization(EDA Analysis)


```
[12]: sns.boxplot(data=d, x="Length")
```

```
[12]: <AxesSubplot:xlabel='Length'>
```




```
[13]: sns.boxenplot(data=d, x="Length")
```

```
[13]: <AxesSubplot:xlabel='Length'>
```




```
[16]: sns.boxplot(data=d,x="Diameter")
```

```
[16]: <AxesSubplot:xlabel='Diameter'>
```




```
[18]: sns.boxplot(data=d, x="Height")
```

```
[18]: <AxesSubplot:xlabel='Height'>
```




```
[20]: sns.lineplot(data=d, x="Length", y="Height")
```

```
[20]: <AxesSubplot:xlabel='Length', ylabel='Height'>
```





```
[21]: sns.scatterplot(data=d,x="Length",y="Height")
```

```
[21]: <AxesSubplot:xlabel='Length', ylabel='Height'>
```




```
[22]: sns.scatterplot(data=d,x="Diameter",y="Height")
```

```
[22]: <AxesSubplot:xlabel='Diameter', ylabel='Height'>
```




```
[23]: sns.boxplot(data=d, x="Whole weight")
```

```
[23]: <AxesSubplot:xlabel='Whole weight'>
```



```
[24]: sns.boxplot(data=d, x="Shucked weight")
```

```
[24]: <AxesSubplot:xlabel='Shucked weight'>
```




```
[25]: d.columns
```

```
[25]: Index(['Sex', 'Length', 'Diameter', 'Height', 'Whole weight',  
          'Shucked weight',  
          'Viscera weight', 'Shell weight', 'Rings'],  
          dtype='object')
```


```
[27]: sns.boxplot(data=d, x="Viscera weight")
```

```
[27]: <AxesSubplot:xlabel='Viscera weight'>
```




```
[28]: sns.boxplot(data=d, x="Shell weight")
```

```
[28]: <AxesSubplot:xlabel='Shell weight'>
```




```
[29]: sns.boxplot(data=d,x="Rings")
```

```
[29]: <AxesSubplot:xlabel='Rings'>
```




```
[31]: sns.scatterplot(data=d,x="Diameter",y="Whole weight")
```

```
[31]: <AxesSubplot:xlabel='Diameter', ylabel='Whole weight'>
```



```
[33]: sns.catplot(x="Shell weight",y="Sex",data=d,kind='box')
```

```
[33]: <seaborn.axisgrid.FacetGrid at 0x1ca496c8970>
```



2 Removing Outliers

```
[35]: data1=d[~(d["Height"]>0.4)]
```

```
[36]: data1=data1[~(data1["Length"]<0.15)]
```

```
[37]: data1=data1[~(data1["Shell weight"]>0.8)]
```

```
[38]: data1=data1[~(data1["Whole weight"]>2.5)]
```

```
[40]: data1=data1[~(data1["Shucked weight"]>1.2)]
```

```
[42]: data1.shape,d.shape
```

```
[42]: ((4148, 9), (4177, 9))
```


```
[44]: data1.head()
```

```
[44]: Sex Length Diameter Height Whole weight Shucked weight Viscera weight \
0    M 0.455 0.365 0.095 0.5140      0.2245      0.1010
1    M 0.350 0.265 0.090 0.2255      0.0995      0.0485
2    F 0.530 0.420 0.135 0.6770      0.2565      0.1415
3    M 0.440 0.365 0.125 0.5160      0.2155      0.1140
4    I 0.330 0.255 0.080 0.2050      0.0895      0.0395

      Shell weight Rings  Age
0      0.150    15 16.5
1      0.070     7  8.5
2      0.210     9 10.5
3      0.155    10 11.5
4      0.055     7  8.5
```

```
[45]: plt.figure(figsize=(15,9))
      sns.heatmap(data1.corr(),annot=True)
```

```
[45]: <AxesSubplot:>
```



```
[46]: q1=data1["Height"].quantile(0.25)
      q3=data1["Height"].quantile(0.75)
      iq=q3-q1
      data2=data1[~((data1["Height"]<(q1-1.5*iq))|(data1["Height"]>(q3+1.5*iq)))]
```

```
[47]: q1=data2["Length"].quantile(0.25)
      q3=data2["Length"].quantile(0.75)
      iq=q3-q1
      data2=data2[~((data2["Length"]<(q1-1.5*iq))|(data2["Length"]>(q3+1.5*iq)))]
```

```
[48]: q1=data2["Whole weight"].quantile(0.25)
      q3=data2["Whole weight"].quantile(0.75)
      iq=q3-q1
      data2=data2[~((data2["Whole weight"]<(q1-1.5*iq))|(data2["Whole weight"]>(q3+1.5*iq)))]
      data2.shape
```

```
[48]: (4084, 10)
```

3 Split the data into dependent and independent variables. Check for Categorical columns and perform encoding

```
[49]: x=data1.drop(columns=["Age", "Rings"])
      x["Sex"].replace({'M':2, 'F':1, 'I':0}, inplace=True)
      y=data1["Age"]
```

4 Scale the independent

variables

```
[50]: from sklearn.preprocessing import StandardScaler
      sc=StandardScaler()
      x1=sc.fit_transform(x)
      x1
```

```
[50]: array([[ 1.15517188, -0.57962568, -0.43426571, ..., -
        0.61179664, -0.72983642, -0.64298618],
       [ 1.15517188, -1.46650489, -1.4556039 , ..., -
        1.19199725, -1.21854392, -1.23398399],
       [-0.05270635,  0.05385947,  0.12747029, ..., -
        0.46326529,
        -0.35283349, -0.19973781],
       ...,
       [ 1.15517188,  0.64511228,  0.6892063 , ...,  0.78532642,
        1.00623881,  0.52423451],
       [-0.05270635,  0.856274 ,  0.79134012, ...,  0.81085524,
```

```
0.75955788, 0.43558484],  
[ 1.15517188, 1.57422383, 1.50627685, ..., 2.73480045,  
 1.83471439, 1.90569191]])
```

5 Model Building

6 Linear Regression

```
[51]: from sklearn.model_selection import train_test_split  
      from sklearn import metrics  
      x_train,x_test,y_train,y_test=train_test_split(x1,y,tes  
      t_size=0.  
      ↪2,random_state=42)  
      x_train.shape,x_test.shape  
[51]: ((3318, 8), (830, 8))
```

```
[52]: from sklearn.linear_model import LinearRegression  
      lr=LinearRegression()  
      lr.fit(x_train,y_train)  
      lr.score(x_test,y_test)
```

```
[52]: 0.5676481741929682
```

7 Lasso

```
[53]: from sklearn.linear_model import Lasso  
      lrl=Lasso(alpha=0.001)  
      lrl.fit(x_train,y_train)  
      lrl.score(x_test,y_test)
```

```
[53]: 0.5672651558727646
```

8 Ridge

```
[54]: from sklearn.linear_model import Ridge  
      r1=Ridge(alpha=0.01)  
      r1.fit(x_train,y_train)  
      r1.score(x_test,y_test)
```

```
[54]: 0.5676440857767044
```

9 Prediction

```
[55]: x_test[231],y_test[231]
```



```
[55]: (array([1.15517188, 0.56064759, 0.94454085, 0.28941484,  
0.66861919,  
0.59734142, 0.79679274, 0.797571 ]),  
15.5)
```

```
[56]: x_test[23],y_test[23]
```

```
[56]: (array([1.15517188, 0.89850634, 1.09774158, 0.68448704,  
1.10789396,  
0.61126624, 1.57872474, 1.57325563]),  
10.5)
```

```
[57]: lr.predict([x_test[231]])
```

```
[57]: array([13.06004481])
```

```
[58]: lr.predict([x_test[23]])
```

```
[58]: array([15.2756354])
```