Assignment-4 Python Programming

Assignment Date	22 October 2022
Student Name	Syed Akkeal Juniath S A
Student Roll Number	921319205154
Maximum Marks	2 Marks

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

Loading the dataset

```
In [ ]:
    df = pd.read_csv('Mall_Customers.csv')
    df
```

Out[]:	CustomerID	Gender	Age	Annual Income (k\$)	Spending Score (1-100)
0	1	Male	19	15	39
1	2	Male	21	15	81
2	3	Female	20	16	6
3	4	Female	23	16	77
4	5	Female	31	17	40
•••			•••		
195	196	Female	35	120	79
196	197	Female	45	126	28
197	198	Male	32	126	74
198	199	Male	32	137	18
199	200	Male	30	137	83

200 rows × 5 columns


Encoding Categorical Columns

```
In [ ]:
            \textbf{from} \hspace{0.2cm} \textbf{sklearn.preprocessing} \hspace{0.2cm} \textbf{import} \hspace{0.2cm} \textbf{LabelEncoder}
            le = LabelEncoder()
            df['Gender'] = le.fit_transform(df['Gender'])
In [ ]:
            df
                 CustomerID Gender Age Annual Income (k$) Spending Score (1-100)
Out[]:
              0
                             1
                                            19
                                                                   15
              1
                             2
                                       1
                                            21
                                                                   15
                                                                                              81
              2
                             3
                                            20
                                                                   16
                                                                                               6
                                       0
          3
                         4
                                   0
                                        23
                                                               16
                                                                                                                  77
          4
                         5
                                   0
                                        31
                                                               17
                                                                                                                  40
        195
                       196
                                   0
                                        35
                                                              120
                                                                                                                  79
                                                              126
                                                                                                                  28
        196
                       197
                                        45
        197
                       198
                                   1
                                        32
                                                              126
                                                                                                                  74
        198
                       199
                                        32
                                                              137
                                                                                                                  18
        199
                       200
                                        30
                                                              137
                                                                                                                  83
```

Visualizations


Univariate Analysis

```
In [ ]:
         plt.hist(df['Age'])
        (array([31., 19., 34., 29., 16., 26., 15., 10., 6., 14.]),
Out[]:
         array([18., 23.2, 28.4, 33.6, 38.8, 44., 49.2, 54.4, 59.6, 64.8, 70.]),
         <a list of 10 Patch objects>)
         30
        25
        20
        15
        10
         5
              20
                      30
                               40
                                       50
                                               60
                                                       70
In [ ]:
         plt.hist(df['Annual Income (k$)'])
        (array([24., 22., 28., 38., 30., 36., 8., 6., 4., 4.]),
Out[]:
         array([ 15., 27.2, 39.4, 51.6, 63.8, 76., 88.2, 100.4, 112.6,
                124.8, 137. ]),
         <a list of 10 Patch objects>)
        35
        30
        25 -
```



```
In [ ]: plt.hist(df['Spending Score (1-100)'])
```

Out[]: (array([16., 20., 10., 17., 35., 37., 11., 24., 14., 16.]), array([1. , 10.8, 20.6, 30.4, 40.2, 50. , 59.8, 69.6, 79.4, 89.2, 99.]), <a list of 10 Patch objects>)




In []: sns.countplot(df['Gender'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.

FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb93a2d490>




Bi-Variate Analysis

```
In [ ]: sns.scatterplot(df['Annual Income (k$)'], df['Spending Score (1-100)'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variables as keyword args: x, y. From version 0.12, the o nly valid positional argument will be `data`, and passing other arguments witho ut an explicit keyword will result in an error or misinterpretation.

FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb93a1f1d0>




```
In [ ]: sns.barplot(df['Gender'], df['Age'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variables as keyword args: x, y. From version 0.12, the o nly valid positional argument will be `data`, and passing other arguments witho ut an explicit keyword will result in an error or misinterpretation.


FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb93931b90>





```
In [ ]: sns.heatmap(df.corr(), annot = True)
```

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb9390e4d0>



Multi-variate Analysis





In []:

Descriptive Statistics

In []: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 5 columns):

#	Column	Non-Null Count	Dtype
0	CustomerID	200 non-null	int64
1	Gender	200 non-null	int64
2	Age	200 non-null	int64
3	Annual Income (k\$)	200 non-null	int64
4	Spending Score (1-100)	200 non-null	int64

dtypes: int64(5)
memory usage: 7.9 KB

In []: df.describe()

Out[]:		CustomerID	Gender	Age	Annual Income (k\$)	Spending Score (1-100)
	count	200.000000	200.000000	200.000000	200.000000	200.000000
	mean	100.500000	0.440000	38.850000	60.560000	50.200000
	std	57.879185	0.497633	13.969007	26.264721	25.823522
	min	1.000000	0.000000	18.000000	15.000000	1.000000
	25%	50.750000	0.000000	28.750000	41.500000	34.750000
	50%	100.500000	0.000000	36.000000	61.500000	50.000000
	75%	150.250000	1.000000	49.000000	78.000000	73.000000
	max	200.000000	1.000000	70.000000	137.000000	99.000000

```
In [ ]: df.skew()
```

```
Spending Score (1-100)
                                    -0.047220
         dtype: float64
In [ ]:
          df.kurt()
         Spending Score (1-100)
                                    -0.826629
Out[]:
         dtype: float64
Customer IDdf.corr()
In [ ]:
                          -1.200000
Gender
                          -1.960375
Age
                          -0.671573
                          -0.098487
Annual Income (k$)
Out[]:
                                                            Annual Income
                                                                             Spending Score
                            CustomerID
                                          Gender
                                                       Age
                                                                                    (1-100)
                                                                      (k$)
                 CustomerID
                                1.000000
                                         0.057400
                                                  -0.026763
                                                                  0.977548
                                                                                   0.013835
                     Gender
                               0.057400
                                         1.000000
                                                   0.060867
                                                                  0.056410
                                                                                   -0.058109
                                                   1.000000
                               -0.026763
                                         0.060867
                                                                 -0.012398
                                                                                   -0.327227
                        Age
          Annual Income (k$)
                               0.977548
                                         0.056410
                                                  -0.012398
                                                                  1.000000
                                                                                   0.009903
           Spending Score (1-
                               0.013835 -0.058109 -0.327227
                                                                  0.009903
                                                                                   1.000000
                       100)
In [ ]:
          df.var()
         CustomerID
                                     3350.000000
Out[]:
         Gender
                                        0.247638
         Age
                                      195.133166
         Annual Income (k$)
                                      689.835578
         Spending Score (1-100)
                                      666.854271
         dtype: float64
In [ ]:
          df.std()
         CustomerID
                                     57.879185
Out[]:
         Gender
                                      0.497633
         Age
                                     13.969007
                                     26.264721
         Annual Income (k$)
         Spending Score (1-100)
                                     25.823522
         dtype: float64
         Checking for missing values
In [ ]:
          df.isna().sum()
         CustomerID
                                     0
Out[]:
         Gender
                                     0
```


0

Age

```
In [ ]:
         df.isna().sum().sum()
Out[]:
In [ ]:
         df.duplicated().sum()
Out[]:
        Finding & Handling Ouliers
In [ ]:
         quantile = df.quantile(q = [0.25, 0.75])
         quantile
Out[]:
             CustomerID Gender
                                 Age Annual Income (k$) Spending Score (1-100)
        0.25
                   50.75
                            0.0
                                28.75
                                                   41.5
                                                                      34.75
        0.75
                  150.25
                            1.0 49.00
                                                   78.0
                                                                      73.00
In [ ]:
         IQR = quantile.iloc[1] - quantile.iloc[0]
        CustomerID
                                  99.50
Out[]:
        Gender
                                    1.00
        Age
                                   20.25
                                   36.50
        Annual Income (k$)
        Spending Score (1-100)
                                  38.25
        dtype: float64
In [ ]:
         upper = quantile.iloc[1] + (1.5 *IQR)
         upper
        CustomerID
                                  299.500
Out[]:
        Gender
                                     2.500
        Age
                                   79.375
        Annual Income (k$)
                                  132.750
        Spending Score (1-100)
                                  130.375
        dtype: float64
In [ ]:
         lower = quantile.iloc[0] - (1.5* IQR)
         lower
        CustomerID
                                  -98.500
Out[]:
        Gender
                                   -1.500
        Age
                                   -1.625
        Annual
                 Income
                           (k$)
                                  -13.250
        Spending Score (1-100) -22.625
        dtype: float64
```

dtype: int64

```
In [ ]: | df.mean()
        CustomerID
                                   100.50
Out[]:
        Gender
                                     0.44
        Age
                                    38.85
        Annual Income (k$)
                                    60.56
        Spending Score (1-100)
                                    50.20
        dtype: float64
In [ ]:
         df['Annual Income (k$)'].max()
         137
Out[]:
In [ ]:
         sns.boxplot(df['CustomerID'])
        /usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin
        g: Pass the following variable as a keyword arg: x. From version 0.12, the only
        valid positional argument will be `data`, and passing other arguments without a
        n explicit keyword will result in an error or misinterpretation.
          FutureWarning
         <matplotlib.axes._subplots.AxesSubplot at 0x7fdb904c1290>
Out[ ]:
```




```
In [ ]: sns.boxplot(df['Gender'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.

FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb8ebea250>






In []: sns.boxplot(df['Age'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.

FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb93b3ee50>




In []: sns.boxplot(df['Annual Income (k\$)'])

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.

FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb8eb28450>




```
In [ ]: df['Annual Income (k$)'] = np.where(df['Annual Income (k$)'] > 132.750, 60.55,
In [ ]: sns.boxplot(df['Annual Income (k$)'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.

FutureWarning


Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb8eb18e90>



/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarnin g: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.

FutureWarning

Out[]: <matplotlib.axes._subplots.AxesSubplot at 0x7fdb8ea8fc10>



```
0 20 40 60 80 100
Spending Score (1-100)
```

Scaling the data

```
In [ ]:
         from sklearn.preprocessing import StandardScaler
         ss = StandardScaler().fit transform(df)
        array([[-1.7234121 , 1.12815215, -1.42456879, -1.78843062, -0.43480148],
Out[ ]:
               [-1.70609137, 1.12815215, -1.28103541, -1.78843062, 1.19570407],
               [-1.68877065, -0.88640526, -1.3528021, -1.74850629, -1.71591298],
               [-1.67144992, -0.88640526, -1.13750203, -1.74850629, 1.04041783],
               [-1.6541292 , -0.88640526, -0.56336851, -1.70858195, -0.39597992],
               [-1.63680847, -0.88640526, -1.20926872, -1.70858195, 1.00159627],
               [-1.61948775, -0.88640526, -0.27630176, -1.66865761, -1.71591298],
               [-1.60216702, -0.88640526, -1.13750203, -1.66865761, 1.70038436],
               [-1.5848463 , 1.12815215 , 1.80493225 , -1.62873328 , -1.83237767],
               [-1.56752558, -0.88640526, -0.6351352, -1.62873328, 0.84631002],
               [-1.55020485, 1.12815215, 2.02023231, -1.62873328, -1.4053405],
               [-1.53288413, -0.88640526, -0.27630176, -1.62873328, 1.89449216],
               [-1.5155634, -0.88640526, 1.37433211, -1.58880894, -1.36651894],
               [-1.49824268, -0.88640526, -1.06573534, -1.58880894, 1.04041783],
               [-1.48092195, 1.12815215, -0.13276838, -1.58880894, -1.44416206],
               [-1.46360123, 1.12815215, -1.20926872, -1.58880894, 1.11806095],
               [-1.4462805, -0.88640526, -0.27630176, -1.5488846, -0.59008772],
               [-1.42895978, 1.12815215, -1.3528021, -1.5488846, 0.61338066],
               [-1.41163905, 1.12815215, 0.94373197, -1.46903593, -0.82301709],
               [-1.39431833, -0.88640526, -0.27630176, -1.46903593, 1.8556706],
               [-1.3769976 , 1.12815215, -0.27630176, -1.42911159, -0.59008772],
               [-1.35967688, 1.12815215, -0.99396865, -1.42911159, 0.88513158],
               [-1.34235616, -0.88640526, 0.51313183, -1.38918726, -1.75473454],
               [-1.32503543, 1.12815215, -0.56336851, -1.38918726, 0.88513158],
               [-1.30771471, -0.88640526, 1.08726535, -1.26941425, -1.4053405],
               [-1.29039398, 1.12815215, -0.70690189, -1.26941425, 1.23452563],
               [-1.27307326, -0.88640526, 0.44136514, -1.26941425, -0.7065524],
               [-1.25575253, 1.12815215, -0.27630176, -1.26941425, 0.41927286],
               [-1.23843181, -0.88640526, 0.08253169, -1.22948991, -0.74537397],
               [-1.22111108, -0.88640526, -1.13750203, -1.22948991, 1.42863343],
               [-1.20379036, 1.12815215, 1.51786549, -1.18956557, -1.7935561],
               [-1.18646963, -0.88640526, -1.28103541, -1.18956557, 0.88513158],
               [-1.16914891, 1.12815215, 1.01549866, -1.06979256, -1.7935561],
               [-1.15182818, 1.12815215, -1.49633548, -1.06979256, 1.62274124],
               [-1.13450746, -0.88640526, 0.7284319, -1.06979256, -1.4053405],
               [-1.11718674, -0.88640526, -1.28103541, -1.06979256, 1.19570407],
               [-1.09986601, -0.88640526, 0.22606507, -1.02986823, -1.28887582],
               [-1.08254529, -0.88640526, -0.6351352, -1.02986823, 0.88513158],
               [-1.06522456, -0.88640526, -0.20453507, -0.91009522, -0.93948177],
               [-1.04790384, -0.88640526, -1.3528021, -0.91009522, 0.96277471],
               [-1.03058311, -0.88640526, 1.87669894, -0.87017088, -0.59008772],
               [-1.01326239, 1.12815215, -1.06573534, -0.87017088, 1.62274124],
               [-0.99594166, 1.12815215, 0.65666521, -0.83024654, -0.55126616],
               [-0.97862094, -0.88640526, -0.56336851, -0.83024654, 0.41927286],
               [-0.96130021, -0.88640526, 0.7284319, -0.83024654, -0.86183865],
               [-0.94397949, -0.88640526, -1.06573534, -0.83024654, 0.5745591],
```

```
[-0.92665877, -0.88640526, 0.80019859, -0.79032221, 0.18634349],
[-0.90933804, -0.88640526, -0.85043527, -0.79032221, -0.12422899],
[-0.89201732, -0.88640526, -0.70690189, -0.79032221, -0.3183368],
[-0.87469659, -0.88640526, -0.56336851, -0.79032221, -0.3183368],
\hbox{\tt [-0.85737587,-0.88640526,\ 0.7284319\ ,\ -0.71047353,\ 0.06987881],}
[-0.84005514, 1.12815215, -0.41983513, -0.71047353, 0.38045129],
[-0.82273442, -0.88640526, -0.56336851, -0.6705492, 0.14752193],
[-0.80541369, 1.12815215, 1.4460988, -0.6705492, 0.38045129],
[-0.78809297, -0.88640526, 0.80019859, -0.6705492, -0.20187212],
[-0.77077224, 1.12815215, 0.58489852, -0.6705492, -0.35715836],
[-0.75345152, -0.88640526, 0.87196528, -0.63062486, -0.00776431],
[-0.73613079, 1.12815215, 2.16376569, -0.63062486, -0.16305055],
[-0.71881007, -0.88640526, -0.85043527, -0.55077619, 0.03105725],
[-0.70148935, 1.12815215, 1.01549866, -0.55077619, -0.16305055],
[-0.68416862, 1.12815215, 2.23553238, -0.55077619, 0.22516505],
[-0.6668479 , 1.12815215 , -1.42456879 , -0.55077619 , 0.18634349],
[-0.64952717, -0.88640526, 2.02023231, -0.51085185, 0.06987881],
[-0.63220645, -0.88640526, 1.08726535, -0.51085185, 0.34162973],
[-0.61488572, 1.12815215, 1.73316556, -0.47092751, 0.03105725],
[-0.597565 , 1.12815215, -1.49633548, -0.47092751, 0.34162973],
[-0.58024427, -0.88640526, 0.29783176, -0.47092751, -0.00776431],
[-0.56292355, -0.88640526, 2.091999, -0.47092751, -0.08540743],
[-0.54560282, 1.12815215, -1.42456879, -0.47092751, 0.34162973],
[-0.5282821, -0.88640526, -0.49160182, -0.47092751, -0.12422899],
[-0.51096138, 1.12815215, 2.23553238, -0.43100318, 0.18634349],
[-0.49364065, -0.88640526, 0.58489852, -0.43100318, -0.3183368],
[-0.47631993, -0.88640526, 1.51786549, -0.39107884, -0.04658587],
[-0.4589992, -0.88640526, 1.51786549, -0.39107884, 0.22516505],
[-0.44167848, 1.12815215, 1.4460988, -0.23138149, -0.12422899],
[-0.42435775, 1.12815215, -0.92220196, -0.23138149, 0.14752193],
[-0.40703703, -0.88640526, 0.44136514, -0.23138149, 0.10870037],
[-0.3897163 , 1.12815215 , 0.08253169 , -0.23138149 , -0.08540743] ,
[-0.37239558, -0.88640526, -1.13750203, -0.23138149, 0.06987881],
[-0.35507485, -0.88640526, 0.7284319, -0.23138149, -0.3183368],
[-0.33775413, 1.12815215, 1.30256542, -0.23138149, 0.03105725],
[-0.3204334 , 1.12815215, -0.06100169, -0.23138149, 0.18634349],
[-0.30311268, 1.12815215, 2.02023231, -0.23138149, -0.35715836],
[-0.28579196, -0.88640526, 0.51313183, -0.23138149, -0.24069368],
[-0.26847123, -0.88640526, -1.28103541, -0.23138149, 0.26398661],
[-0.25115051, 1.12815215, 0.65666521, -0.23138149, -0.16305055],
[-0.23382978, -0.88640526, 1.15903204, -0.11160848, 0.30280817],
[-0.21650906, -0.88640526, -1.20926872, -0.11160848, 0.18634349],
[-0.19918833, -0.88640526, -0.34806844, -0.07168415, 0.38045129],
[-0.18186761, -0.88640526, 0.80019859, -0.07168415, -0.16305055],
[-0.16454688, -0.88640526, 2.091999 , -0.03175981, 0.18634349],
[-0.14722616, 1.12815215, -1.49633548, -0.03175981, -0.35715836],
[-0.12990543, 1.12815215, 0.65666521, 0.00816453, -0.04658587],
[-0.11258471, -0.88640526, 0.08253169, 0.00816453, -0.39597992],
[-0.09526399, -0.88640526, -0.49160182, 0.00816453, -0.3183368],
[-0.07794326, 1.12815215, -1.06573534, 0.00816453, 0.06987881],
[-0.06062254, -0.88640526, 0.58489852, 0.00816453, -0.12422899],
[-0.04330181, -0.88640526, -0.85043527, 0.00816453, -0.00776431],
[-0.02598109, 1.12815215, 0.65666521, 0.04808886, -0.3183368],
[-0.00866036, 1.12815215, -1.3528021, 0.04808886, -0.04658587],
[ 0.00866036, -0.88640526, -1.13750203,  0.0880132 , -0.35715836],
[ 0.02598109, -0.88640526,  0.7284319 ,  0.0880132 , -0.08540743],
[ 0.04330181, 1.12815215, 2.02023231, 0.0880132, 0.34162973],
[ 0.06062254, 1.12815215, -0.92220196, 0.0880132 , 0.18634349],
[ 0.07794326, 1.12815215, 0.7284319 , 0.0880132 , 0.22516505],
[0.09526399, -0.88640526, -1.28103541, 0.0880132, -0.3183368],
[ 0.11258471, -0.88640526, 1.94846562, 0.12793754, -0.00776431],
```

```
[ 0.12990543, 1.12815215, 1.08726535, 0.12793754, -0.16305055],
 0.14722616, 1.12815215, 2.091999 ,
                                        0.12793754, -0.27951524],
[ 0.16454688, 1.12815215, 1.94846562,
                                        0.12793754, -0.08540743],
[ 0.18186761, 1.12815215, 1.87669894,
                                        0.12793754, 0.06987881],
 0.19918833, -0.88640526, -1.42456879,
                                        0.12793754, 0.14752193],
 0.21650906, -0.88640526, -0.06100169,
                                        0.16786187, -0.3183368],
[0.23382978, 1.12815215, -1.42456879,
                                        0.16786187, -0.16305055],
[ 0.25115051, -0.88640526, -1.49633548,
                                        0.20778621, -0.08540743],
 0.26847123, -0.88640526, -1.42456879,
                                        0.20778621, -0.00776431],
[ 0.28579196, -0.88640526, 1.73316556,
                                        0.20778621, -0.27951524],
[ 0.30311268, -0.88640526, 0.7284319 ,
                                        0.20778621, 0.34162973],
                                        0.28763488, -0.27951524],
 0.3204334 , -0.88640526, 0.87196528,
[ 0.33775413, -0.88640526, 0.80019859,
                                        0.28763488, 0.26398661],
[ 0.35507485, 1.12815215, -0.85043527,
                                        0.28763488, 0.22516505],
[0.37239558, -0.88640526, -0.06100169,
                                        0.28763488, -0.39597992],
[ 0.3897163 , -0.88640526 , 0.08253169 ,
                                        0.36748356, 0.30280817],
[ 0.40703703, 1.12815215, 0.010765
                                        0.36748356, 1.58391968],
[ 0.42435775, -0.88640526, -1.13750203,
                                        0.40740789, -0.82301709],
 0.44167848, -0.88640526, -0.56336851,
                                        0.40740789, 1.04041783],
[ 0.4589992 , 1.12815215, 0.29783176,
                                      0.44733223, -0.59008772],
                                        0.44733223, 1.73920592],
[ 0.47631993, 1.12815215, 0.08253169,
[ 0.49364065, 1.12815215, 1.4460988,
                                        0.44733223, -1.52180518],
[ 0.51096138, 1.12815215, -0.06100169,
                                        0.44733223, 0.96277471],
[ 0.5282821 , 1.12815215 , 0.58489852 ,
                                        0.44733223, -1.5994483 ],
 0.54560282, 1.12815215, 0.010765 ,
                                        0.44733223, 0.96277471],
[0.56292355, -0.88640526, -0.99396865,
                                        0.48725657, -0.62890928],
[ 0.58024427, -0.88640526, -0.56336851,
                                        0.48725657, 0.80748846],
[ 0.597565 , 1.12815215, -1.3528021 ,
                                        0.5271809 , -1.75473454],
[0.61488572, -0.88640526, -0.70690189,
                                       0.5271809 , 1.46745499],
[0.63220645, -0.88640526, 0.36959845, 0.5271809, -1.67709142],
[ 0.64952717, 1.12815215, -0.49160182,
                                        0.5271809 , 0.88513158],
 0.6668479 , 1.12815215, -1.42456879,
                                        0.56710524, -1.56062674],
[ 0.68416862, -0.88640526, -0.27630176,
                                        0.56710524, 0.84631002],
[ 0.70148935, -0.88640526, 1.30256542,
                                        0.60702958, -1.75473454
 0.71881007, 1.12815215, -0.49160182,
                                        0.60702958, 1.6615628],
                                        0.64695391, -0.39597992],
[ 0.73613079, -0.88640526, -0.77866858,
[ 0.75345152, -0.88640526, -0.49160182,
                                        0.64695391, 1.42863343],
 0.77077224, 1.12815215, -0.99396865,
                                        0.68687825, -1.48298362],
 0.78809297, 1.12815215, -0.77866858,
                                        0.68687825, 1.81684904],
[ 0.80541369, 1.12815215, 0.65666521,
                                        0.68687825, -0.55126616],
[ 0.82273442, -0.88640526, -0.49160182,
                                        0.68687825, 0.92395314],
[ 0.84005514, -0.88640526, -0.34806844,
                                        0.72680259, -1.09476801,
[ 0.85737587, 1.12815215, -0.34806844,
                                        0.72680259, 1.54509812],
 0.87469659, 1.12815215, 0.29783176,
                                        0.72680259, -1.28887582],
 0.89201732, 1.12815215, 0.010765 ,
                                        0.72680259, 1.46745499],
[ 0.90933804, -0.88640526, 0.36959845,
                                        0.72680259, -1.17241113],
[0.92665877, -0.88640526, -0.06100169,
                                        0.72680259, 1.00159627],
 0.94397949, -0.88640526, 0.58489852,
                                        0.72680259, -1.32769738],
                                        0.72680259, 1.50627656],
[ 0.96130021, -0.88640526, -0.85043527,
[ 0.97862094, 1.12815215, -0.13276838,
                                        0.72680259, -1.91002079
 0.99594166, -0.88640526, -0.6351352,
                                        0.72680259, 1.07923939],
                                        0.72680259, -1.91002079],
 1.01326239, 1.12815215, -0.34806844,
[ 1.03058311, -0.88640526, -0.6351352 ,
                                        0.72680259, 0.88513158],
[ 1.04790384, -0.88640526, 1.23079873,
                                        0.76672692, -0.59008772
[ 1.06522456, -0.88640526, -0.70690189,
                                        0.76672692, 1.27334719],
[ 1.08254529, 1.12815215, -1.42456879,
                                        0.8465756 , -1.75473454],
[ 1.09986601, -0.88640526, -0.56336851,
                                        0.8465756 , 1.6615628 ],
[ 1.11718674, 1.12815215, 0.80019859,
                                        1.00627294, -0.93948177],
[ 1.13450746, -0.88640526, -0.20453507,
                                      1.00627294, 0.96277471],
[ 1.15182818, 1.12815215, 0.22606507, 1.04619728, -1.17241113],
```

```
[ 1.16914891, -0.88640526, -0.41983513, 1.04619728, 1.73920592],
[ 1.18646963, -0.88640526, -0.20453507, 1.08612162, -0.90066021],
[ 1.20379036, 1.12815215, -0.49160182, 1.08612162, 0.49691598],
[ 1.22111108, 1.12815215, 0.08253169,
                                       1.08612162, -1.44416206],
[ 1.23843181, 1.12815215, -0.77866858,
                                       1.08612162, 0.96277471],
[ 1.25575253, 1.12815215, -0.20453507, 1.08612162, -1.56062674],
[ 1.27307326, 1.12815215, -0.20453507,
                                       1.08612162, 1.62274124],
[ 1.29039398, -0.88640526, 0.94373197,
                                       1.12604595, -1.44416206],
[ 1.30771471, -0.88640526, -0.6351352 ,
                                       1.12604595, 1.38981187],
[1.32503543, 1.12815215, 1.37433211, 1.12604595, -1.36651894],
[ 1.34235616, 1.12815215, -0.85043527,
                                       1.12604595, 0.72984534],
[ 1.35967688, 1.12815215, 1.4460988, 1.32566764, -1.4053405 ],
[ 1.3769976 , 1.12815215 ,-0.27630176 , 1.32566764 , 1.54509812],
[ 1.39431833, -0.88640526, -0.13276838, 1.48536498, -0.7065524 ],
[ 1.41163905, -0.88640526, -0.49160182, 1.48536498, 1.38981187],
[ 1.42895978, 1.12815215, 0.51313183, 1.52528932, -1.36651894],
[ 1.4462805 , -0.88640526 , -0.70690189 , 1.52528932 , 1.46745499],
[ 1.46360123, -0.88640526, 0.15429838, 1.56521366, -0.43480148],
[ 1.48092195, 1.12815215, -0.6351352 , 1.56521366, 1.81684904],
[ 1.49824268, -0.88640526, 1.08726535, 1.64506233, -1.01712489],
[ 1.5155634 , 1.12815215, -0.77866858, 1.64506233, 0.69102378],
[1.53288413, -0.88640526, 0.15429838, 1.724911, -1.28887582],
[ 1.55020485, -0.88640526, -0.20453507, 1.724911 , 1.35099031],
[1.56752558, -0.88640526, -0.34806844, 1.724911, -1.05594645],
[\ 1.5848463\ ,\ -0.88640526,\ -0.49160182,\ 1.724911\ ,\ 0.72984534],
[ 1.60216702, 1.12815215, -0.41983513, 2.12415437, -1.63826986],
[ 1.61948775, -0.88640526, -0.06100169, 2.12415437, 1.58391968],
[ 1.63680847, -0.88640526, 0.58489852, 2.40362473, -1.32769738],
[ 1.6541292 , -0.88640526 , -0.27630176 , 2.40362473 , 1.11806095],
[ 1.67144992, -0.88640526, 0.44136514, 2.64317075, -0.86183865],
[1.68877065, 1.12815215, -0.49160182, 2.64317075, 0.92395314],
[1.70609137, 1.12815215, -0.49160182, 0.03012291, -1.25005425],
[ 1.7234121 , 1.12815215 , -0.6351352 , 0.03012291 , 1.27334719]])
```

Clustering Algorithm

```
In [ ]:
         from sklearn.cluster import KMeans
         TWSS = []
         k = list(range(2,9))
         for i in k:
           kmeans = KMeans(n_clusters = i , init = 'k-means++')
           kmeans.fit(df)
           TWSS.append(kmeans.inertia)
In [ ]:
         TWSS
Out[]: [381507.64738523855,
         268062.55433747417,
         191550.08627670942,
         153530.68956249507,
         119166.15727643928,
         101321.0166427429,
         85744.90139221892]
         plt.plot(k,TWSS, 'ro--')
```

[<matplotlib.lines.Line2D at 0x7fdb8d642b90>] Out[]: ż In []: model = KMeans(n_clusters = 4) model.fit(df) KMeans(n_clusters=4) Out[]: In []: mb = pd.Series(model.labels_) In []: df['Cluster'] = mb In []: df Out[]: CustomerID Gender Age Annual Income (k\$) Spending Score (1-100) Cluster 15.00 15.00 16.00 16.00 17.00 ••• 120.00 126.00 126.00 60.55 60.55 200 rows × 6 columns