## Artificial Intelligence - Quiz 3

Total points 10/10 ?



platform

Registered Email id \* Please enter the email id used to login to the platform

knhinthumethran412@gmail.com

Select your Training Batch \*

B8-2A4E

Which method is used to train neural network *	1/1
train()	
fit()	
add()	
ompile()	
If Dependent Variable is binary which of the following activation function can be applied in output layer	*1/1
Softmax	
Relu	
Sigmoid	
None	
What is the range of sigmoid function *	1/1
① to 1	
O to 10	
O -1 to 1	
5 to 10	

What is an epoch *	1/1
<ul> <li>When the whole training set passed through ANN</li> <li>Forward Propagation</li> <li>Backward Propagation</li> <li>Synonym of Propagation</li> </ul>	
Which algorithms is used for time series analysis *	1/1
<ul><li>○ ANN</li><li>○ CNN</li><li>○ RNN</li><li>○ None</li></ul>	
When to use Multilayer Perceptrons *	1/1
☐ Image	
○ Text	
Time Series Data	
All of the above	

In a classification problem, which of the following activation function is most widely used in the output layer of neural networks?	*1/1
Sigmoid function	
Rectifier function	
Hyperbolic function	
All of the above	
Whats does 32 represents in>model.add(Convolution2D(32, (3,3),input_shape=(64,64,3),activation="relu"))	*0/1
No of inputs	
No of Feature Detector	
O No of weights	
None	
For an image classification task, which of the following deep learning algorithm is best suited?	*1/1
Recurrent Neural Network	
Multi-Layer Perceptron	
Convolution Neural Network	
All of the above	

Which of the following is a correct order for the Convolutional Neural Network *1/1 operation?
Convolution -> max pooling -> flattening -> full connection
Max pooling -> convolution -> flattening -> full connection
Flattening -> max pooling -> convolution -> full connection
None

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms