



You'll test this training by getting the computer to predict how different people travel to school.



Last updated: 21 September 2025

**1.** For this project, you will need to do a survey with your classmates. The more people you can ask, the better!

**2.** Write 2 or 3 questions you could ask your classmates that could affect how they travel to school. You need questions that they can answer with a number.

*For the rest of this worksheet, we'll use:*

*\* Age (in years)*

*\* Distance (miles from home to school)*

*\* Number of siblings or school friends who live nearby*

*But choose your own values. Make sure that they are numbers, and pick things that could have something to do with their journey to school.*

**3.** Draw up a table to collect the results, and then go do your survey. Remember to ask how they travel to school as well as your questions. The more children you ask, the better. If you can ask children from different classes and years, even better.

Age	Distance	Nearby Siblings & Friends	Most common method to get to school (car / walk / cycle)

**4.** Once you've collected answers from as many children as possible, it's time to use this to train the computer.

Go to <https://machinelearningforkids.co.uk/> in a web browser and click on **"Get started"**.

**5.** Click on **"Log In"** and type in your username and password. If you don't have a username, ask your teacher to create one for you. If you can't remember your username or password, ask your teacher or group leader to reset it for you.

6. Click on “**Projects**” on the top menu bar
7. Click on the “+ **Add a new project**” button.
8. Name your project “journey to school” and set it to learn how to recognise “**numbers**”

Start a new machine learning project

Project Name \*

journey to school

Project Type \*

recognising numbers

ADD A VALUE

Start to describe the values that you'll include with each example to train the computer with by clicking the 'Add a value' button.

Storage \*

In your web browser

Where do you want to store this project?  
Storing in your web browser removes limits on how big your project can be.  
Storing in the cloud will let you access the project from any computer.  
(See "What difference does it make where a project is stored?")

CREATE CANCEL

9. Click “**Add a value**”, name it “age” and make the type “number”. Do this again for a “number” value called “distance”. Do it a third time for a “number” value called “friends”. Click “**Create**” when it looks like the picture below. *Use the values you used in your survey, but **don't include** the actual journey to school method. We'll get to that next.*

Start a new machine learning project

Project Name \*

journey to school

Project Type \*

recognising numbers

Value 1 \*

age

Type of value \*

number

Value 2 \*

distance

Type of value \*

number

Value 3 \*

friends

Type of value \*

number


ADD ANOTHER VALUE

Storage \*


In your web browser

CREATE CANCEL


10. You should now see “journey to school” show up in the list of your projects. Click on it.



11. Click on the **Train** button to start giving your survey results to the computer.



12. Click on “**Add new label**” and create a bucket called “car”. Do it again and create a bucket called “walk”. Do it again for “cycle”. *If you used different options in your survey, use those names instead.*



13. Click on the “**Add example**” button in the “car” bucket and then type in the first survey result for someone who travels by car.

The screenshot shows a web interface with a top navigation bar (About, Projects, Worksheets, Pretrained, Stories, Book, Help, Log Out) and a language selector. The main area is titled 'Recognising numbers as car, walk or cycle'. A modal dialog box titled 'Add example' is open over the 'car' bucket. The dialog contains the text 'Enter an example of 'car'' and three input fields: 'age' with the value '5', 'distance' with the value '2.8', and 'friends' with the value '1'. At the bottom of the dialog are 'ADD' and 'CANCEL' buttons. In the background, the 'car' bucket is visible with its own 'Add example' and 'Add file' buttons.

14. Keep going until you’ve entered all the survey results.

The screenshot shows the project interface with three buckets: 'car', 'walk', and 'cycle'. Each bucket contains a grid of example cards. The 'car' bucket (page 32) has 15 cards, the 'walk' bucket (page 43) has 15 cards, and the 'cycle' bucket (page 6) has 6 cards. Each card displays 'age', 'distance', and 'friends' values. For example, in the 'car' bucket, one card shows age 12, distance 0.8, friends 0. The 'walk' bucket shows age 9, distance 1.1, friends 0. The 'cycle' bucket shows age 12, distance 0.2, friends 8. At the bottom of each bucket are buttons for 'Add example', 'Add file', and 'Download'. A '+ Add new label' button is also present in the top right of the main area.

15. Click on the “< Back to project” link, and this time click on **Learn & Test** to use your examples.

- 16.** Click on the **Train new machine learning model** button  
*It should only take a few seconds to train.*

The screenshot shows the 'Machine learning models' page. At the top, there's a navigation bar with links: About, Projects, Worksheets, Pretrained, Stories, Book, Help, Log Out, and a Language dropdown. Below the navigation bar, the page title 'Machine learning models' is centered. A '< Back to project' link is on the left. The main content area is divided into two columns. The left column, titled 'What have you done?', contains text about collecting examples for a computer to recognise numbers (car, walk, or cycle). It lists collected examples: 32 examples of car, 43 examples of walk, and 6 examples of cycle. The right column, titled 'What's next?', contains text about starting the computer's training, with a button to 'Train new machine learning model' and a note to go back to the 'Train' page if more examples are needed. Below these columns, there's a section titled 'Info from training computer:' with a button labeled 'Train new machine learning model'.


- 17.** Once training has finished, a Test box should appear.  
Use this to test your model.  
*Make up some values in the Test text boxes and press **Test***

The screenshot shows the 'Machine learning models' page after training. The 'What have you done?' column now includes the date and time the model was created: 'You created the model on Sunday, September 21, 2025 9:06 AM.' The 'What's next?' column provides instructions on testing the model, including a note about confidence levels. Below these columns, a 'Test' section is visible. It contains a form with three input fields: 'age' (value 9), 'distance' (value 1.1), and 'friends' (value 0). A blue arrow points to the 'Test' button. Below the form, the result is displayed: 'Recognised as walk with 58% confidence'.

- 18.** Keep testing to try and work out the patterns that the computer has seen in your survey data.  
*As you make the age higher, does the computer think walking becomes more likely than going by car?*  
*If so, what's the age where the computer seems to have seen the change?*

**19.** Click on the **Describe your model** button to see how the model is making predictions

**20.** Try testing your model again, and use the visualisation to understand how the model is making predictions  
*If your survey data is complex, your visualisation might be larger or more complicated than the one in this screenshot.*



## What have we done so far?

You've trained a simple machine learning model using numbers from a travel survey.

You could use this model to make predictions for how likely someone is to walk to school if you know their age and how far they live from school.


But how accurate are the predictions?

**21.** Click on the “< Back to project” link and then go back into the **Train** page.


**22.** Choose **one** of the survey responses you entered earlier, and delete it.

**Make sure you write down all of the values for the example you are deleting before you delete it.** We’ll need the values in a minute.

*Hover the mouse pointer over it, until the red cross appears. Click on that red cross to delete the example.*



The screenshot shows a table with three columns. The first column contains the values 0, 13, 1, and 0. The second column contains 'friends 4', a red cross icon over 'age 9', 'distance 1', and 'friends 0'. The third column contains 'friends', 'age 1', 'distance 1', and 'friends 3'.

0	friends 4	friends
13	 age 9	age 1
1	distance 1	distance 1
0	friends 0	friends 3

**23.** Click on the “< Back to project” link and then go back into the **Learn & Test** page.

**24.** Click on **Train new machine learning model** again.

*You might need to scroll down – the button is at the bottom of the page.*

**25.** Once the new model has trained, enter the values that you deleted into the **Test** boxes.

You know what the right answer for this is – it’s the bucket that you deleted this example from.

Compare the computer’s prediction with the right answer.

Did the computer get it right?



## What have we done so far?

You've tested your predictive machine learning model to see how accurate it is.

By deleting the example from the computer's training first, it means you tested it by asking it for the answer to a question it hadn't seen before.

(If you test it on an example that it has seen before – that it has had to learn from in its training – then you can't really tell if the computer has learned how to work out the answer for itself.)

But how fair a test was it?

Did you choose a really easy example? (Like a student who lives a really really long way from school!)

Or did you choose a really hard example?

How could you have chosen an example to make it fair?


## Ideas and Extensions

Now that you've finished, why not give one of these ideas a try?

Or come up with one of your own?

### Try using this in Scratch

Can you think of a way to use the computer's ability to predict how people travel to school in a game?



### Try bigger tests

Instead of just deleting one example from the training data and using that to test, try using more examples.

How many do you think you should use for testing?

If you use too few to test, you can't be sure how good the computer is.

If you use too many to test, you're reducing how many examples the computer has to actually learn from.

## Example survey results

Not able to run a survey?

No problem! Here are the results from a small survey that we ran.

Age (years)	Distance (miles)	Friends & Siblings nearby	Normal journey to school
9	0.8	0	car
8	0.9	0	car
6	1.5	12	car
6	2	1	car
11	3	0	car
15	7	0	car
10	2	0	car
14	7	0	car
10	2.7	0	car
10	3.5	2	car
7	3.5	1	car
6	2.5	0	car
11	2.6	1	car
8	5	4	car
9	1.2	0	car
6	5	4	car
9	2.3	0	car
8	2.6	1	car
8	1.5	4	car
5	2.8	1	car
6	1.5	0	car
7	3	1	car
5	1	0	car
6	3	1	car
9	1	0	car

Age (years)	Distance (miles)	Friends & Siblings nearby	Normal journey to school
6	1.1	0	car
5	1	4	car
5	10	0	car
14	5	1	car
14	7	0	car
15	5	1	car
9	1	0	car
9	1.1	0	walk
12	0.9	4	walk
6	0.5	5	walk
7	1	1	walk
8	0.9	0	walk
13	1	0	walk
9	1	0	walk
11	1.4	3	walk
11	1.5	2	walk
9	0.9	0	walk
9	1.1	0	walk
9	1	1	walk
8	1.3	0	walk
9	1	0	walk
10	0.9	1	walk
9	1.2	0	walk
9	1	3	walk
11	1	0	walk

Age (years)	Distance (miles)	Friends & Siblings nearby	Normal journey to school
12	0.8	3	walk
9	0.5	1	walk
10	1.1	2	walk
12	1	3	walk
15	1.5	0	walk
12	1.2	3	walk
9	1.3	0	walk
10	0.1	6	walk
11	1.1	4	walk
9	1.25	1	walk
13	0.5	5	walk
7	1.25	1	walk
9	0.1	0	walk
9	1.4	1	walk
13	0.3	5	walk
15	0.3	3	walk

Age (years)	Distance (miles)	Friends & Siblings nearby	Normal journey to school
12	0.8	4	walk
5	0.8	4	walk
9	1.1	1	walk
9	1.5	4	walk
9	0.7	6	walk
8	0.6	4	walk
6	0.5	8	walk
16	1	10	walk
9	1	2	walk
12	0.2	8	cycle
10	2	1	cycle
11	0.8	1	cycle
10	1.1	0	cycle
13	1	1	cycle
9	1.1	0	cycle