Table of Contents

- Introduction
- What is here
- How-to-Use
- Troubleshooting
- License

Introduction

Welcome to my i-ASK repository where I store all the files that I have worked on. Here you can find my module files, various shell scripts, singularity images, etc.

What is here

- Scripts
- Modules
- Singularity Definition Files

Scripts

A collection of shell scripts that I use to help users. Most are written for bash, but I will look into supporting users that prefer to use non-bash shells such as tcsh. Scripts are stored in /scripts, and the executables are stored in /scripts/bin. For detailed use of each script please refer to the how-to-use section of the documentation. The list of available scripts is as follows: ### Bash

- collecter
- gathero
- relink work scratch
- setup_comsol_symlink
- setup_conda_symlink

Modules

A collection of modules that I have created for users. Written in lua for use with Lmod. Please note that these have been configured for the specific situation of the user (i.e. don't drag and drop module files). Modules are stored in the /modules directory. The list of available modules is as follows:

- pandoc
- scripts

Singularity Definition Files

A collection of definition files that I have used to build containers needed by users using Singularity. I prefer to host my images on Sylabs Cloud, but there are many other ways to host singularity images. Generally, I design the containers specifc to the individual user's needs, but sometimes I will use base images that I have built myself. For specific information on definition files please refer to the how-to-use section of the documentation. The definition files are stored in /src/def. The list of available definition files is as follows:

- Cadabra2
- Deeplearning Toolbox
- HiC-Pro
- Libbi
- NLopt
- RStudio Base

How-to-Use

- Scripts
 - collecter
 - gathero
 - relink_work_scratch
 - setup_comsol_symlink
 - setup_conda_symlink
- Modules
 - pandoc
 - scripts
- Singularity Definition Files
 - Cadabra2
 - Deeplearning Toolbox
 - HiC-Pro
 - Libbi
 - NLopt
 - RStudio Base

Scripts

collecter

A collecter is someone who collects. Collecter is a simple script that collects info on the user's home directory. Produces a tar archive containing info on the users

.bashrc, .bash_history, .bash_profile, .bash_aliases, directory size, etc. Pretty much helpful anytime a user is having issues with anything. With this script the user will need to use it, and then send the responding tech the tar file. Here are the commands you should send to the user:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load scripts
$ collecter #=> Creates ${USER}_info.tar.gz
```

It prints out a help message directing the user to use Open Ondemand to download the tar file. Once they send back the file simply unzip it using tar (or 7zip if using Windows) and examine the contents:

```
$ tar -xzvf ${USER}_info.tar.gz #=> Creates directory named ${USER}_info
$ less ${USER}_info/${USER}_bashrc.txt
```

All the files will be named after the user so you know who you're looking at. Now go find what's wrong! #### gathero Gathering is for those who want information, and that's exactly what gathero does! Too often are we as techs left wondering, "Why won't this job start? Why was this job suspended?" First we run checkjob. Then maybe we use account_quota_check or mam-list-accounts. Well now we no longer have to do this. Gathero does this for us! Simply get the job id from the user and use the following commands:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load scripts
$ gathero ${JOB_ID} #=> Creates ${JOB_ID}_info directory in ${HOME}/scratch
Normathered is a lot that means as here but there are 5 him this as that this assist.
```

Now there is a lot that goes on here, but there are 5 big things that this script does:

- 1. Creates the file checkjob_output.txt, which is generated from the output of checkjob -v \${JOB_ID} --timeout=300
- 2. Creates the file user_info.txt, which is generated from the output of account_quota_check \${USER}, qstat -u \${USER}, and mam-list-accounts -u \${USER}
- 3. Creates the file allocation_info.txt, which is generated from the output of showq -w acct=\${ALLOC_ID} and mam-list-funds -u \${USER} -h
- 4. Creates the file all_info.txt, which is generated by concatenating check-job_output.txt, user_info.txt, and allocation_info.txt together (for those of us who are busy)
- 5. Creates the file \${JOB_ID}_info.zip, which can be downloaded and mailed to the inquistive user

Simply read through the files, find what's wrong with the job, and mail of the zip file so the user knows what you're talking about:

```
$ cd ${HOME}/scratch/${JOB_ID}_info
$ less all info.txt
```

relink work scratch

You ever have one of those moments where you can't tell why a user's home directory is full? Well, I've been working here long enough to discover that some user's unlink their work and scratch directories and use mkdir to create them. What they don't know is that this will count towards their home directory's storage limit. Generally this is fixable but it requires knowledge of how symlinks work. relink_work_scratch takes care of this for you. Simply have the user execute the following commands:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load scripts
$ relink_work_scratch
```

This will rebuild the symlinks work and scratch, plus create the directories not_real_work within work and not_real_scratch within scratch. Really want to hammer home that work and scratch are actually symlinks. #### setup_comsol_symlink User's like to use comsol. Comsol likes to write out to its cache in the home directory. What do you get? "Error: Disk Quota Exceeded." Generally, I would have users either delete the cache or create a symlink, but I found that users will mess it up quite often. Therefore, I wrote this shell script. Have the user use the following commands to create their symlink:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load scripts
$ setup_comsol_symlink
Disk Quota Errors beware!
```

setup conda symlink

Same deal as comsol. Users love it, and conda loves writing out to its cache in the home directory. Let users create conda environments to their hearts content by having them use the following commands:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load scripts
$ setup_conda_symlink
```

Modules

pandoc

Pandoc is great because it allows you to convert to many different markup languages. It is even a dependency for some popular packages, such as Rmarkdown. I now bring users the power to use this great tool with the following commands:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load pandoc
```

To check that the module works, use the following command:

```
$ pandoc --version
```

You should see the following printed out to your command line:

```
pandoc 2.10
```

Compiled with pandoc-types 1.21, texmath 0.12.0.2, skylighting 0.8.5

Default user data directory: /storage/home/\${USER}/.local/share/pandoc or /storage/home/share/pandoc or /storage/home/share/pandoc

Copyright (C) 2006-2020 John MacFarlane

Web: https://pandoc.org

This is free software; see the source for copying conditions. There is no warranty, not even for merchantability or fitness for a particular purpose.

To get more detailed information on pandoc you can visit their website here: https://pandoc.org/MANUAL.html #

scripts

This module is how to access the scripts I have written. Simply use the following commands to load the module:

```
$ module use /gpfs/group/dml129/default/sw/modules
$ module load scripts
```

To see a list of available scripts you can use one of the following commands:

\$ module help scripts

or

\$ scriptslist

If you are interested in writing your own shell scripts you can refer to this guide here: https://www.tutorialspoint.com/unix/shell scripting.htm

Singularity Definition Files

Cadabra2

The Cadabra software is a field-theory motivated approach to computer algebra. Here it is installed inside a singularity container built upon Debian 9. I just host the definition file here but build the image is pretty easy.

Cadabra2 is available as a module on the cluster and can be loaded using the following commands:

\$ module load cadabra/2.2.9

To launch the Cadabra2 notebook you can use the following command:

\$ cadabra-gtk

To launch the Cadabra2 CLI you can use the following command:

\$ cadabra

Deeplearning Toolbox

The Deeplearing Toolbox is just a collection of python programs that are used for deep learning. You can find the likes of tensorflow, keras, and OpenCV2 installed inside of it. The definition file is just hosted here.

The Deeplearning Toolbox is available as a module on the cluster, and it can be loaded using the following commands:

```
$ module use /gpfs/group/dml129/default/nucci2/sw/modules
```

\$ module load python-deeplearning-toolbox/1.1

To get a full list of what is installed inside the container simply use the following command:

\$ module help python-deeplearning-toolbox/1.1

HiC-Pro

HiC-Pro is an optimized and flexible pipeline for Hi-C data processing. Luckily, this is an easy program to inside a container. The definition file is just hosted

here.

HiC-Pro is available as a module and can be loaded using the following commands:

```
$ module use /gpfs/group/dml129/default/nucci2/sw/modules
$ module load hicpro/2.11.4
```

Simply call the HiC-Pro executable to use it:

```
$ HiC-Pro <options> <arguments>
```

Libbi

LibBi is used for state-space modelling and Bayesian inference on modern computer hardware, including multi-core CPUs, many-core GPUs (graphics processing units) and distributed-memory clusters. This is an image that I built for a user. Unfortunately it is not available as a module.

NLopt

NLopt is a free/open-source library for nonlinear optimization, providing a common interface for a number of different free optimization routines available online as well as original implementations of various other algorithms. This is another container that I built for a user. Unfortunately it is also not available to be used as a module.

RStudio Base

RStudio is an integrated development environment (IDE) for R. It includes a console, syntax-highlighting editor that supports direct code execution, as well as tools for plotting, history, debugging and workspace management. I use this image as a bootstrap for other images that require R and RStudio.

License

This repository is licensed under the GNU General Public License v3.0. For more information on what this license entails, please feel free to visit https://www.gnu.org/licenses/gpl-3.0.en.html

Troubleshooting

If you run into any issues regarding the use of anything in this repository then please contact Jason at either jcn23@psu.edu or at the ICDS i-ASK center (iask@ics.psu.edu). If you do run into an issue, please be as descriptive as possible.