




## OSSIM Outputs: Shape files

Mr. Bryan Bagnall  
SPAWAR Systems Center, Pacific  
Phone: 619-553-4061  
Email: [bryan.bagnall@navy.mil](mailto:bryan.bagnall@navy.mil)

Mr. Sparta Cheung  
SPAWAR Systems Center, Pacific  
Phone: 619-553-5927  
Email: [sparta.cheung@navy.mil](mailto:sparta.cheung@navy.mil)

# Overview of Talk

- Overview shape files
- Online documentation
- Coding an example



# Shape Files Overview

**What:** Geospatial vector data format

Shapefiles were introduced with ArcViewGIS v2 in the 1990's

- Created by ESRI [www.esri.com](http://www.esri.com)

Shapefiles specifically describe geometries


- Points
- Polylines
- Polygons
- Item attributes (name, location, etc)

A “shapefile” is actually a collection of several files

# Shape Files Overview

A shapefile can be thought of as a ring

- Closed, non-self-intersecting loop



# Shape Files Overview

A “shapefile” is actually a collection of several files

There are at least 3 files that are *mandatory* to store the core data of the shapefile

- myShapeFile.**shp**
  - Shape format, the feature geometry
- myShapeFile.**shx**
  - Positional index of the feature geometry
- myShapeFile.**dbf**
  - Columnar attributes for each shape

# Shape Files Overview

In addition to the 3 *mandatory* files, there are several option files

- .prj** — projection format; the coordinate system and projection information, a plain text file describing the projection using well-known text format
- .sbn** and **.sbx** — a spatial index of the features
- .fbn** and **.fbx** — a spatial index of the features for shapefiles that are read-only
- .ain** and **.aih** — an attribute index of the active fields in a table or a theme's attribute table
- .ixs** — a geocoding index for read-write shapefiles
- .mxs** — a geocoding index for read-write shapefiles (ODB format)
- .atx** — an attribute index for the .dbf file in the form of *shapefile.columnname.atx* (ArcGIS 8 and later)
- .shp.xml** — geospatial metadata in XML format, such as ISO 19115 or other schemas
- .cpg** — used to specify the code page (only for .dbf) for identifying the character encoding to be used

# Shape Files Overview

Why should we use shapefiles?

The shapefile stores geometry and attribute information for the spacial features of a data set – shapefiles do NOT store topological data

- Faster drawing speeds and edit ability
- Typically require less disc space and read/write faster

The geometry for the feature is stored as a shape

- Shapefiles support point, line, and area features

Shapefiles are used by a number of GIS software programs

- Do not require importing or exporting
- Specification is readily available

# Shape Files Overview

## *Shapefile limitations*

Do not store topological information

Spatial representation

- Edges are defined using points → spacing implicitly determines the scale for which the data is useful

Data Storage

- Shapefiles must be  $\leq 2\text{GB} \approx 70$  million point features

Written in a binary format

- Need software to make changes



# Shape Files Overview

---

## Resources

### Technical Description

<http://www.esri.com/library/whitepapers/pdfs/shapefile.pdf>

### Topology and Shapefiles article

<http://www.esri.com/news/arcuser/0401/topo.html>

# Questions?