

Zonal Statistics for GHSL population



Zonal statistics refers to the calculation of statistics on values of a raster within the zones of another dataset.

This project is a collaborative work of UXO India and IDFC.

In the following **example** the sum of GHSL population is calculated for the administrative zones.

Load required libraries and packages [Packages are installed to use the required functions in the library]

```
library(rgdal) # To import raster data
library(maptools) # To plot the data
library(proj4) # To reproject raster
library(xtable) # To export data to html tables
library(raster) # Required for rgdal
library(rgeos) # Required for maptools
library(spatstat) # Analysing spatial point patterns
library(tiff) # Read TIFF images and required for rgdal
library(sp) # Required for maptools
library(data.table) # Modifying columns
library(modeest) # To calculate mode value for the zone
library(foreign) # Required for maptools
```

To read shapefile and assign to a variable [zone]

```
Zone<-readOGR("D:/IDFC work/Bulk Zonal Stat Calculation/INPUT/R_Script_Directory", "29
_Admin_Boundary")


## OGR data source with driver: ESRI Shapefile
## Source: "D:/IDFC work/Bulk Zonal Stat Calculation/INPUT/R_Script_Directory", layer: "29
_Admin_Boundary"
## with 29 features
## It has 6 fields

plot(Zone)
```



To read Raster data and assign to a variable [Lumin]

```
Lumin <- raster("D:/India_1km_population/India_2015_pop_1km.tif")  
plot(Lumin)
```



Calculate sum of the values of the raster data falling in the zone

```
out <- extract(Lumin, Zone, fun = sum, na.rm = T, small = T, df = T)
```

Extract the attributes from zone

```
z <- Zone@data
```

Bind the extracted attributes and the output

```
M <- cbind(z,out)
```

Write the output to the CSV format

```
write.csv(M, "D:/K/New folder/R Markdown/Input/GPW population/count/example_2001.csv",  
na="NA") # Enter Output csv file name and path
```