

# Untitled3

August 23, 2022

```
[1]: pip install strawberryfields
```

```
Requirement already satisfied: strawberryfields in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages
(0.23.0)
Requirement already satisfied: numpy>=1.17.4 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (1.21.6)
Requirement already satisfied: toml in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (0.10.2)
Requirement already satisfied: sympy>=1.5 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (1.10.1)
Requirement already satisfied: scipy>=1.0.0 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (1.8.1)
Requirement already satisfied: networkx>=2.0 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (2.8.4)
Requirement already satisfied: thewalrus>=0.18.0 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (0.19.0)
Requirement already satisfied: quantum-xir>=0.1.1 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (0.2.1)
Requirement already satisfied: python-dateutil>=2.8.0 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (2.8.2)
Requirement already satisfied: requests>=2.22.0 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (2.28.1)
Requirement already satisfied: numba in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (0.56.0)
Requirement already satisfied: urllib3>=1.25.3 in
/opt/.qbraid/environments/qbraid_000000/pyenv/lib/python3.9/site-packages (from
strawberryfields) (1.26.10)
```

Requirement already satisfied: quantum-blackbird>=0.3.0 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
strawberryfields) (0.4.0)

Requirement already satisfied: xanadu-cloud-client>=0.2.1 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
strawberryfields) (0.2.1)

Requirement already satisfied: six>=1.5 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
python-dateutil>=2.8.0->strawberryfields) (1.16.0)

Requirement already satisfied: antlr4-python3-runtime==4.8 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
quantum-blackbird>=0.3.0->strawberryfields) (4.8)

Requirement already satisfied: lark-parser>=0.11.0 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
quantum-xir>=0.1.1->strawberryfields) (0.12.0)

Requirement already satisfied: certifi>=2017.4.17 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
requests>=2.22.0->strawberryfields) (2021.5.30)

Requirement already satisfied: idna<4,>=2.5 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
requests>=2.22.0->strawberryfields) (2.10)

Requirement already satisfied: charset-normalizer<3,>=2 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
requests>=2.22.0->strawberryfields) (2.1.0)

Requirement already satisfied: mpmath>=0.19 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
sympy>=1.5->strawberryfields) (1.2.1)

Requirement already satisfied: dask[delayed] in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
thewalrus>=0.18.0->strawberryfields) (2022.8.1)

Requirement already satisfied: setuptools in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
numba->strawberryfields) (58.1.0)

Requirement already satisfied: llvmlite<0.40,>=0.39.0dev0 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
numba->strawberryfields) (0.39.0)

Requirement already satisfied: fire in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
xanadu-cloud-client>=0.2.1->strawberryfields) (0.4.0)

Requirement already satisfied: appdirs in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
xanadu-cloud-client>=0.2.1->strawberryfields) (1.4.4)

Requirement already satisfied: pydantic[dotenv] in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
xanadu-cloud-client>=0.2.1->strawberryfields) (1.8.2)

Requirement already satisfied: toolz>=0.8.2 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
dask[delayed]->thewalrus>=0.18.0->strawberryfields) (0.12.0)

Requirement already satisfied: packaging>=20.0 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
dask[delayed]->thewalrus>=0.18.0->strawberryfields) (21.3)

Requirement already satisfied: cloudpickle>=1.1.1 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
dask[delayed]->thewalrus>=0.18.0->strawberryfields) (2.1.0)

Requirement already satisfied: pyyaml>=5.3.1 in /opt/conda/lib/python3.9/site-  
packages (from dask[delayed]->thewalrus>=0.18.0->strawberryfields) (5.4.1)

Requirement already satisfied: fsspec>=0.6.0 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
dask[delayed]->thewalrus>=0.18.0->strawberryfields) (2022.7.1)

Requirement already satisfied: partd>=0.3.10 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
dask[delayed]->thewalrus>=0.18.0->strawberryfields) (1.3.0)

Requirement already satisfied: termcolor in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
fire->xanadu-cloud-client>=0.2.1->strawberryfields) (1.1.0)

Requirement already satisfied: typing-extensions>=3.7.4.3 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
pydantic[dotenv]->xanadu-cloud-client>=0.2.1->strawberryfields) (4.3.0)

Requirement already satisfied: python-dotenv>=0.10.4 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
pydantic[dotenv]->xanadu-cloud-client>=0.2.1->strawberryfields) (0.20.0)

Requirement already satisfied: pyparsing!=3.0.5,>=2.0.2 in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
packaging>=20.0->dask[delayed]->thewalrus>=0.18.0->strawberryfields) (3.0.9)

Requirement already satisfied: locket in  
/opt/.qbraid/environments/qbraid\_000000/pyenv/lib/python3.9/site-packages (from  
partd>=0.3.10->dask[delayed]->thewalrus>=0.18.0->strawberryfields) (1.0.0)

[notice] A new release of pip  
available: 22.1.2 -> 22.2.2

[notice] To update, run:

```
python -m pip install --upgrade pip
```

Note: you may need to restart the kernel to use updated packages.

```
[2]: import numpy as np

# set the random seed
np.random.seed(42)

# import Strawberry Fields
import strawberryfields as sf
from strawberryfields.ops import *

# initialize a 4 mode program
boson_sampling = sf.Program(4)
```

```

with boson_sampling.context as q:
    # prepare the input fock states
    Fock(1) | q[0]
    Fock(1) | q[1]
    Vac    | q[2]
    Fock(1) | q[3]

    # rotation gates
    # Rgate(0.5719) | q[0]
    #Rgate(-1.9782) | q[1]
    # Rgate(2.0603) | q[2]
    #Rgate(0.0644) | q[3]
    # rotation gates
    Rgate(0.0644) | q[0]
    Rgate(0.5719) | q[1]
    Rgate(2.0603) | q[2]
    Rgate(-1.9782) | q[3]

    # beamsplitter array
    BSgate(0.7804, 0.8578) | (q[0], q[1])
    BSgate(0.06406, 0.5165) | (q[2], q[3])
    BSgate(0.473, 0.1176) | (q[1], q[2])
    BSgate(0.563, 0.1517) | (q[0], q[1])
    BSgate(0.1323, 0.9946) | (q[2], q[3])
    BSgate(0.311, 0.3231) | (q[1], q[2])
    BSgate(0.4348, 0.0798) | (q[0], q[1])
    BSgate(0.4368, 0.6157) | (q[2], q[3])
    #if simulation:
        # MeasureFock() | q
#return boson_sampling

```

2022-08-23 09:19:23.208248: W

tensorflow/stream\_executor/platform/default/dso\_loader.cc:64] Could not load dynamic library 'libcudart.so.11.0'; dLError: libcudart.so.11.0: cannot open shared object file: No such file or directory

2022-08-23 09:19:23.208286: I tensorflow/stream\_executor/cuda/cudart\_stub.cc:29] Ignore above cudart dLError if you do not have a GPU set up on your machine.

```
[3]: #MeasureFock() | q
```

```
[4]: eng = sf.Engine(backend="fock", backend_options={"cutoff_dim": 7})
```

```
[ ]:
```

```
[5]: results = eng.run(boson_sampling)
```

```
[6]: print(results)
```

```
<Result: shots=0, num_modes=0, contains state=True>
```

```
[7]: probs = results.state.all_fock_probs()
```

```
[8]: print(probs[1, 1, 0, 1])
print(probs[2, 0, 0, 1])
```

```
0.17468916048563932
```

```
0.1064419272464234
```

```
[9]: import numpy as np
from numpy.linalg import multi_dot
from scipy.linalg import block_diag
```

```
[10]: Uphase = np.diag([np.exp(0.5719*1j), np.exp(-1.9782*1j), np.exp(2.0603*1j), np.
↪exp(0.0644*1j)])
```

```
[11]: BSargs = [
    (0.7804, 0.8578),
    (0.06406, 0.5165),
    (0.473, 0.1176),
    (0.563, 0.1517),
    (0.1323, 0.9946),
    (0.311, 0.3231),
    (0.4348, 0.0798),
    (0.4368, 0.6157)
]
```

```
[12]: t_r_amplitudes = [(np.cos(q), np.exp(p*1j)*np.sin(q)) for q,p in BSargs]
```

```
[13]: BSunitaries = [np.array([[t, -np.conj(r)], [r, t]]) for t,r in t_r_amplitudes]
```

```
[14]: UBS1 = block_diag(*BSunitaries[0:2])
UBS2 = block_diag([[1]], BSunitaries[2], [[1]])
UBS3 = block_diag(*BSunitaries[3:5])
UBS4 = block_diag([[1]], BSunitaries[5], [[1]])
UBS5 = block_diag(*BSunitaries[6:8])
```

```
[15]: U = multi_dot([UBS5, UBS4, UBS3, UBS2, UBS1, Uphase])
print(np.round(U, 4))
```

```
[[ 0.2195-0.2565j  0.6111+0.5242j -0.1027+0.4745j -0.0273+0.0373j]
 [ 0.4513+0.6026j  0.457 +0.0123j  0.1316-0.4504j  0.0353-0.0532j]
 [ 0.0387+0.4927j -0.0192-0.3218j -0.2408+0.5244j -0.4584+0.3296j]
 [-0.1566+0.2246j  0.11 -0.1638j -0.4212+0.1836j  0.8188+0.068j ]]
```

```
[16]: prog_unitary = sf.Program(4)
      prog_unitary.circuit = boson_sampling.circuit[4:]
      prog_compiled = prog_unitary.compile(compiler="gaussian_unitary")
```

```
[ ]:
```

```
[ ]:
```

```
[ ]:
```

```
[17]: prog_compiled.print()
```

```
GaussianTransform([[ 6.7202e-02 -7.9954e-01 -1.0270e-01  4.5602e-02  3.3090e-01
 9.4389e-02
 -4.7448e-01 -7.3246e-03]
 [ 6.8725e-01 -3.8618e-01  1.3163e-01 -6.3463e-02 -3.0731e-01 -2.4458e-01
 4.5042e-01  7.2293e-03]
 [ 2.7329e-01  1.9541e-01 -2.4078e-01  5.0196e-01 -4.1180e-01 -2.5645e-01
 -5.2443e-01 -2.5849e-01]
 [-2.7740e-02  1.6731e-06 -4.2118e-01 -3.1154e-01 -2.7238e-01 -1.9726e-01
 -1.8364e-01  7.6023e-01]
 [-3.3090e-01 -9.4389e-02  4.7448e-01  7.3246e-03  6.7202e-02 -7.9954e-01
 -1.0270e-01  4.5602e-02]
 [ 3.0731e-01  2.4458e-01 -4.5042e-01 -7.2293e-03  6.8725e-01 -3.8618e-01
 1.3163e-01 -6.3463e-02]
 [ 4.1180e-01  2.5645e-01  5.2443e-01  2.5849e-01  2.7329e-01  1.9541e-01
 -2.4078e-01  5.0196e-01]
 [ 2.7238e-01  1.9726e-01  1.8364e-01 -7.6023e-01 -2.7740e-02  1.6731e-06
 -4.2118e-01 -3.1154e-01]]) | (q[0], q[1], q[2], q[3])
```

```
[18]: S = prog_compiled.circuit[0].op.p[0]
      U = S[:4, :4] + 1j*S[4:, :4]
      print(U)
```

```
[[ 6.7202e-02-0.3309j -7.9954e-01-0.0944j -1.0270e-01+0.4745j
 4.5602e-02+0.0073j]
 [ 6.8725e-01+0.3073j -3.8618e-01+0.2446j  1.3163e-01-0.4504j
 -6.3463e-02-0.0072j]
 [ 2.7329e-01+0.4118j  1.9541e-01+0.2565j -2.4078e-01+0.5244j
 5.0196e-01+0.2585j]
 [-2.7740e-02+0.2724j  1.6731e-06+0.1973j -4.2118e-01+0.1836j
 -3.1154e-01-0.7602j]]
```

```
[19]: boson_sampling = sf.Program(4)

      with boson_sampling.context as q:
          # prepare the input fock states
```

```

Fock(1) | q[0]
Fock(1) | q[1]
Vac      | q[2]
Fock(1) | q[3]

Interferometer(U) | q

```

```
[20]: boson_sampling.compile(compiler="fock").print()
```

```

Fock(1) | (q[0])
Fock(1) | (q[1])
Vac | (q[2])
Fock(1) | (q[3])
Rgate(0.1015) | (q[0])
BSgate(0.9465, 0) | (q[0], q[1])
Rgate(-1.517) | (q[2])
BSgate(0.09485, 0) | (q[2], q[3])
Rgate(-2.661) | (q[1])
BSgate(0.7263, 0) | (q[1], q[2])
Rgate(2.805) | (q[0])
BSgate(0.8246, 0) | (q[0], q[1])
Rgate(3.301) | (q[0])
Rgate(0.8877) | (q[1])
Rgate(1.09) | (q[2])
Rgate(4.32) | (q[3])
BSgate(-0.533, 0) | (q[2], q[3])
Rgate(2.45) | (q[2])
BSgate(-0.03962, 0) | (q[1], q[2])
Rgate(2.508) | (q[1])

```

```
[21]: print(probs[2,0,0,1])
```

```
0.1064419272464234
```

```
[22]: from thewalrus import perm
```

```
[23]: U[:,[0,1,3]]
```

```
[23]: array([[ 6.7202e-02-0.3309j, -7.9954e-01-0.0944j,  4.5602e-02+0.0073j],
             [ 6.8725e-01+0.3073j, -3.8618e-01+0.2446j, -6.3463e-02-0.0072j],
             [ 2.7329e-01+0.4118j,  1.9541e-01+0.2565j,  5.0196e-01+0.2585j],
             [-2.7740e-02+0.2724j,  1.6731e-06+0.1973j, -3.1154e-01-0.7602j]])
```

```
[24]: U[:,[0,1,3]][[0,0,3]]
```

```
[24]: array([[ 6.7202e-02-0.3309j, -7.9954e-01-0.0944j,  4.5602e-02+0.0073j],
             [ 6.7202e-02-0.3309j, -7.9954e-01-0.0944j,  4.5602e-02+0.0073j],
```

```
[-2.7740e-02+0.2724j, 1.6731e-06+0.1973j, -3.1154e-01-0.7602j]])
```

```
[25]: print(np.abs(perm(U[:, [0,1,3]] [[0,0,3]]))**2 / 2)
```

```
0.10644192724642323
```

```
[26]: BS = np.abs(perm(U[:, [0,1,3]] [[0,0,3]]))**2 / 2  
SF = probs[2,0,0,1]  
  
print(100*np.abs(BS-SF)/BS)
```

```
1.5645475237237356e-13
```

```
[27]: print(probs[3,0,0,0])  
print(np.abs(perm(U[:, [0,1,3]] [[0,0,0]]))**2 / 6)
```

```
0.0009458483347132492
```

```
0.0009458483347132484
```

```
[28]: print(probs[1,1,0,1])  
print(np.abs(perm(U[:, [0,1,3]] [[0,1,3]]))**2 / 1)
```

```
0.17468916048563932
```

```
0.1746891604856392
```

```
[ ]:
```