



5

IHE Patient Care Coordination (PCC) Technical Framework Supplement

10

Antepartum Profiles

Draft for Public Comment

15

Date: June 01, 2010
Author: Tone Southerland
Email: pcc@ihe.net

Foreword

20 This page is standard language for all IHE supplements. The Introduction section following will list all other IHE documents that are modified by this supplement. This document is a supplement to the IHE PCC Technical Framework 5.0. The technical framework can be found at http://www.ihe.net/Technical_Framework/index.cfm#pcc.

25 This and all IHE supplements are written as changes to a base document. The base document is normally one or more IHE Final Text documents. Supplements tell a technical editor and the reader how to modify the final text (additions, deletions, changes in wording). In order to understand this supplement, the reader needs to read and understand all of the base documents that are modified by this supplement.

In this supplement you will see “boxed” instructions similar to the following:

30

Replace Section X.X by the following:

These “boxed” instructions are for the author to indicate to the Volume Editor how to integrate the relevant section(s) into the overall Technical Framework.

35 This format means the reader has to integrate the base documents and the supplement. When the material in the supplement is considered ready for incorporation into the final text of the Technical Framework, the IHE committees will update the technical framework documents with the final text. Supplements are written in this format to avoid duplication material. This means that two IHE documents (one possibly final text, and the other a supplement) should not contain contradictory material.

40 Text in this document is not considered final for the Technical Framework. It becomes Final Text only after the IHE PCC Technical Committee ballots the supplement (after testing) and agrees that the material is ready for integration with the existing Technical Framework documents.

It is submitted for Public Comment starting June 1, 2010.

Comments on this supplement may be submitted <http://forums.rsna.org>:

- 45
1. Select the “IHE” forum
 2. Select Patient Care Coordination Technical Framework
 3. Select 2010 Supplements for Public Comment
 4. Select Antepartum Profiles

50 Please use the Public Comment Template provided there when starting your New Thread.

Details about IHE may be found at: www.ihe.net

Details about the IHE Patient Care Coordination may be found at:
<http://www.ihe.net/Domains/index.cfm>

- 55 **Details about the structure of IHE Technical Frameworks and Supplements may be found at:**
<http://www.ihe.net/About/process.cfm> and <http://www.ihe.net/profiles/index.cfm>

TABLE OF CONTENTS

60	INTRODUCTION	5
	<i>How to read the Antepartum Profiles supplement</i>	5
	<i>How to Access the Reference Material</i>	6
	OPEN ISSUES AND QUESTIONS.....	6
	CLOSED ISSUES.....	6
65	VOLUME 1 – PROFILES	7
	1.1.5 Copyright Permissions.....	7
	2.5 DEPENDENCIES OF THE PCC INTEGRATION PROFILES.....	7
	2.7 HISTORY OF ANNUAL CHANGES	7
	W ANTEPARTUM HISTORY AND PHYSICAL CONTENT PROFILE (APHP)	8
70	W.1 PURPOSE AND SCOPE	8
	W.2 PROCESS FLOW	8
	W.2.1 Use Cases.....	8
	W.2.2 Diagrams	8
	W.3 ACTORS/TRANSACTIONS	8
75	W.3.1 Requirements of Actors	9
	W.4 OPTIONS.....	9
	W.5 GROUPINGS	9
	W.6 SECURITY CONSIDERATIONS.....	9
	W.7 CONTENT MODULES	9
80	X ANTEPARTUM SUMMARY CONTENT PROFILE (APS).....	11
	X.1 PURPOSE AND SCOPE.....	11
	X.2 PROCESS FLOW	11
	X.2.1 Use Cases	11
	X.2.2 Diagrams.....	11
85	X.3 ACTORS/TRANSACTIONS	11
	X.3.1 Requirements of Actors.....	12
	X.4 OPTIONS.....	12
	X.5 GROUPINGS	12
	X.6 SECURITY CONSIDERATIONS	12
90	X.7 CONTENT MODULES.....	12
	Y ANTEPARTUM LABORATORY CONTENT PROFILE (APL).....	14
	Y.1 PURPOSE AND SCOPE.....	14
	Y.2 PROCESS FLOW.....	14
	Y.2.1 Use Cases	14
95	Y.2.2 Diagrams.....	14
	Y.3 ACTORS/TRANSACTIONS.....	14
	Y.3.1 Requirements of Actors.....	15
	Y.4 OPTIONS	15
	Y.5 GROUPINGS	15
100	Y.6 SECURITY CONSIDERATIONS	15
	Y.7 CONTENT MODULES.....	15

	Z ANTEPARTUM EDUCATION CONTENT PROFILE (APE)	16
	Z.1 PURPOSE AND SCOPE	16
	Z.2 PROCESS FLOW	16
105	Z.2.1 <i>Use Cases</i>	16
	Z.2.2 <i>Diagrams</i>	16
	Z.3 ACTORS/TRANSACTIONS	16
	Z.3.1 <i>Requirements of Actors</i>	17
	Z.4 OPTIONS	17
110	Z.5 GROUPINGS	17
	Z.6 SECURITY CONSIDERATIONS	17
	Z.7 CONTENT MODULES	17
	GLOSSARY	19
	VOLUME 2 – TRANSACTIONS AND CONTENT MODULES	20
115	5 NAMESPACES AND VOCABULARIES	21
	5.1 IHE FORMAT CODES	21
	6 PCC CONTENT MODULES	22
	6.2 FOLDER CONTENT MODULES	22
	6.3 HL7 VERSION 3.0 CONTENT MODULES	22
120	6.3.1 <i>CDA Document Content Modules</i>	22

125 Introduction

This supplement is written for Public Comment. It is written as changes to the documents listed below. The reader should have already read and understood these documents:

1. [PCC Technical Framework Volume 1, Revision 5.0](#)
2. [PCC Technical Framework Volume 2, Revision 5.0](#)

130 This supplement also references other documents¹. The reader should have already read and understood these documents:

1. [IT Infrastructure Technical Framework Volume 1, Revision 6.0](#)
2. [IT Infrastructure Technical Framework Volume 2, Revision 6.0](#)
3. [IT Infrastructure Technical Framework Volume 3, Revision 6.0](#)

- 135
4. [The Patient Identifier Cross-Reference \(PIX\) and Patient Demographic Query \(PDQ\) HL7 v3 Supplement to the IT Infrastructure Technical Framework.](#)
 5. HL7 and other standards documents referenced in Volume 1 and Volume 2
 6. Dilbert 2.0: 20 Years of Dilbert by Scott Adams, ISBN-10: 0740777351, ISBN-13: 978-0740777356

140 How to read the Antepartum Profiles supplement

This supplement contains 4 content profiles – Antepartum History and Physical (APHP), Antepartum Summary (APS), Antepartum Laboratory (APL), and Antepartum Education (APE). Antepartum Record (APR) is no longer a profile as it has been subsumed by Perinatal Workflow (PW) profile.

Please see the below documents that will need to be referenced to fully understand the profiles in this supplement. Each document has a short description describing what is contained.

1. **Perinatal Workflow (PW):** makes use of the antepartum, labor and delivery, postpartum, and newborn delivery profiles (some are in this supplement and many are in other supplements).
 2. **Content Modules Supplement:** This document contains all PCC Section Templates, Entry Templates and Value Sets that are *not* in Final Text (that is, they are not in the Technical Framework Volume 2).
- 145

¹ The first three documents can be located on the IHE Website at http://www.ihe.net/Technical_Framework/index.cfm#IT. The remaining documents can be obtained from their respective publishers.

3. **PCC Technical Framework Volume 2, Revision 5.0 (published August 2008):** This contains all PCC Section Templates, Entry Templates and Value Sets (among other things) that *are* in Final Text.

150

How to Access the Reference Material

To access Perinatal Workflow and Content Modules supplements refer to the same web page from which you accessed this supplement. In the event that has left your memory please follow these instructions:

- Navigate to <http://www.ihe.net>
- Click “Get Involved” on the top menu
- Select “Public Comment”
- Click the “Patient Care Coordination” link

155

To access the PCC Technical Framework Volume 2 Revision 5.0 follow this link:

http://www.ihe.net/Technical_Framework/upload/IHE_PCC_TF_50_Vol_2_2009-08-10.pdf

Open Issues and Questions

1. Antepartum Laboratory (APL) currently consists of one document content module – should lab results instead be part of Antepartum Summary as a Coded Results section? This Coded Results section can still point to the Antepartum Laboratory value set as APL currently does now. This approach is consistent with how other data is structured in similar PCC content profiles.

160

Closed Issues

165

170

Volume 1 – Profiles

Add the following to section 1.1.5

1.1.5 Copyright Permissions

Add the following to section 2.5

175

2.5 Dependencies of the PCC Integration Profiles

<Profile Name>	<?>	<?>	<->
----------------	-----	-----	-----

Add the following to section 2.7

2.7 History of Annual Changes

180

Add Section W

W Antepartum History and Physical Content Profile (APHP)

Antepartum History and Physical is a content profile that defines the structure of the data that is often collected at the initial ambulatory office visit for a pregnant patient. It includes, but is not limited to demographics, histories, allergies, review of systems, physical examinations, and vital signs.

W.1 Purpose and Scope

Change referenced section numbering when merged into technical framework

Obstetric patients in labor and admitted to Labor and Delivery must have a complete summary of their antepartum ambulatory care available at the time of admission for optimal care. While this profile represents a portion of that data, and may be included with other antepartum care documents to make up a patient's Antepartum Record, it may also be created as a stand alone document as it is often transmitted separately from those other antepartum care documents. For further information on the full Perinatal Workflow overview and use cases see Perinatal Workflow section X.1.2 and section X.2.

W.2 Process Flow

W.2.1 Use Cases

Change referenced section numbering when merged into technical framework

For applicable use cases see Perinatal Workflow section X.2.1.

W.2.2 Diagrams

Change referenced section numbering when merged into technical framework

For applicable diagrams see Perinatal Workflow section X.2.2.

W.3 Actors/Transactions

There are two actors in this profile, the Content Creator and the Content Consumer. Content is created by a Content Creator and is to be consumed by a Content Consumer. The sharing or transmission of content from one actor to the other is addressed by the appropriate use of IHE profiles described below, and is out of scope of this profile. A Document Source or a Portable Media Creator may embody the Content Creator Actor. A Document Consumer, a Document Recipient, or a Portable Media Importer may embody the Content Consumer Actor. The sharing or transmission of content or updates from one actor to the other is addressed by the use of appropriate IHE profiles described in the section on Content Bindings with XDS, XDM and XDR. in PCC TF_2:4.1



Figure X.3-1 Actor Diagram

215

W.3.1 Requirements of Actors

W.4 Options

Options that may be selected for this Content Profile are listed in the table W.4-1 along with the Actors to which they apply. Dependencies between options when applicable are specified in notes.

220

Table W.4-1 Antepartum History and Physical Options

Actor	Option	Section
Content Consumer	View Option (See Note 1)	PCC TF-2: 3.0.1
	Document Import Option (See Note 1)	PCC TF-2: 3.0.2
	Section Import Option (See Note 1)	PCC TF-2: 3.0.3
	Discrete Data Import Option (See Note 1)	PCC TF-2: 3.0.4
Content Creator	No options defined	

Note 1: The Actor shall support at least one of these options.

W.5 Groupings

W.6 Security Considerations

225

W.7 Content Modules

Table W.7-1 Antepartum History and Physical Content Modules

ACOG Antepartum Record Datum	PCC Template Name	PCC Template Id
Demographics	Header Modules	N/A

ACOG Antepartum Record Datum	PCC Template Name	PCC Template Id
Chief Complaint	Chief Complaint	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1
Pregnancy History	Pregnancy History	1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4
Medical History	History of Past Illness	1.3.6.1.4.1.19376.1.5.3.1.3.8
Medical History – Tobacco, Alcohol, Drugs	Coded Social History	1.3.6.1.4.1.19376.1.5.3.1.3.16.1
Medical History – Relevant Family History	Coded Family Medical History	1.3.6.1.4.1.19376.1.5.3.1.3.15
Medications	Medications	1.3.6.1.4.1.19376.1.5.3.1.3.19
Allergies	Allergies and Other Adverse Reactions	1.3.6.1.4.1.19376.1.5.3.1.3.13
Menstrual History/Symptoms Since LMP	Review of Systems	1.3.6.1.4.1.19376.1.5.3.1.3.18
Genetic Screening/Teratology Counseling	Coded Family History Medical History	1.3.6.1.4.1.19376.1.5.3.1.3.15
Infection History	Coded History of Infection	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1
Initial Physical Examination	Coded Physical Exam	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1
Vital Signs	Coded Vital Signs	1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2
Diagnostic Findings	Coded Results	1.3.6.1.4.1.19376.1.5.3.1.3.28
Surgical History	History of Surgical Procedures	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2

230

Add Section X

X Antepartum Summary Content Profile (APS)

Change referenced section numbering when merged into technical framework

235 Antepartum Summary is a content profile that defines the structure for the aggregation of significant events, diagnoses, and plans of care derived from the visits over the course of an antepartum episode. It is represented in part by Estimated Due Dates and a Visit Summary Flowsheet in which the aggregated data from the ambulatory office visits is recorded, as well as allergies, advance directives, care plans, and selected histories are provided.

X.1 Purpose and Scope

240 *Change referenced section numbering when merged into technical framework*

Obstetric patients in labor and admitted to Labor and Delivery must have a complete summary of their antepartum ambulatory care available at the time of admission. While this profile represents a portion of that data and may be included with other antepartum care documents to make up a patient's Antepartum Record, it may also be created as a stand alone document and 245 may be transmitted separately from those other antepartum care documents. For further information on the full Perinatal Workflow overview and use cases see Perinatal Workflow section X.1.2 and section X.2.

X.2 Process Flow

X.2.1 Use Cases

250 *Change referenced section numbering when merged into technical framework*

For applicable use cases see Perinatal Workflow section X.2.1.

X.2.2 Diagrams

Change referenced section numbering when merged into technical framework

For applicable diagrams see Perinatal Workflow section X.2.2.

X.3 Actors/Transactions

255 There are two actors in this profile, the Content Creator and the Content Consumer. Content is created by a Content Creator and is to be consumed by a Content Consumer. The sharing or transmission of content from one actor to the other is addressed by the appropriate use of IHE profiles described below, and is out of scope of this profile. A Document Source or a Portable 260 Media Creator may embody the Content Creator Actor. A Document Consumer, a Document Recipient, or a Portable Media Importer may embody the Content Consumer Actor. The sharing or transmission of content or updates from one actor to the other is addressed by the use of

appropriate IHE profiles described in the section on Content Bindings with XDS, XDM and XDR. in PCC TF_2:4.1

265



Figure X.3-1 Actor Diagram

X.3.1 Requirements of Actors

270 **X.4 Options**

Options that may be selected for this Content Profile are listed in the table X.4-1 along with the Actors to which they apply. Dependencies between options when applicable are specified in notes.

Table X.4-1 Antepartum Summary Options

Actor	Option	Section
Content Consumer	View Option (See Note 1)	PCC TF-2: 3.0.1
	Document Import Option (See Note 1)	PCC TF-2: 3.0.2
	Section Import Option (See Note 1)	PCC TF-2: 3.0.3
	Discrete Data Import Option (See Note 1)	PCC TF-2: 3.0.4
Content Creator	No options defined	

275

Note 1: The Actor shall support at least one of these options.

X.5 Groupings

X.6 Security Considerations

280 **X.7 Content Modules**

Table X.7-1 Antepartum Summary Content Modules

ACOG Antepartum Record Datum	PCC Template Name	PCC Template Id
Drug Allergy/Latex Allergy	Allergies and Other Adverse Reactions	1.3.6.1.4.1.19376.1.5.3.1.3.13
Is Blood Transfusion Acceptable	Advance Directives	1.3.6.1.4.1.19376.1.5.3.1.3.34
Antepartum Anesthesia Consult Planned	Care Plan	1.3.6.1.4.1.19376.1.5.3.1.3.31
Problems/Plans	Problems	1.3.6.1.4.1.19376.1.5.3.1.3.6
Medication List	Active Medications	1.3.6.1.4.1.19376.1.5.3.1.3.19
EDD Confirmation/18-20 Week EDD Update	Estimated Delivery Dates	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1
Prepregnancy Weight	Visit Summary Flowsheet	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2
Visit Flowsheet	Visit Summary Flowsheet	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2

285

Add Section Y

Y Antepartum Laboratory Content Profile (APL)

Change referenced section numbering when merged into technical framework

Antepartum Laboratory is a content profile that provides the data structure to represent results from standard laboratory tests administered during the antepartum episode.

290 Y.1 Purpose and Scope

Change referenced section numbering when merged into technical framework

295 Obstetric patients in labor and admitted to Labor and Delivery must have a complete summary of their antepartum ambulatory care available at the time of admission. While this profile represents a portion of that data and may be included with other antepartum care documents to make up a patient's Antepartum Record, it may also be created as a stand alone document and may be transmitted separately from those other antepartum care documents. For further information on the full Perinatal Workflow overview and use cases see Perinatal Workflow section X.1.2 and section X.2.

Y.2 Process Flow

300

Y.2.1 Use Cases

Change referenced section numbering when merged into technical framework

For applicable use cases see Perinatal Workflow section X.2.1.

Y.2.2 Diagrams

305 *Change referenced section numbering when merged into technical framework*

For applicable diagrams see Perinatal Workflow section X.2.2.

Y.3 Actors/Transactions

310 There are two actors in this profile, the Content Creator and the Content Consumer. Content is created by a Content Creator and is to be consumed by a Content Consumer. The sharing or transmission of content from one actor to the other is addressed by the appropriate use of IHE profiles described below, and is out of scope of this profile. A Document Source or a Portable Media Creator may embody the Content Creator Actor. A Document Consumer, a Document Recipient, or a Portable Media Importer may embody the Content Consumer Actor. The sharing or transmission of content or updates from one actor to the other is addressed by the use of
315 appropriate IHE profiles described in the section on Content Bindings with XDS, XDM and XDR. in PCC TF_2:4.1



Figure Y.3-1 Actor Diagram

320

Y.3.1 Requirements of Actors

Y.4 Options

Options that may be selected for this Content Profile are listed in the table Y.4-1 along with the Actors to which they apply. Dependencies between options when applicable are specified in notes.

325

Table Y.4-1 Antepartum Laboratory Options

Actor	Option	Section
Content Consumer	View Option (See Note 1)	PCC TF-2: 3.0.1
	Document Import Option (See Note 1)	PCC TF-2: 3.0.2
	Section Import Option (See Note 1)	PCC TF-2: 3.0.3
	Discrete Data Import Option (See Note 1)	PCC TF-2: 3.0.4
Content Creator	No options defined	

Note 1: The Actor shall support at least one of these options.

330

Y.5 Groupings

Y.6 Security Considerations

Y.7 Content Modules

There are no content module mappings for Antepartum Laboratory as XD-LAB profile is referenced in full.

335

<i>Add Section Z</i>

Z Antepartum Education Content Profile (APE)

Change referenced section numbering when merged into technical framework

340 Antepartum Education is a content profile that provides the document structure to represent educational material provided during the office visit(s) for the antepartum episode.

Z.1 Purpose and Scope

Change referenced section numbering when merged into technical framework

345 Obstetric patients in labor and admitted to Labor and Delivery must have a complete summary of their antepartum ambulatory care available at the time of admission. While this profile represents a portion of that data and may be included with other antepartum care documents to make up a patient's Antepartum Record, it may also be created as a stand alone document and may be transmitted separately from those other antepartum care documents. For further information on the full Perinatal Workflow overview and use cases see Perinatal Workflow section X.1.2 and section X.2.

Z.2 Process Flow

Z.2.1 Use Cases

Change referenced section numbering when merged into technical framework

For applicable use cases see Perinatal Workflow section X.2.1.

Z.2.2 Diagrams

Change referenced section numbering when merged into technical framework

For applicable diagrams see Perinatal Workflow section X.2.2.

Z.3 Actors/Transactions

360 There are two actors in this profile, the Content Creator and the Content Consumer. Content is created by a Content Creator and is to be consumed by a Content Consumer. The sharing or transmission of content from one actor to the other is addressed by the appropriate use of IHE profiles described below, and is out of scope of this profile. A Document Source or a Portable Media Creator may embody the Content Creator Actor. A Document Consumer, a Document Recipient, or a Portable Media Importer may embody the Content Consumer Actor. The sharing
365 or transmission of content or updates from one actor to the other is addressed by the use of appropriate IHE profiles described in the section on Content Bindings with XDS, XDM and XDR. in PCC TF_2:4.1



Figure Z.3-1 Actor Diagram

Z.3.1 Requirements of Actors

Z.4 Options

Options that may be selected for this Content Profile are listed in the table Z.4-1 along with the Actors to which they apply. Dependencies between options when applicable are specified in notes.

Table Z.4-1 Antepartum Education Options

Actor	Option	Section
Content Consumer	View Option (See Note 1)	PCC TF-2: 3.0.1
	Document Import Option (See Note 1)	PCC TF-2: 3.0.2
	Section Import Option (See Note 1)	PCC TF-2: 3.0.3
	Discrete Data Import Option (See Note 1)	PCC TF-2: 3.0.4
Content Creator	No options defined	

Note 1: The Actor shall support at least one of these options.

Z.5 Groupings

Z.6 Security Considerations

Z.7 Content Modules

Table Z.7-1 Antepartum Education Content Modules

ACOG Antepartum Record Datum	PCC Template Name	PCC Template Id
Education, First Trimester	Patient Education	1.3.6.1.4.1.19376.1.5.3.1.1.9.38
Education, Second Trimester	Patient Education	1.3.6.1.4.1.19376.1.5.3.1.1.9.38
Education, Third Trimester	Patient Education	1.3.6.1.4.1.19376.1.5.3.1.1.9.38

390 **Glossary**

<i>Add the following terms to the Glossary:</i>

395

Volume 2 – Transactions and Content Modules

5 Namespaces and Vocabularies

codeSystem	codeSystemName	Description

5.1 IHE Format Codes

Profile	Format Code	Media Type	Template ID
Antepartum History and Physical (APHP)	urn:ihe:pcc:aps:2008	text/xml	1.3.6.1.4.1.19376.1.5.3.1.1.16.1.1
Antepartum Summary (APS)	urn:ihe:pcc:aps:2007	text/xml	1.3.6.1.4.1.19376.1.5.3.1.1.11.2
Antepartum Laboratory (APL)	urn:ihe:pcc:apl:2008	text/xml	1.3.6.1.4.1.19376.1.5.3.1.1.16.1.2
Antepartum Education (APE)	urn:ihe:pcc:ape:2008	text/xml	1.3.6.1.4.1.19376.1.5.3.1.1.16.1.3

400

6 PCC Content Modules

6.2 Folder Content Modules

See Perinatal Workflow section 6.2.A.

405 6.3 HL7 Version 3.0 Content Modules

6.3.1 CDA Document Content Modules

<i>Add section 6.3.1.A</i>

6.3.1.A Antepartum History and Physical Specification

1.3.6.1.4.1.19376.1.5.3.1.1.16.1.1

410 The Antepartum History and Physical contains a record of the History and Physical usually performed during the initial visit. This document content module is a History and Physical and inherits all header constraints from History and Physical (1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4)

6.3.1.A.1 Format Code

The XDSDocumentEntry format code for this content is **urn:ihe:pcc:aphp:2008**

415 6.3.1.A.2 LOINC Code

The LOINC code for this document is **34117-2 HISTORY AND PHYSICAL**

6.3.1.A.3 Standards

CCD	ASTM/HL7 Continuity of Care Document
CDAR2	HL7 CDA Release 2.0
ACOG AR	American College of Obstetricians and Gynecologists (ACOG), Antepartum Record
LOINC	Logical Observation Identifiers, Names and Codes
SNOMED	Systemized Nomenclature for Medicine
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

6.3.1.A.4 Specification

420 This section references content modules using Template Id as the key identifier. Definitions of the modules are found in either:

- IHE Patient Care Coordination Volume 2: Final Text

- IHE PCC Content Modules 2010 Supplement

Table 6.3.1.A.4-1 Antepartum History and Physical Specification

Template Name	Opt	Section Template Id	Value Set Template Id
Spouse	R	1.3.6.1.4.1.19376.1.5.3.1.2.4.1	N/A
Natural Father of Fetus	R	1.3.6.1.4.1.19376.1.5.3.1.2.4.2	N/A
Ethnicity The ethnicity of the patient should be recorded	R2		N/A
Chief Complaint	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1	N/A
History of Present Illness	R	1.3.6.1.4.1.19376.1.5.3.1.3.4	N/A
History of Past Illness This section is the same as it is for History and Physical, however it SHALL contain entries and SHOULD use codes as specified in the Antepartum History and Physical History of Past Illness Value Set . A negative diagnosis SHALL be recorded with the use of the negation indicator attribute. If the data is not present or not available within the system no entry is required.	R	1.3.6.1.4.1.19376.1.5.3.1.3.8	1.3.6.1.4.1.19376.1.5.3.1.1.16.5.1
Coded History of Infection This section SHOULD use the codes specified in the Antepartum History of Infection Value Set .	R	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1	1.3.6.1.4.1.19376.1.5.3.1.1.16.5.6
Pregnancy History	R	1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4	N/A
Coded Social History	R	1.3.6.1.4.1.19376.1.5.3.1.3.16.1	N/A
Coded Family Medical History This section is the same as it is for History & Physical, however it SHALL contain Genetic Screening and Teratology Counseling information as specified in the Antepartum Family History and Genetic Screening Value Set . If the data is not present or not available within the system no entries are required.	R	1.3.6.1.4.1.19376.1.5.3.1.3.15	1.3.6.1.4.1.19376.1.5.3.1.1.16.5.4
Allergies and Other Adverse Reactions	R	1.3.6.1.4.1.19376.1.5.3.1.3.13	N/A
Review of Systems This section is the same as it is for History & Physical, however it SHALL include organizers for Menstrual History and MAY include entries for	R	1.3.6.1.4.1.19376.1.5.3.1.3.18	1.3.6.1.4.1.19376.1.5.3.1.1.16.5.5

general review of systems data. The Menstrual History entries SHOULD use the codes specified in the Antepartum Menstrual History Value Set . The section code value for the Menstrual History organizer SHALL be '49033-4'. The codeSystem is '2.16.840.1.113883.6.1'. The codeSystemName is 'LOINC'.			
Coded Physical Exam This section is the same as it is for History & Physical, and if Vital Signs data are present it SHALL include a Vital Signs subsection.	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1	N/A
Vital Signs If Vital Signs data are present they SHALL be included as a subsection of Physical Examination.	C	1.3.6.1.4.1.19376.1.5.3.1.3.25	N/A
History of Surgical Procedures	R2	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2	N/A

425 **6.3.1.A.5 Conformance**

CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the [History and Physical](#) content module, and so must conform to the requirements of that template as well, thus all <templateId> elements shown in the example below shall be included.

430

```
435 <ClinicalDocument xmlns='urn:hl7-org:v3'>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.2' /><!--Medical Summary-->
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4' /><!--History and Physical-->
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.1.1' /><!--Antepartum History and Physical-->
  <id root=' ' extension=' ' />
  <code code='34117-2' displayName='HISTORY AND PHYSICAL'
440   codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
  <title>Antepartum History and Physical</title>
  <effectiveTime value='20080601012005' />
  <confidentialityCode code='N' displayName='Normal'
445   codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
  <languageCode code='en-US' />
  :
  <component><structuredBody>
    <component>
      <section>
450       <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1' />
       <!-- Required Chief Complaint Section content -->
      </section>
    </component>
    <component>
455     <section>
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.4' />
      <!-- Required History of Present Illness Section content -->
    </section>
    </component>
460    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.8' />
        <!-- Required History of Past Illness Section content -->
      </section>
    </component>
465    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1' />
        <!-- Required Coded History of Infection Section content -->
      </section>
    </component>
470    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.5.3.4' />
        <!-- Required Pregnancy History Section content -->
      </section>
    </component>
475    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.16' />
        <!-- Required Coded Social History Section content -->
      </section>
    </component>
480    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.15' />
        <!-- Required Coded Family Medical History Section content -->
      </section>
    </component>
485    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.13' />
        <!-- Required Allergies and Other Adverse Reactions Section content -->
      </section>
    </component>
490    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.13' />
        <!-- Required Allergies and Other Adverse Reactions Section content -->
      </section>
    </component>
495    <component>
```

```

500     <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18' />
        <!-- Required Review of Systems Section content -->
    </section>
</component>
<component>
    <section>
505         <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15' />
        <!-- Required Physical Examination Section content -->
    </section>
</component>
<component>
    <section>
510         <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.25' />
        <!-- Conditional Vital Signs Section content -->
    </section>
</component>
<component>
515     <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2' />
        <!-- Required if known History of Surgical Procedures Section content -->
    </section>
</component>
520 </structuredBody></component>
</ClinicalDocument>

```

Figure 0.1.A.5-1 Sample Antepartum History and Physical Document

Add section 6.3.1.B

6.3.1.B Antepartum Summary Specification 1.3.6.1.4.1.19376.1.5.3.1.1.11.2

The Antepartum Summary represents a summary of the most critical information to an antepartum care provider regarding the status of a patient's pregnancy. This document content module is a Medical Summary and inherits all header constraints from Medical Summary (1.3.6.1.4.1.19376.1.5.3.1.1.2).

6.3.1.B.1 Format Code

The XDSDocumentEntry format code for this content is **urn:ihe:pcc:aps:2007**

6.3.1.B.2 LOINC Code

The LOINC code for this document is **57055-6** Antepartum summary

6.3.1.B.3 Standards

CCD	ASTM/HL7 Continuity of Care Document
CDAR2	HL7 CDA Release 2.0
ACOG AR	American College of Obstetricians and Gynecologists (ACOG), Antepartum Record

LOINC	Logical Observation Identifiers, Names and Codes
SNOMED	Systemized Nomenclature for Medicine
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

535 6.3.1.B.4 Specification

This section references content modules using Template ID as the key identifier. Definitions of the modules are found in either:

- IHE Patient Care Coordination Volume 2: Final Text
- IHE PCC Content Modules 2009-2010 Supplement

540 **Table 6.3.1.B.4-1 Antepartum Summary Specification**

Template Name	Opt	Template Id
Allergies and Other Adverse Reactions This section is the same as for Medical Summary, however it SHALL include one observation of Latex Allergy which may be negated through the negationInd attribute. Latex Allergy is particularly relevant for Obstetrics because of the frequency of vaginal exams that might involve the use of latex gloves. The observation value code for Latex Allergy is '300916003'. The codeSystem is '2.16.840.1.113883.6.96'. The codeSystemName is 'SNOMED CT'	R	1.3.6.1.4.1.19376.1.5.3.1.3.13
Advance Directives APS includes an explicit check of patients preference for blood transfusion because the risk of massive hemorrhage during delivery is much higher. This observation SHALL be recorded in the Advance Directives section. A simple observation of "blood transfusion acceptable?" SHALL be included with the value '(xx-bld-transf-ok)'. The codeSystem is '2.16.840.1.113883.6.1'. The codeSystemName is 'LOINC'	R	1.3.6.1.4.1.19376.1.5.3.1.3.34
Care Plan APS forms SHOULD include an observation stating if an anesthesia consult is planned. When present, the observation value for this observation is '(xx-anest-cons-pland)'. The codeSystem is '2.16.840.1.113883.6.1'. The codeSystemName is 'LOINC'. If the type of anesthesia planned is known, systems SHOULD include an observation to represent that data using the LOINC code '(xx-type-of-anesth-pland)' with a CD value including one of the following values: (General Epidural Spinal) or a Null flavor to represent unknown or not listed.	R	1.3.6.1.4.1.19376.1.5.3.1.3.31
Medications Medications should include start and stop date if known.	R	1.3.6.1.4.1.19376.1.5.3.1.3.19
Problems Related Plans should be included in the Care Plan section.	R	1.3.6.1.4.1.19376.1.5.3.1.3.6
Estimated Delivery Date	R	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1

Antepartum Visit Summary Flowsheet	R	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2
History of Surgical Procedures	R2	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2
Coded Antenatal Testing and Surveillance	R2	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1

Note: The Antepartum Summary is typically used as a 'living document' where the latest information is added to the end of the flowsheet at each visit. This is different than a typical Medical Summary which typically would not share information until document is complete. Although this pattern of updates is not prohibited by Medical Summary, it is also not typical. For APS documents may be published at the end of each visit, but subsequent updates with a pregnancy SHALL be represented as document replacement by including a <relatedDocument typeCode='REPL'> element as below.

```
<ClinicalDocument xmlns='urn:hl7-org:v3'>
:
<relatedDocument typeCode='REPL'>
  <parentDocument>
    <id root=' ' extension=' ' />
  </parentDocument>
</relatedDocument>
:
</ClinicalDocument>
```

Figure 6.3.1.B.4-1

6.3.1.B.5 Conformance

CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the [Medical Summary](#) content module, and so must conform to the requirements of that template as well, thus all <templateId> elements shown in the example below shall be included.

```

565 <ClinicalDocument xmlns='urn:hl7-org:v3'>
    <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.2'/><!--Medical Summary-->
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2'/><!--Antepartum Summary-->
570 <id root=' ' extension=' '/>
    <code code='57055-6' displayName='Antepartum summary'
        codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'/>
    <title>Antepartum Summary</title>
    <effectiveTime value='20080601012005'/>
575 <confidentialityCode code='N' displayName='Normal'
        codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
    <languageCode code='en-US'/>
    :
    <component><structuredBody>
580 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.13'/>
            <!-- Required Allergies and Other Adverse Reactions Section content -->
        </section>
    </component>
585 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.34'/>
            <!-- Required Advance Directives Section content -->
        </section>
    </component>
590 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31'/>
            <!-- Required Care Plan Section content -->
        </section>
    </component>
595 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.19'/>
            <!-- Required Medications Section content -->
        </section>
    </component>
600 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6'/>
            <!-- Required Problems Section content -->
        </section>
    </component>
605 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1'/>
            <!-- Required Estimated Delivery Dates Section content -->
        </section>
    </component>
610 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2'/>
            <!-- Required Antepartum Visit Summary Flowsheet Section content -->
        </section>
    </component>
615 <component>
        <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2'/>
            <!-- Required History of Surgical Procedures Section content -->
        </section>
    </component>
620 <component>
        <section>
625 </section>
    </component>
    </structuredBody>
    </component>
</ClinicalDocument>

```

630

```
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1' />
<!-- Required Coded Antenatal Testing and Surveillance Section content -->
</section>
</component>
</structuredBody></component>
</ClinicalDocument>
```

635

Figure 0.1.B.5-1 Sample Antepartum Summary Document

Add Section 6.3.1.C: Antepartum Lab Specification

6.3.1.C Antepartum Laboratory Specification 1.3.6.1.4.1.19376.1.5.3.1.1.16.1.2

640

The Antepartum Laboratory SHALL follow all constraints as defined in the XD-LAB profile, as described in [LAB TF-3:4](#). There is a suggested code list provided in the [Antepartum Laboratory Value Set](#). Due to the variation possible in these laboratory results and the potential for new codes representing new types of laboratory data a tightly constrained code list is not provided.

6.3.1.C.1 Format Code

The XDSDocumentEntry format code for this content is **urn:ihe:pcc:apl:2008**

645

6.3.1.C.2 LOINC Code

The LOINC code for this document is **26436-6** Laboratory Studies

6.3.1.C.3 Standards

CCD	ASTM/HL7 Continuity of Care Document
CDAR2	HL7 CDA Release 2.0
ACOG AR	American College of Obstetricians and Gynecologists (ACOG), Antepartum Record
LOINC	Logical Observation Identifiers, Names and Codes
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

6.3.1.C.4 Specification

Table 6.3.1.C.4-1 Antepartum Laboratory Specification

Template Name	Opt	Section Template Id	Value Set Template Id
Laboratory Results The Antepartum Laboratory Value Set should be used to represent laboratory results.	R	N/A	1.3.6.1.4.1.19376.1.5.3.1.1.16.5.7

6.3.1.C.5 Conformance

CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the XD Lab Report content module, and so must conform to the requirements of that template as well, thus all <templateId> elements shown in the example below shall be included.

```
<ClinicalDocument xmlns='urn:hl7-org:v3'>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root='1.3.6.1.4.1.19376.1.3.3'/>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.1.2'/><!--Antepartum Laboratory-->
  <id root=' ' extension=' '/>
  <code code='26436-6' displayName='Laboratory Studies'
    codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'/>
  <title>Antepartum Laboratory</title>
  <effectiveTime value='20080601012005'/>
  <confidentialityCode code='N' displayName='Normal'
    codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
  <languageCode code='en-US'/>
  :
  <component><structuredBody>

    </structuredBody></component>
</ClinicalDocument>
```

Figure 0.1.C.5-1 Sample Antepartum Laboratory Document

Add Section 6.3.1.D: Antepartum Education Specification

6.3.1.D Antepartum Education Specification 1.3.6.1.4.1.19376.1.5.3.1.1.16.1.3

The Antepartum Education contains a list of patient education activities that have occurred or have been planned to review with the patient.

6.3.1.D.1 Format Code

The XDSDocumentEntry format code for this content is **urn:ihe:pcc:edu:2008**

6.3.1.D.2 LOINC Code

The LOINC code for this document is **34895-3** EDUCATION NOTE

6.3.1.D.3 Standards

CCD	ASTM/HL7 Continuity of Care Document
------------	--------------------------------------

CDAR2	HL7 CDA Release 2.0
--------------	-------------------------------------

ACOG AR	American College of Obstetricians and Gynecologists (ACOG), Antepartum Record
LOINC	Logical Observation Identifiers, Names and Codes
SNOMED	Systemized Nomenclature for Medicine
CDTHP	CDA for Common Document Types History and Physical Notes (DSTU)

6.3.1.D.4 Specification

Table 6.3.1.D.4-1 Antepartum Education Specification

Template Name	Opt	Section Template Id	Value Set Template Id
Patient Education This section SHALL follow all constraints as listed in the Patient Education Section, and SHOULD use the codes specified in the Antepartum Education Value Set .	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.39	1.3.6.1.4.1.19376.1.5.3.1.1.16.5.8

6.3.1.D.5 Conformance

690 CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the [Medical Documents](#) content module, and so must conform to the requirements of that template as well, thus all
695 <templateId> elements shown in the example below shall be included.

```
<ClinicalDocument xmlns='urn:hl7-org:v3'>
  <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.1' /><!--Medical Document-->
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.1.3' /><!--Antepartum Education-->
  <id root=' ' extension=' ' />
  <code code='34895-3' displayName='EDUCATION NOTE'
    codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
  <title>Antepartum Education</title>
  <effectiveTime value='20080601012005' />
  <confidentialityCode code='N' displayName='Normal'
    codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
  <languageCode code='en-US' />
  :
  <component><structuredBody>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.38' />
        <!-- Required Patient Education Section content -->
      </section>
    </component>
  </structuredBody></component>
</ClinicalDocument>
```

Figure 0.1.D.5-1 Sample Antepartum Education Document