```
0x62d
assert(0 == msg.value)
$s2 = ad mask \& c[0x4]
$s4 = intcall12(0x30a1)
assert(0 == (0xff \& s[0x2]))
$s7 = (ad mask \& s[0x0]) == msg.sender
if (! $s7){
 m[0x0] = msg.sender
 m[0x20] = 0x1
 $s7 = 0x1 == (0xff \& s[sha3(0x0, 0x40)])
assert($s7)
s3 = ad mask \& s[0xb]
m[0xc0 + $m] = 0x0
m[0x4 + $m] = ad mask & $s2
assert(extcodesize($s3))
assert(call(msg.gas - 0 \times 2 \times 6, $s3, 0 \times 0, $m, (0 \times 24 + \$m) - \$m, $m, 0 \times 0)
s7 = m[sm]
$s8 = 0x20 + $m
$t = $s8
$s8 = m[$s8]
$s9 = 0x20 + $t
t = s9
$s9 = m[$s9]
$s10 = 0x20 + $t
$t = $s10
$s10 = m[$s10]
$s11 = 0x20 + $t
t = s11
$s11 = m[$s11]
m[0xa0 + $s4] = 0xffffffffffffffff & m[0x20 + $t]
m[0x80 + $s4] = $s11
m[0x60 + $s4] = ad mask & $s10
m[0x40 + $s4] = 0xfffffffff & $s9
m[0x20 + $s4] = 0xfffffffffffffff & $s8
m[\$s4] = 0xffffffffffffff \& \$s7
if (! $s7){
 \$s7 = (ad mask \& m[0x60 + \$s4]) != (ad mask \& \$s2)
if (! $s7){
 assert(0 == $s7)
$s5 = ad mask \& s[0xf]
$s9 = m[0x40 + $s4]
$s10 = m[0x60 + $s4]
m[0 \times 20 + \$m] = 0 \times 0
m[$m] = 0x963d4b7 << 0xe0
m[0x4 + $m] = 0xfffffffff & $s9
m[0\times24 + $m] = ad mask & $s10
m[0x44 + $m] = 0x60
m[0x64 + $m] = 0xc
assert(extcodesize($s5))
assert(call(msg.gas - 0x2c6, $s5, 0x0, $m, (0xa4 + $m) - $m, $m, 0x20))
\$s6 = m[\$m]
$s7 = ad mask \& $s3
$s9 = m[\$s4]
m[0x4 + $m] = 0xfffffffffffffff & $s9
m[0x24 + $m] = 0xffffffffffffff & $s6
assert(extcodesize($s7))
assert(call(msg.gas - 0x2c6, $s7, 0x0, $m, (0x44 + $m) - $m, $m, 0x0))
$s7 = ad mask & m[0x60 + $s4]
m[0x20 + \$m] = \$\$6
log2(\$m, (0x40 + \$m) - \$m, 0x484eebcfa9cf8e34a4eefdfeaeced0cb795d3fcc1fa8ae1c8380dc3553a1e22e, \$s7)
stop()
```