```
0x1d6
    if (msg.value) goto 0x0
    $s3 = s[0x6]
    $s5 = $m
    $s6 = ($s3 & ((0x100 * (0 == (0x1 & $s3))) - 0x1)) / 0x2
    $t = $s6
    $s7 = $t
    m = 0x20 + (m + (0x20 * ((0x1f + $s6) / 0x20)))
    m[\$s5] = \$t
    $s2 = $s5
    $s5 = 0x20 + $s5
    if (0 == $t) goto 0x402
                           0x5ba
                           if (0x1f < $t) goto 0x3d7
                             0x3d7
                             -----
                             $t = $s5
                             $s5 = $s5 + $s7
                             m[0x0] = 0x6
                             $s6 = sha3(0x0, 0x20)
                             $s7 = $t
                           0x3e5
                           m[\$s7] = s[\$s6]
                                                         0x5c2
                           $t = $s6
                           $s6 = $s7
                                                         m[\$s5] = 0x100 * (s[0x6] / 0x100)
                           $s7 = 0x1 + $t
                           $t = $s6
                                                         goto 0x402
                           $s6 = $s7
                           $s7 = 0x20 + $t
                           if (\$s5 > \$s7) goto 0x3e5
                                   0x3f9
0x402
-----
m[\$m] = 0x20
m[0x20 + $m] = m[$s2]
$s5 = 0x40 + $m
t = m[$s2]
$58 = $t
$s9 = $s5
$s10 = 0x20 + $s2
if ($t){
 while (0x1) {
   m[\$s9] = m[\$s10]
   if ($s8 \le 0x20)
       break
   $s9 = 0x20 + $s9
   $s10 = 0x20 + $s10
 }
$s5 = $t + $s5
$s6 = 0x1f \& $t
if ($s6){
 \$s7 = \$s5 - \$s6
 m[\$s7] = (! ((0x100 ** (0x20 - \$s6)) - 0x1)) \& m[\$s7]
 $s5 = 0x20 + $s7
return($m, $s5 - $m)
```