```
0x8d6
assert(0 == msq.value)
assert((ad mask \& s[0x2]) == msg.sender)
assert(s[0x12] < 0xafc8)
$s4 = intcall2(self. c[0x4]. 0x0. 0x0. 0x0. 0x1e99)
$s3 = $s4
= intcall9(ad mask & s[0xb], $s4, 0x1eb3)
\$s4 = ad mask \overline{\&} s[0xb]
$s11 = a\overline{d} \text{ mask } \& s[0xb]
m[0x20 + \overline{\$}m] = 0x0
m[$m] = 0xeac9d94c << 0xe0
assert(extcodesize($s11))
assert(call(msg.gas - 0x2c6, $s11, 0x0, $m, (0x4 + $m) - $m, $m, 0x20))
$s9 = m[$m]
$s10 = $s9 + ($s9 / 0x2)
if (\$s10 < 0x2386f26fc10000){
 $s10 = 0x2386f26fc10000
}
m[0x4 + $m] = $s3
m[0x24 + $m] = $s10
m[0x44 + $m] = 0x0
m[0x64 + $m] = 0x15180
m[0x84 + $m] = ad mask & self
assert(extcodesize($s4))
assert(call(msg.gas - 0x2c6, $s4, 0x0, $m, (0xa4 + $m) - $m, $m, 0x0))
s[0x12] = 0x1 + s[0x12]
stop()
```