```
0x3be
                                                                 assert(0 == msg.value)
                                                                 $s2 = ad mask \& c[0x4]
                                                                 $s3 = c[\overline{0}x24]
                                                                 $s4 = 0x0
                                                                 $s5 = 0x0
                                                             0xf9f
                                                             if (\$s5 >= s[0x8]) goto 0xfe8
0xfaa
assert($s5 < s[0x8])
m[0x0] = 0x8
if ((ad mask \& s[sha3(0x0, 0x20) + $s5]) != msg.sender) goto 0xfe0
                                  0xfd8
                                                         0xfe0
                                  $s4 = 0x1
                                                         $s5 = 0x1 + $s5
                                  goto 0xfe8
                                                         goto 0xf9f
                                   0xfe8
                                   assert($s4)
                                   m[0x0] = ad mask & $s2
                                   m[0x20] = 0\overline{x}2
                                   $s6 = intcall2($s3, s[sha3(0x0, 0x40)], 0x1017)
                                   m[0x0] = ad_mask & $s2
                                   m[0x20] = 0\overline{x}2
                                   s[sha3(0x0, 0x40)] = $s6
                                   $s6 = intcall2($s3, s[0x1], 0x103d)
                                   s[0x1] = $s6
                                   stop()
```