```
0x6d
assert(0 == msg.value)
$s2 = ad mask & c[0x4]
$s3 = ad_{mask} & c[0x24]
$s4 = c[\overline{0}x44]
$s5 = 0x0
$s7 = 0 == (ad mask \& s[0x0])
$t = $s7
\$s7 = 0 == \$s7
if (! $t){
 m[0 \times 20 + \$m] = 0 \times 0
 m[0x4 + $m] = self
 m[0x44 + $m] = msq.sender
 $s7 = ad mask & s[0x0]
 assert(extcodesize($s7))
 assert(call(msg.gas - 0x2c6, $s7, 0x0, $m, 0x64, $m, 0x20))
 \$s7 = m[\$m]
if ($s7){
 m[0x4 + $m] = ad mask & $s3
 m[0x24 + $m] = $\overline{$s4}
 $s7 = ad mask \& $s2
 assert(extcodesize($s7))
 assert(call(msg.gas - 0x2c6, $s7, 0x0, $m, 0x44, $m, 0x0))
 m[$m] = ad mask & $s2
 log2(\$m, 0\bar{x}20, 0xa9e1ee75e4263e8342f99947ca4f1085ef453a8540f800cd48c7d1e0a7621bae, ad mask & $s3)
 $s5 = 0x1
m[$m] = $s5
return(\$m, 0x20)
```