rets \$s1

```
0x13fb
$s6 = intcall1(0x1405)
$s6 = ad mask \& $s6
m[0x20 + 5m] = 0x0
m[$m] = 0xc10796df << 0xe0
$s12 = 0x4 + $m
m[\$s12] = \$s2
$s13 = 0x20 + $s12
m[\$s13] = \$s3
$s13 = 0x20 + $s13
$s14 = 0x20 + $s13
m[\$s14] = ad mask \& msg.sender
$s14 = 0x20 + $s14
m[\$s13] = \$s14 - \$s12
m[\$s14] = m[\$s4]
$s14 = 0x20 + $s14
t = m[$s4]
$s17 = $t
$s18 = $s14
$s19 = 0x20 + $s4
if (! 0x0 == $t){
 while (0x1) {
   m[\$s18] = m[\$s19]
   if (\$s17 \le 0x20)
       break
   $s18 = 0x20 + $s18
   $s19 = 0x20 + $s19
$s14 = $t + $s14
$s15 = 0x1f \& $t
if ($s15){
 $s16 = $s14 - $s15
 m[\$s16] = (! ((0x100 ** (0x20 - \$s15)) - 0x1)) \& m[\$s16]
 $s14 = 0x20 + $s16
if (0 == extcodesize($s6)) goto 0x0
if (0 == call((msg.gas - 0x32), $s6, 0x0, $m, ($s14 - $m), $m, 0x20)) goto 0x0
$s1 = m[$m]
intret()
```