```
0x66d
    if (msg.value) goto 0x0
    m[\$m] = 0x0
    m[0\times0] = c[0\times4]
    m[0x20] = 0x5
    $s7 = 0x2 + sha3(0x0, 0x40)
    $s8 = s[$s7]
    $s6 = 0x20 + $m
    $s8 = ($s8 & ((0x100 * (0 == (0x1 & $s8))) - 0x1)) / 0x2
    $t = $s8
    m = 0x20 + (\$s6 + (0x20 * ((0x1f + \$s8) / 0x20)))
    m[\$s6] = \$t
    $s4 = $s7
    $s7 = $t
    $t = $s6
    $s6 = $s7
    $s7 = $t
    $t = $s4
    $s4 = $s7
    $s5 = $t
    $s7 = 0x20 + $s7
    if (0 == \$s6) goto 0x1892
                            0x184c
                            if (0x1f < $s6) goto 0x1867
                               0x1867
                               t = s7
                               \$s7 = \$s7 + \$s6
                               m[0x0] = \$s5
                               $s8 = sha3(0x0, 0x20)
                               $s9 = $t
                            0x1875
                            m[\$s9] = s[\$s8]
                                                            0x1854
                            $t = $s8
                            $s8 = $s9
                                                            m[\$s7] = 0 \times 100 * (s[\$t] / 0 \times 100)
                            $s9 = 0x1 + $t
                            $t = $s8
                                                            goto 0x1892
                            $s8 = $s9
                            $s9 = 0x20 + $t
                            if (\$s7 > \$s9) goto 0x1875
                                     0x1889
                                     -----
0x1892
-----
$s1 = $s4
m[$m] = 0x20
m[0 \times 20 + \$m] = m[\$s4]
$s4 = 0x40 + $m
t = m[s1]
$s7 = $t
$s8 = $s4
$s9 = 0x20 + $s1
if ($t){
  while (0x1) {
    m[\$s8] = m[\$s9]
    if (\$s7 \le 0x20)
        break
    $s8 = 0x20 + $s8
    $s9 = 0x20 + $s9
$s4 = $t + $s4
$s5 = 0x1f \& $t
if ($s5){
  $s6 = $s4 - $s5
  m[\$s6] = (! ((0x100 ** (0x20 - \$s5)) - 0x1)) \& m[\$s6]
  $s4 = 0x20 + $s6
return($m, $s4 - $m)
```