```
-----
  \$s4 = block.timestamp >= s[0x8]
  if (! $s4){
   $s4 = block.timestamp < s[0x9]
  assert(0 == $s4)
  assert(0 == (0xff \& s[0x18]))
 $s2 = 0x0
if (ad_mask & s[0xf] == msg.sender){
   $s2 = s[0x12]
  if (ad_mask & s[0x10] == msg.sender){
   $s2 = s[0x13]
 if (ad_mask & s[0x11] == msg.sender){
   \$s2 = s[0x14]
  assert($s2)
 \$s5 = 0 \times b28720 + \$s2
$s6 = intcall1(s[0x17], 0x2e90edd000, 0x2cf)

$s8 = intcall7($s5, msg.value, 0xcdd)

$s7 = $s8
 assert($s8 <= $s6)
  $s10 = msg.value
  | assert(call(0x8fc * (0 == \$s10), ad_mask & s[0xc], \$s10, \$m, 0x0, \$m, 0x0))
  m[0x0] = ad_mask \& s[0xe]
m[0x20] = 0x1
  $s8 = intcall1($s7, s[sha3(0x0, 0x40)], 0xd4c)
  m[0x0] = ad mask & s[0xe]
  m[0\times20] = 0\overline{\times}1
  s[sha3(0x0, 0x40)] = $s8
  m[0x0] = msg.sender
$s8 = intcall11($s7, s[sha3(0x0, 0x40)], 0xd85)

m[0x0] = msg.sender

m[0x20] = 0x1

s[sha3(0x0, 0x40)] = $s8
 s[0x16] = $s7 + s[0x16]
 s[0x15] = msg.value + s[0x15]

$s4 = $s7

$s3 = $s7
 $s5 = msg.sender
$s6 = intcall7($s2, msg.value, 0x1ef5)
 $s7 = block.timestamp
$s8 = 0x77f880 + block.timestamp
  $$s9 = 0x1e13380 + block.timestamp
  if (! $s13){
    assert(0 == $s13)
  | $s13 = s[0x3]
  |\$s14 = intcall12(\$s5, 0x147a)
  assert($s14 <= $s13)
  m[0x0] = ad_mask \& $s5
 m[0\times20] = 0\times4
 $s13 = sha3(0x0, 0x40)
  $s14 = s[$s13]
  \$s15 = 0 \times 1 + \$s14
  = intcall14($s15, $s13, 0x14ae)
  $t = $s13
  $s13 = $s15
 m[0x0] = $t

$s14 = (0x3 * $s14) + sha3(0x0, 0x20)

$s16 = $m
  $m = 0 \times e0 + $m$
if (! 0 \times 0) \{
$s18 = 0 \times 0
   } else {
    $s18 = msg.sender
 m[$s16] = ad_mask & $s18

m[0x20 + $s16] = $s6

m[0x40 + $s16] = 0xfffffffffffffff & $s8

m[0x60 + $s16] = 0xffffffffffffffff & $s9

m[0x80 + $s16] = 0xfffffffffffffffff & $s7

m[0xa0 + $s16] = 0x0
  m[0xc0 + $s16] = 0x0
 s[\$s14] = (ad\_mask \& m[\$s16]) | (0xfffffff s[0x1 + \$s14] = m[0x20 + \$s16]
  $s12 = $s13
  = intcall5($s6, $s5, 0x1646)
  m[$m] = $s6
  $s19 = 0 \times 20 + $m
 m[$s19] = $s12 - 0x1
log3($m, (0x20 + $s19) - $m, 0xf9565aecd648a0466ffb964a79eeccdf1120ad6276189c687a6e9fe73984d9bb, msg.sender, ad_mask & $s5)
s[0x17] = $s4 + s[0x17]
m[$m] = $s3
   log1($m, 0x20, 0x9e352721883879ced8efbcaca8e7316a3367205e490f0829362d23c63819e8ee)
```