rets \$s18

```
0x229c
if (msg.value > 0x0){
  = intcall2(msg.value, msg.sender, 0x2af0)
$s23 = intcall27(0x27cd)
if (! $s23){
  $s23 = ad mask & s[0x1]
  $s29 = 0x4 + $m
 m[\$s29] = ad mask \& msg.sender
  $s30 = 0x20 + $s29
 m[\$s30] = \$s19
 $s30 = 0x20 + $s30
 m[\$s30] = \$s20
  $s30 = 0x20 + $s30
  $s31 = 0x20 + $s30
  m[\$s30] = \$s31 - \$s29
  m[\$s31] = m[\$s21]
  $s31 = 0x20 + $s31
  t = m[$s21]
  $s34 = call(0x3 + (0xf * ((0x1f + $t) / 0x20)), 0x4, 0x0, 0x20 + $s21, $t, $s31, $t)
  $s32 = $t
  t = s31
  $s31 = $s32
  $s32 = $s32 + $t
  t = s31
 $s31 = $s32
  $s32 = 0x1f \& $t
  if ($s32){
   $s33 = $s31 - $s32
   m[\$s33] = (! ((0x100 ** (0x20 - \$s32)) - 0x1)) \& m[\$s33]
   $s31 = 0x20 + $s33
 if (0 == call((msg.gas - 0x61da), $s23, 0x0, $m, ($s31 - $m), $m, 0x20)) goto 0x2
  s23 = m[sm]
 goto 0x1e00
} else {
  $s23 = ad mask \& s[0x1]
  $s28 = 0x4 + $m
  m[\$s28] = \$s19
  $s29 = 0x20 + $s28
  m[\$s29] = \$s20
  $s29 = 0x20 + $s29
  $s30 = 0x20 + $s29
  m[\$s29] = \$s30 - \$s28
  m[\$s30] = m[\$s21]
  $s30 = 0x20 + $s30
  t = m[$s21]
  $s33 = call(0x3 + (0xf * ((0x1f + $t) / 0x20)), 0x4, 0x0, 0x20 + $s21, $t, $s30, $t)
  $s31 = $t
  t = s30
  $s30 = $s31
  $s31 = $s31 + $t
  t = s30
 $s30 = $s31
  $s31 = 0x1f \& $t
  if ($s31){
   $s32 = $s30 - $s31
   m[\$s32] = (! ((0x100 ** (0x20 - \$s31)) - 0x1)) \& m[\$s32]
   $s30 = 0x20 + $s32
 if (0 == call((msg.gas - 0x61da), $s23, 0x0, $m, ($s30 - $m), $m, 0x20)) goto 0x2
  s23 = m[sm]
 goto 0x1e00
$s18 = $s23
intret()
```