```
0x1a0
assert(0 == msg.value)
$s2 = ad mask \& c[0x4]
$s3 = c[\overline{0}x24]
$s4 = ad mask & c[0x44]
$s5 = c[\overline{0}x64]
$s6 = c[0x84]
s7 = c[0xa4]
m[0x20 + $m] = 0x0
m[$m] = self << 0x60
m[0x14 + $m] = (ad mask & $s2) << 0x60
m[0x28 + $m] = $s3
m[0x48 + $m] = (ad mask & $s4) << 0x60
m[0x5c + $m] = $s5
m[0x7c + $m] = $s6
m[0x9c + $m] = $s7
assert(call(msg.gas - 0x61da, 0x2, 0x0, $m, 0xbc, $m, 0x20))
$s11 = m[$m]
$s13 = msg.sender
m[0x0] = $s13
m[0x201 = 0x7]
$s16 = sha3(0x0, 0x40)
m[0x0] = \$s11
m[0x20] = $s16
$s15 = sha3(0x0, 0x40)
m[$m] = ad mask & $s2
m[0x20 + \$m] = \$s3
m[0x40 + $m] = ad mask & $s4
m[0 \times 60 + \$m] = \$s\overline{5}
m[0x80 + $m] = $s6
m[0xa0 + $m] = $s7
m[0xc0 + $m] = $s13
log1($m, 0xe0, 0x3f7f2eda73683c21a15f9435af1028c93185b5f1fa38270762dc32be606b3e85)
stop()
```