

AY: 2022-2023

M1-S1: Dept. of Electrical Engineering

Midterm Exam | AI-ECUE122

01/12/22 (10:30→11:30)

Teacher: A. Mhamdi

Full Name:

ID:

Class: RAIA

Room:

Time Limit: 1h



This document contains 4 pages numbered from 1/4 to 4/4. As soon as it is handed over to you, make sure that it is complete. The 2 tasks are independent and can be treated in the order that suits you.

The following rules apply:



Do not write anything in this table.

- ❶ A handwritten double-sided A4 sheet is permitted.
- ❷ The use of any electronic material, except basic calculator, is prohibited.
- ❸ Mysterious or unsupported answers will not receive full credit.
- ❹ If the provided space is not sufficient, feel free to attach an additional sheet.

Task	Points	Score
1	10	
2	10	
Total	20	



Task N°1

⌚ 25mn | (10 points)

Perform the following arithmetic operations.

(a) (1 point) $[2, 5] + [1, 3] = \underline{\quad [3, 8] \quad}$

(b) (1 point) $[2, 5] - [1, 3] = \underline{\quad [-1, 4] \quad}$

(c) (1 point) $[-1, 1] \times [-2, 0.5] = \underline{\quad [-2, 2] \quad}$

(d) (1 point) $[-1, 1] \div [-2, -0.5] = \underline{\quad [-2, 2] \quad}$


(e) (6 points) Given the code snippet below. Draw the corresponding graphs.

```
using Plots, Fuzzy
x = 5:.1:8
y = Dict(
    "VS" => TrapezoidalMF(5, 5, 5.5, 6),
    "S"  => TriangularMF(5, 6, 7),
    "B"  => TrapezoidalMF(6, 7, 7.5, 8),
    "VB" => TriangularMF(7.5, 8, 8.5)
)
xy = chart_prepare(y, x)
```

Do not write anything here

✂

```
plot(x, xy["values"], label=xy["names"], legend=:bottomleft)
```



Task N°2

⌚ 35mn | (10 points)

Consider a fuzzy logic system used to control the speed of a DC motor. The two inputs are SP (Speed) and SC (Speed Change rate). The output is V (Voltage) to apply to the motor. We suppose that the voltage V can vary by a step of 0.1 volts. The membership functions of the fuzzy variables are described below.

Do not write anything here

- $SP \in [500, 1000]$:

Slow (S) $\mathcal{L}(600, 750)$

Normal (N) $\Delta(600, 750, 900)$

Fast (F) $\Gamma(750, 900)$.

- $SC \in [0, 10]$:

Low (L) $\mathcal{L}(2, 4)$

Medium (M) $\Pi(2, 4, 6, 8)$

High (H) $\Gamma(6, 8)$.

- V is in $[2.5, 3.5]$. It is described as:

Slow Down (SD) $\mathcal{L}(2.7, 2.8)$

No Change (NC) $\Delta(2.9, 3, 3.1)$


Speed Up (SU) $\Gamma(3.2, 3.3)$.

Table 1: Rule Base - case of \wedge

SC \ SP	SP		
	S	N	F
L	SU	NC	NC
M	SU	NC	NC
H	NC	SD	SD

Find the control voltage V if $SP = 910$ rpm and $SC = 6.5$ rpm/mn.

- (a) ($4\frac{1}{2}$ points) Draw the membership functions



- (b) ($3\frac{1}{2}$ points) Out of the rules, which ones to be fired if $SP = 910$ rpm and

Do not write anything here



SC = 6.5 rpm/mn.

1. If SP is **F** and SC is **M** then V is **NC**

2. If SP is **F** and SC is **H** then V is **SD**

(c) (2 points) Compute the output V using the **COG** method.

The voltage increment is $\Delta V = 0.1$ volts.

$$V^* = \frac{(2.5 + 2.6 + 2.7) \times 0.25 + 3 \times 0.75}{0.25 \times 3 + 0.75} = \frac{1.95 + 2.25}{1.5} = 2.8 \text{ volts}$$