

AUDIO_PAUSE

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\ (linux-master) (drivers) (staging) (media) (av7110) audio-pause.rst, line 2)

Unknown directive type "c:namespace".

```
.. c:namespace:: DTV.audio
```

Name

AUDIO_PAUSE

Attention!

This ioctl is deprecated

Synopsis

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\ (linux-master) (drivers) (staging) (media) (av7110) audio-pause.rst, line 20)

Unknown directive type "c:macro".

```
.. c:macro:: AUDIO_PAUSE
```

```
int ioctl(int fd, AUDIO_PAUSE)
```

Arguments

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\ (linux-master) (drivers) (staging) (media) (av7110) audio-pause.rst, line 27)

Unknown directive type "flat-table".

```
.. flat-table::
   :header-rows: 0
   :stub-columns: 0

   - .. row 1

     - int fd

     - File descriptor returned by a previous call to open().
```

Description

This ioctl call suspends the audio stream being played. Decoding and playing are paused. It is then possible to restart again decoding and playing process of the audio stream using AUDIO_CONTINUE command.

Return Value

On success 0 is returned, on error -1 and the `errno` variable is set appropriately. The generic error codes are described at the [ref`Generic Error Codes <gen-errors>`](#) chapter.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\drivers\staging\media\av7110\ (linux-master) (drivers) (staging) (media) (av7110) audio-pause.rst, line 47); [backlink](#)

Unknown interpreted text role "ref".

