Digital TV demux write()

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\[linux-master] [Documentation] [userspace-api] [media] [dvb]dmx-fwrite.rst, line 2)
```

Unknown directive type "c:namespace".

```
.. c:namespace:: DTV.dmx
```

Name

Digital TV demux write()

Synopsis

```
System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\[linux-master] [Documentation] [userspace-api] [media] [dvb]dmx-fwrite.rst, line 18)
```

Unknown directive type "c:function".

```
.. c:function:: ssize t write(int fd, const void *buf, size t count)
```

Arguments

fd

File descriptor returned by a previous call to :c:func:'open()'.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\[linux-master] [Documentation] [userspace-api] [media] [dvb]dmx-fwrite.rst, line 24); backlink

Unknown interpreted text role "c:func".

buf

Buffer with data to be written

count

Number of bytes at the buffer

Description

This system call is only provided by the logical device <code>/dev/dvb/adapter?/dvr?</code>, associated with the physical demux device that provides the actual DVR functionality. It is used for replay of a digitally recorded Transport Stream. Matching filters have to be defined in the corresponding physical demux device, <code>/dev/dvb/adapter?/demux?</code>. The amount of data to be transferred is implied by count.

Return Value

On success 0 is returned.

On error -1 is returned, and the errno variable is set appropriately.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\[linux-master] [Documentation] [userspace-api] [media] [dvb] dmx-fwrite.rst, line 50)

Unknown directive type "tabularcolumns".

```
.. tabularcolumns:: |p{2.5cm}|p{15.0cm}|
```

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\[linux-master] [Documentation] [userspace-api] [media] [dvb]dmx-fwrite.rst, line 52)

Unknown directive type "flat-table".

```
.. flat-table::
    :header-rows: 0
    :stub-columns: 0
    :widths: 1 16

- - ``EWOULDBLOCK``
    - No data was written. This might happen if ``O_NONBLOCK`` was specified and there is no more buffer space available (if
```

- No data was written. This might happen if `O_NONBLOCK` was specified and there is no more buffer space available (if `O_NONBLOCK` is not specified the function will block until buffer space is available).
- - ``EBUSY``
 - This error code indicates that there are conflicting requests. The corresponding demux device is setup to receive data from the front- end. Make sure that these filters are stopped and that the filters with input set to ``DMX_IN_DVR`` are started.

The generic error codes are described at the ref. Generic Error Codes < gen-errors > chapter.

System Message: ERROR/3 (D:\onboarding-resources\sample-onboarding-resources\linux-master\Documentation\userspace-api\media\dvb\[linux-master] [Documentation] [userspace-api] [media] [dvb]dmx-fwrite.rst, line 69); backlink

Unknown interpreted text role 'ref'.